

Publications by the department of Psychiatry VUmc / GGZ inGeest

International publications - refereed

1. Aderka IM, Anholt GE, Van Balkom AJLM, Smit JH, Hermesh H, van Oppen P. Sudden gains in the treatment of obsessive-compulsive disorder. *Psychotherapy and psychosomatics* 2012;81(1):44-51.
2. Atlantis E, Shi ZM, Penninx BJWH, Wittert GA, Taylor A, Almeida OP. Chronic medical conditions mediate the association between depression and cardiovascular disease mortality. *Social psychiatry and psychiatric epidemiology* 2012;47(4):615-625.
3. Atlantis E, Vogelzangs N, Cashman K, Penninx BJWH. Common mental disorders associated with 2-year diabetes incidence: The Netherlands Study of Depression and Anxiety (NESDA). *Journal of affective disorders* 2012;142:S30-S35.
4. Attu SD, Rhebergen D, Comijs HC, Parker G, Stek ML. Psychomotor symptoms in depressed elderly patients: Assessment of the construct validity of the Dutch CORE by accelerometry. *Journal of affective disorders* 2012;137(1-3):146-150.
5. Barakat A, Vogelzangs N, Licht CMM, Geenen R, Macfarlane GJ, de Geus EJC, Smit JH, Penninx BWJH, Dekker J. Dysregulation of the autonomic nervous system and its association with the presence and intensity of chronic widespread pain. *Arthritis care & research* 2012;64(8):1209-1216.
6. Batelaan NM, Spijker J, de Graaf R, Cuijpers P. Mixed anxiety depression should not be included in DSM-5. *Journal of nervous and mental disease* 2012;200(6):495-498.
7. Batelaan NM, Van Balkom AJLM, Stein DJ. Evidence-based pharmacotherapy of panic disorder: an update. *International journal of neuropsychopharmacology* 2012;15(3):403-415.
8. Batelaan NM, Rhebergen D, de Graaf R, Spijker J, Beekman ATF, Penninx BWJH. Panic attacks as a dimension of psychopathology: evidence for associations with onset and course of mental disorders and level of functioning. *Journal of clinical psychiatry* 2012 September;73(9):1195-1202.
9. Batelaan NM, Smit JH, Cuijpers P, van Marwijk HWJ, Terluin B, Van Balkom AJLM. Prevention of anxiety disorders in primary care: A feasibility study. *BMC psychiatry* 2012;12:206.
10. Biesheuvel-Liefeld KEM, Kersten SMA, van der Horst HE, van Schaik A, Bockting CLH, Bosmans JE, Smit F, van Marwijk HWJ. Cost-effectiveness of nurse-led self-help for recurrent depression in the primary care setting: design of a pragmatic randomised controlled trial. *BMC psychiatry* 2012;12.
11. Bis JC, et al (including Penninx BW, Veltman DJ). Common variants at 12q14 and 12q24 are associated with hippocampal volume. *Nature genetics* 2012;44(5):545-+.
12. Boeschoten RE, Nieuwenhuis MM, van Oppen P, Uitdehaag BMJ, Polman CH, Collette EH, Cuijpers P, Beekman ATF, Dekker J. Feasibility and outcome of a web-based self-help intervention for depressive symptoms in patients with multiple sclerosis: A pilot study. *Journal of the neurological sciences* 2012;315(1-2):104-109.

13. Boeschoten RE, Dekker J, Uitdehaag BMJ, Polman CH, Collette EH, Cuijpers P, Beekman ATF, van Oppen P. Internet-based self-help treatment for depression in multiple sclerosis: study protocol of a randomized controlled trial. *BMC psychiatry* 2012;12.
14. Bolier L, Haverman M, Kramer J, Boon B, Smit F, Riper H, Bohlmeijer E. Internet-based intervention to promote mental fitness in mildly depressed adults. *Journal of Medical Internet Research - Research Protocols* 2012;1(1):e2.
15. Boraska V, et al. (including Penninx BW, Smit JH). Genome-wide meta-analysis of common variant differences between men and women. *Human Molecular Genetics* 2012 November 1;21(21):4805-4815.
16. Boschloo L, Vogelzangs N, van den Brink W, Smit JH, Veltman DJ, Beekman ATF, Penninx BWJH. Is alcohol consumption irrelevant to outcome in anxiety and depression? Reply. *British journal of psychiatry* 2012;201(4):326-327.
17. Boschloo L, van den Brink W, Penninx BWJH, Wall MM, Hasin DS. Alcohol-use disorder severity predicts first-incidence of depressive disorders. *Psychological medicine* 2012;42(4):695-703.
18. Boschloo L, Vogelzangs N, van den Brink W, Smit JH, Veltman DJ, Beekman ATF, Penninx BWJH. Alcohol use disorders and the course of depressive and anxiety disorders. *British journal of psychiatry* 2012;200(6):476-484.
19. Boschloo L, Vogelzangs N, van den Brink W, Smit JH, Beekman ATF, Penninx BWJH. Predictors of the 2-year recurrence and persistence of alcohol dependence. *Addiction* 2012;107(9):1590-1598.
20. Bosmans JE, Schreuders B, van Marwijk HWJ, Smit JH, van Oppen P, van Tulder MW. Cost-effectiveness of problem-solving treatment in comparison with usual care for primary care patients with mental health problems: a randomized trial. *BMC family practice* 2012;13.
21. Bot M, Pouwer F, Zuidersma M, van Melle JP, de Jonge P. Association of coexisting diabetes and depression with mortality after myocardial infarction. *Diabetes care* 2012;35(3):503-509.
22. Braam AW, Klinkenberg M, Galenkamp H, Deeg DJH. Late-life depressive symptoms, religiousness, and mood in the last week of life. *Depression research and treatment* 2012;2012:754031.
23. Braamse AMJ, Gerrits MMJG, van Meijel B, Visser O, van Oppen P, Boenink AD, Cuijpers P, Huijgens PC, Beekman ATF, Dekker J. Predictors of health-related quality of life in patients treated with auto- and allo-SCT for hematological malignancies. *Bone marrow transplantation* 2012;47(6):757-769.
24. Broos N, Schmaal L, Wiskerke J, Kosteljik L, Lam T, Stoop N, Weierink L, Ham J, de Geus EJC, Schoffelmeer ANM, van den Brink W, Veltman DJ, de Vries TJ, Pattij T, Goudriaan AE. The relationship between impulsive choice and impulsive action: a cross-species translational study. *PloS One* 2012;7(5).
25. Burke SM, Veltman DJ, Gerber J, Hummel T, Bakker J. Heterosexual men and women both show a hypothalamic response to the chemo-signal androstadienone. *PloS One* 2012;7(7).

26. Canepa M, Strait JB, Abramov D, Milaneschi Y, AlCihatirif M, Moni M, Ramachandran R, Najjar SS, Brunelli C, Abraham TP, Lakatta EG, Ferrucci L. Contribution of central adiposity to left ventricular diastolic function (from the Baltimore Longitudinal Study of Aging). *American journal of cardiology* 2012;109(8):1171-1178.
27. Castien RF, van der Windt DAWM, Blankenstein AH, Heymans MW, Dekker J. Clinical variables associated with recovery in patients with chronic tension-type headache after treatment with manual therapy. *Pain* 2012;153(4):893-899.
28. Castien RF, Blankenstein AH, van der Windt DAWM, Dekker J. Minimal clinically important change on the Headache Impact Test-6 questionnaire in patients with chronic tension-type headache. *Cephalgia* 2012;32(9):710-714.
29. Cousijn J, Goudriaan AE, Ridderinkhof KR, van den Brink W, Veltman DJ, Wiers RW. Approach-bias predicts development of cannabis problem severity in heavy cannabis users: results from a prospective fMRI study. *PLoS One* 2012;7(9).
30. Cousijn J, Wiers RW, Ridderinkhof KR, van den Brink W, Veltman DJ, Goudriaan AE. Grey matter alterations associated with cannabis use: Results of a VBM study in heavy cannabis users and healthy controls. *Neuroimage* 2012;59(4):3845-3851.
31. Crunelle CL, Veltman DJ, Booij J, Emmerik-van Oortmerssen K, van den Brink W. Substrates of neuropsychological functioning in stimulant dependence: a review of functional neuroimaging research. *Brain and Behavior* 2012 July;2(4):499-523.
32. Cuijpers P, Beekman ATF, Reynolds CF. Preventing depression a global priority. *JAMA-journal of the american medical association* 2012;307(10):1033-1034.
33. Cuijpers P, Reynolds CF, Donker T, Li J, Andersson G, Beekman A. Personalized treatment of adult depression: medication, psychotherapy, or both? A systematic review. *Depression and anxiety* 2012;29(10):855-864.
34. Dastani Z, et al (including Penninx BW, Smit JH, Vogelzangs N). Novel loci for adiponectin levels and their influence on type 2 diabetes and metabolic traits: a multi-ethnic meta-analysis of 45,891 individuals. *PLoS genetics* 2012;8(3).
35. de Bie HMA, Boersma M, Adriaanse S, Veltman DJ, Wink AM, Roosendaal SD, Barkhof F, Stam CJ, Oostrom KJ, Delemarre-van de Waal H, Sanz-Arigita EJ. Resting-state networks in awake five- to eight-year old children. *Human brain mapping* 2012;33(5):1189-1201.
36. de Moor MHM, Costa PT, Terracciano A, Krueger RF, de Geus EJC, Toshiko T, Penninx BWJH, Esko T, Madden PAF, Derringer J, Amin N, Willemsen G, Hottenga JJ, Distel MA, Uda M, Sanna S, Spinhoven P, Hartman CA, Sullivan P, Realo A, Allik J, Heath AC, Pergadia ML, Agrawal A, Lin P, Grucza R, Nutile T, Ciullo M, Rujescu D, Giegling I, Konte B, Widen E, Cousminer DL, Eriksson JG, Palotie A, Peltonen L, Luciano M, Tenesa A, Davies G, Lopez LM, Hansell NK, Medland SE, Ferrucci L, Schlessinger D, Montgomery GW, Wright MJ, Aulchenko YS, Janssens ACJW, Oostra BA, Metspalu A, Abecasis GR, Deary IJ, Raikkonen K, Bierut LJ, Martin NG, van Duijn CM, Boomsma DI. Meta-analysis of genome-wide association studies for personality. *Molecular psychiatry* 2012;17(3):337-349.
37. de Ruiter MB, Oosterlaan J, Veltman DJ, van den Brink W, Goudriaan AE. Similar hyporesponsiveness of the dorsomedial prefrontal cortex in problem gamblers and

38. de Ruiter MB, Reneman L, Boogerd W, Veltman DJ, Caan M, Douaud G, Lavini C, Linn SC, Boven E, Van Dam FSAM, Schagen SB. Late effects of high-dose adjuvant chemotherapy on white and gray matter in breast cancer survivors: Converging results from multimodal magnetic resonance imaging. *Human brain mapping* 2012;33(12):2971-2983.
39. de Vries FE, van den Heuvel OA, Cath DC, Groenewegen HJ, van Balkom AJ, Boellaard R, Lammertsma AA, Veltman DJ. Limbic and motor circuits involved in symmetry behavior in Tourette syndrome. *Movement disorders* 2012;27:S436-S437.
40. de Wit SJ, de Vries FE, van der Werf YD, Cath DC, Heslenfeld DJ, Veltman EM, Van Balkom AJLM, Veltman DJ, van den Heuvel OA. Presupplementary motor area hyperactivity during response inhibition: A candidate endophenotype of Obsessive-Compulsive Disorder. *American journal of psychiatry* 2012;169(10):1100-1108.
41. den Braber A, van 't Ent D, Cath DC, Veltman DJ, Boomsma DI, de Geus EJC. Brain activation during response interference in twins discordant or concordant for obsessive compulsive symptoms. *Twin research and human genetics* 2012;15(3):372-383.
42. Dorrepaal E, Thomaes K, Smit JH, van Balkom AJLM, Veltman DJ, Hoogendoorn AW, Draijer N. Stabilizing group treatment for complex posttraumatic stress disorder related to child abuse based on psychoeducation and cognitive behavioural therapy: a multisite randomized controlled trial. *Psychotherapy and psychosomatics* 2012;81(4):217-225.
43. Dorrepaal E, Thomaes K, Smit JH, Hoogendoorn A, Veltman DJ, Van Balkom AJLM, Draijer N. Clinical phenomenology of childhood abuse-related complex PTSD in a population of female patients: patterns of personality disturbance. *Journal of trauma & dissociation* 2012;13(3):271-290.
44. Dozeman E, van Marwijk HWJ, van Schaik DJF, Smit F, Stek ML, van der Horst HE, Bohlmeijer ET, Beekman ATF. Contradictory effects for prevention of depression and anxiety in residents in homes for the elderly: a pragmatic randomized controlled trial. *International psychogeriatrics* 2012;24(8):1242-1251.
45. Drost J, Van der Does A, Antypa N, Zitman F, Van Dyck R, Spinhoven P. General, specific and unique cognitive factors involved in anxiety and depressive disorders. *Cognitive therapy and research* 2012 December;36(6):621-633.
46. Drost J, Van der Does AJW, Antypa N, Zitman FG, van Dyck R, Spinhoven P. General, specific and unique cognitive factors involved in anxiety and depressive disorders. *Cognitive therapy and research* 2012;36(6):621-633.
47. Eggermont LHP, Penninx BWJH, Jones RN, Leveille SG. Depressive symptoms, chronic pain, and falls in older community-dwelling adults: the MOBILIZE Boston study. *Journal of the american geriatrics society* 2012;60(2):230-237.
48. Eikelenboom M, Smit JH, Beekman ATF, Penninx BWJH. Do depression and anxiety converge or diverge in their association with suicidality? *Journal of psychiatric research* 2012;46(5):608-615.

49. Eikelenboom P, van Exel E, Veerhuis R, Rozemuller AJM, van Gool WA, Hoozemans JJM. Innate immunity and the etiology of late-onset Alzheimer's disease. *Neurodegenerative diseases* 2012;10(1-4):271-273.
50. Eikelenboom P, Hoozemans J, Veerhuis R, van Exel E, Rozemuller A, van Gool WA. Whether, when and how chronic inflammation increases the risk of developing late-onset Alzheimer's disease. *Alzheimers Research and Therapy* 2012;4(3):15.
51. Eurelings-Bontekoe EHM, Peen J, Noteboom A, Alkema M, Dekker J. Differential treatment response of subtypes of patients with borderline personality organization, as assessed with theory-driven profiles of the Dutch short form of the MMPI: a naturalistic follow-up study. *Journal of personality assessment* 2012;94(4):380-392.
52. Fibbe LA, Cath DC, van den Heuvel OA, Veltman DJ, Tijssen MAJ, Van Balkom AJLM. Relationship between movement disorders and obsessive-compulsive disorder: beyond the obsessive-compulsive-tic phenotype. A systematic review. *Journal of neurology neurosurgery and psychiatry* 2012;83(6):646-654.
53. Fox CS, et al (including Penninx BW, Vogelzangs N). Genome-wide association for abdominal subcutaneous and visceral adipose reveals a novel locus for visceral fat in women. *PloS genetics* 2012;8(5).
54. Galenkamp H, Huisman M, Braam AW, Deeg DJH. Estimates of prospective change in self-rated health in older people were biased owing to potential recalibration response shift. *Journal of clinical epidemiology* 2012;65(9):978-988.
55. Gerrits MMJG, Vogelzangs N, van Oppen P, van Marwijk HWJ, van der Horst H, Penninx BWJH. Impact of pain on the course of depressive and anxiety disorders. *Pain* 2012;153(2):429-436.
56. Giallauria F, Milaneschi Y, Tanaka T, Maggio M, Canepa M, Elango P, Vigorito C, Lakatta EG, Ferrucci L, Strait J. Arterial stiffness and Vitamin D levels: the Baltimore Longitudinal Study of Aging. *Journal of clinical endocrinology & metabolism* 2012;97(10):3717-3723.
57. Giltay EJ, Enter D, Zitman FG, Penninx BWJH, van Pelt J, Spinhoven P, Roelofs K. Salivary testosterone: Associations with depression, anxiety disorders, and antidepressant use in a large cohort study. *Journal of psychosomatic research* 2012;72(3):205-213.
58. Glashouwer KA, de Jong PJ, Penninx BWJH. Prognostic value of implicit and explicit self-associations for the course of depressive and anxiety disorders. *Behaviour research and therapy* 2012;50(7-8):479-486.
59. Hardstone R, Poil SS, Schiavone G, Jansen R, Nikulin VV, Mansvelder HD, Linkenkaer-Hansen K. Detrended fluctuation analysis: a scale-free view on neuronal oscillations. *Frontiers in physiology* 2012;3:450.
60. Hartz SM, et al. (including Penninx BW, Vogelzangs N). Increased genetic vulnerability to smoking at CHRNA5 in early-onset smokers. *Archives of general psychiatry* 2012;69(8):854-861.
61. Hegeman JM, Wardenaar KJ, Comijs HC, de Waal MWM, Kok RM, van der Mast RC. The subscale structure of the Inventory of Depressive Symptomatology Self Report (IDS-SR) in older persons. *Journal of psychiatric research* 2012;46(10):1383-1388.

62. Hilbink M, Voerman G, van Beurden I, Penninx B, Laurant M. A randomized controlled trial of a tailored primary care program to reverse excessive alcohol consumption. *Journal of the american board of family medicine* 2012;25(5):712-722.
63. Hilderink PH, Burger H, Deeg DJ, Beekman AT, Voshaar RCO. The temporal relation between pain and depression: results from the Longitudinal Aging Study Amsterdam. *Psychosomatic medicine* 2012;74(9):945-951.
64. Holleman M, Vreeburg SA, Dekker JJM, Penninx BWJH. The relationships of working conditions, recent stressors and childhood trauma with salivary cortisol levels. *Psychoneuroendocrinology* 2012;37(6):801-809.
65. Holvast F, Verhaak PFM, Dekker JH, de Waal MWM, van Marwijk HWJ, Penninx BWJH, Comijs H. Determinants of receiving mental health care for depression in older adults. *Journal of affective disorders* 2012;143(1-3):69-74.
66. Holwerda TJ, Beekman ATF, Deeg DJH, Stek ML, van Tilburg TG, Visser PJ, Schmand B, Jonker C, Schoevers RA. Increased risk of mortality associated with social isolation in older men: only when feeling lonely? Results from the Amsterdam Study of the Elderly (AMSTEL). *Psychological medicine* 2012;42(4):843-853.
67. Houtjes W, van Meijel B, Deeg DJH, Beekman ATF. Late-life depression: systematic assessment of care needs as a basis for treatment. *Journal of psychiatric and mental health nursing* 2012;19(3):274-280.
68. Hovens JGFM, Giltay EJ, Wiersma JE, Spinhoven P, Penninx BWJH, Zitman FG. Impact of childhood life events and trauma on the course of depressive and anxiety disorders. *Acta psychiatica scandinavica* 2012;126(3):198-207.
69. Huijbers MJ, Spijker J, Donders ART, van Schaik DJF, van Oppen P, Ruhe HG, Blom MBJ, Nolen WA, Ormel J, van der Wilt GJ, Kuyken W, Spinhoven P, Speckens AEM. Preventing relapse in recurrent depression using mindfulness-based cognitive therapy, antidepressant medication or the combination: trial design and protocol of the MOMENT study. *BMC psychiatry* 2012;12.
70. Jamal M, Van der Does AJW, Cuijpers P, Penninx BWJH. Association of smoking and nicotine dependence with severity and course of symptoms in patients with depressive or anxiety disorder. *Drug and alcohol dependence* 2012;126(1-2):138-146.
71. Janssen EHC, van de Ven PM, Terluin B, Verhaak PFM, van Marwijk HWJ, Smolders M, van der Meer K, Penninx BWJH, van Hout HPJ. Recognition of anxiety disorders by family physicians after rigorous medical record case extraction Results of the Netherlands Study of Depression and Anxiety. *General hospital psychiatry* 2012;34(5):460-467.
72. Karsten J, Penninx BWJH, Riese H, Ormel J, Nolen WA, Hartman CA. The state effect of depressive and anxiety disorders on big five personality traits. *Journal of psychiatric research* 2012;46(5):644-650.
73. Klein Hofmeijer-Sevink M, Batelaan NM, van Megen HJGM, Penninx BW, Cath DC, van den Hout MA, Van Balkom AJLM. Clinical relevance of comorbidity in anxiety disorders: A report from the Netherlands Study of Depression and Anxiety (NESDA). *Journal of affective disorders* 2012;137(1-3):106-112.

74. Klumpers UMH, Boellaard R, Veltman DJ, Kloet RW, Hoogendoijk WJG, Lammertsma AA. Parametric [C-11]flumazenil images. *Nuclear medicine communications* 2012;33(4):422-430.
75. Kok RN, van Straten A, Beekman A, Bosmans J, de Neef M, Cuijpers P. Effectiveness and cost-effectiveness of web-based treatment for phobic outpatients on a waiting list for psychotherapy: protocol of a randomised controlled trial. *BMC psychiatry* 2012;12.
76. Korten NCM, Comijs HC, Lamers F, Penninx BWJH. Early and late onset depression in young and middle aged adults: Differential symptomatology, characteristics and risk factors? *Journal of affective disorders* 2012;138(3):259-267.
77. Krebber AMH, Leemans CR, de Bree R, van Straten A, Smit F, Smit EF, Becker A, Eeckhout GM, Beekman ATF, Cuijpers P, Verdonck-de Leeuw IM. Stepped care targeting psychological distress in head and neck and lung cancer patients: a randomized clinical trial. *BMC cancer* 2012;12.
78. Kruisdijk FR, Hendriksen IJM, Tak ECPM, Beekman ATF, Hopman-Rock M. Effect of running therapy on depression (EFFORT-D). Design of a randomised controlled trial in adult patients [ISRCTN 1894]. *BMC public health* 2012;12.
79. Kuehl LK, Penninx BWJH, Otte C. Depression: risk factor for cardiovascular disease. *Nervenarzt* 2012;83(11):1379-+.
80. Kurniawan C, Westendorp RGJ, de Craen AJM, Gussekloo J, de Laat J, van Exel E. Gene dose of apolipoprotein E and age-related hearing loss. *Neurobiology of aging* 2012;33(9).
81. Lamers F, Hoogendoorn AW, Smit JH, van Dyck R, Zitman FG, Nolen WA, Penninx BW. Sociodemographic and psychiatric determinants of attrition in the Netherlands Study of Depression and Anxiety (NESDA). *Comprehensive psychiatry* 2012;53(1):63-70.
82. Lamers F, Rhebergen D, Merikangas KR, de Jonge P, Beekman ATF, Penninx BWJH. Stability and transitions of depressive subtypes over a 2-year follow-up. *Psychological medicine* 2012;42(10):2083-2093.
83. Langerak W, Langeland W, van Balkom A, Draisma S, Terluin B, Draijer N. A validation study of the Four-Dimensional Symptom Questionnaire (4DSQ) in insurance medicine. *Work-a journal of prevention assessment & rehabilitation* 2012;43(3):369-380.
84. Lee PH, Perlis RH, Jung JY, Byrne EM, Rueckert E, Siburian R, Haddad S, Mayerfeld CE, Heath AC, Pergadia ML, Madden PAF, Boomsma DI, Penninx BW, Sklar P, Martin NG, Wray NR, Purcell SM, Smoller JW. Multi-locus genome-wide association analysis supports the role of glutamatergic synaptic transmission in the etiology of major depressive disorder. *Translational psychiatry* 2012;2:e184.
85. Licht CMM, Penninx BWJH, de Geus EJC. Effects of antidepressants, but not psychopathology, on cardiac sympathetic control: A longitudinal study. *Neuropsychopharmacology* 2012;37(11):2487-2495.
86. Lighart SA, Richard E, Fransen NL, Eurelings LSM, Beem L, Eikelenboom P, van Gool WA, van Charante EPM. Association of vascular factors with apathy in

87. Lubke GH, Hottenga JJ, Walters R, Laurin C, de Geus EJC, Willemsen G, Smit JH, Middeldorp CM, Penninx BWJH, Vink JM, Boomsma DI. Estimating the genetic variance of major depressive disorder due to all single nucleotide polymorphisms. *Biological psychiatry* 2012;72(8):707-709.
88. Luciano M, Lopez LM, de Moor MHM, Harris SE, Davies G, Nutile T, Krueger RF, Esko T, Schlessinger D, Toshiko T, Derringer JL, Realo A, Hansell NK, Pergadia ML, Pesonen AK, Sanna S, Terracciano A, Madden PAF, Penninx B, Spinhoven P, Hartman CA, Oostra BA, Janssens ACJW, Eriksson JG, Starr JM, Cannas A, Ferrucci L, Metspalu A, Wright MJ, Heath AC, van Duijn CM, Bierut LJ, Raikkonen K, Martin NG, Ciullo M, Rujescu D, Boomsma DI, Deary IJ. Longevity candidate genes and their association with personality traits in the elderly. *American journal of medical genetics part b-neuropsychiatric genetics* 2012;159B(2):192-200.
89. Luciano M, Huffman JE, rias-Vasquez A, Vinkhuyzen AAE, Middeldorp CM, Giegling I, Payton A, Davies G, Zgaga L, Janzing J, Ke X, Galesloot T, Hartmann AM, Ollier W, Tenesa A, Hayward C, Verhagen M, Montgomery GW, Hottenga JJ, Konte B, Starr JM, Vitart V, Vos PE, Madden PAF, Willemsen G, Konnerth H, Horan MA, Porteous DJ, Campbell H, Vermeulen SH, Heath AC, Wright A, Polasek O, Kovacevic SB, Hastie ND, Franke B, Boomsma DI, Martin NG, Rujescu D, Wilson JF, Buitelaar J, Pendleton N, Rudan I, Deary IJ. Genome-Wide Association uncovers shared genetic effects among personality traits and mood states. *American journal of medical genetics part b-neuropsychiatric genetics* 2012;159B(6):684-695.
90. Luijten M, Veltman DJ, Hester R, Smits M, Pepplinkhuizen L, Franken IHA. Brain activation associated with attentional bias in smokers is modulated by a dopamine antagonist. *Neuropsychopharmacology* 2012;37(13):2772-2779.
91. Manning AK, et al (including Penninx BW, Smit JH). A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycemic traits and insulin resistance. *Nature genetics* 2012;44(6):659-U81.
92. Manthey L, Lohbeck M, Giltay EJ, van Veena T, Zitman FG, Penninx BWJH. Correlates of benzodiazepine dependence in the Netherlands Study of Depression and Anxiety. *Addiction* 2012;107(12):2173-2182.
93. Meesters PD, de Haan L, Comijs HC, Stek ML, Smeets-Janssen MMJ, Weeda MR, Eikelenboom P, Smit JH, Beekman ATF. Schizophrenia spectrum disorders in later life: prevalence and distribution of age at onset and sex in a Dutch catchment area. *American journal of geriatric psychiatry* 2012;20(1):18-28.
94. Meiland FJM, Bouman AIE, Savenstedt S, Bentvelzen S, Davies RJ, Mulvenna MD, Nugent CD, Moelaert F, Hettinga ME, Bengtsson JE, Droes RM. Usability of a new electronic assistive device for community-dwelling persons with mild dementia. *Aging & mental health* 2012;16(5):584-591.
95. Meynen G. An ethical framework for assessments of criminal responsibility: Applying Susan Wolf's account of sanity to forensic psychiatry. *International journal of law and psychiatry* 2012;35(4):298-304.
96. Meynen G, Swaab DF, Widdershoven G. Nocebo and informed consent in the internet era. *American journal of bioethics* 2012;12(3):31-33.

97. Michielsen M, Semeijn E, Comijs HC, van de Ven P, Beekman ATF, Deeg DJH, Kooij JJS. Prevalence of attention-deficit hyperactivity disorder in older adults in The Netherlands. *British journal of psychiatry* 2012;201(4):298-305.
98. Milaneschi Y, Bandinelli S, Penninx BW, Corsi AM, Lauretani F, Vazzana R, Semba RD, Guralnik JM, Ferrucci L. The relationship between plasma carotenoids and depressive symptoms in older persons. *World journal of biological psychiatry* 2012;13(8):588-598.
99. Milaneschi Y, Simonsick EM, Vogelzangs N, Strotmeyer ES, Yaffe K, Harris TB, Tolea MI, Ferrucci L, Penninx BWJH. Leptin, abdominal obesity, and onset of depression in older men and women. *Journal of clinical psychiatry* 2012;73(9):1205-1211.
100. Mocking RJT, Assies J, Bot M, Jansen EHJM, Schene AH, Pouwer F. Biological effects of add-on eicosapentaenoic Acid supplementation in diabetes mellitus and co-morbid depression: a randomized controlled trial. *PLoS One* 2012;7(11):e49431.
101. Mohlman J, Bryant C, Lenze EJ, Stanley MA, Gum A, Flint A, Beekman ATF, Wetherell JL, Thorp SR, Craske MG. Improving recognition of late life anxiety disorders in Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition: observations and recommendations of the Advisory Committee to the Lifespan Disorders Work Group. *International journal of geriatric psychiatry* 2012;27(6):549-556.
102. Molendijk ML, Bus BAA, Spinhoven P, Penninx BWJH, Prickaerts J, Voshaar RCO, Elzinga BM. Gender specific associations of serum levels of brain-derived neurotrophic factor in anxiety. *World journal of biological psychiatry* 2012;13(7):535-543.
103. Molendijk ML, Bus BAA, Spinhoven P, Kaimatzoglou A, Voshaar RCO, Penninx BWJH, van IJzendoorn MH, Elzinga BM. A systematic review and meta-analysis on the association between BDNF val(66)met and hippocampal volume- a genuine effect or a winners curse? *American journal of medical genetics part b-neuropsychiatric genetics* 2012;159B(6):731-740.
104. Molendijk ML, van Tol MJ, Penninx BWJH, van der Wee NJA, Aleman A, Veltman DJ, Spinhoven P, Elzinga BM. BDNF val(66)met affects hippocampal volume and emotion-related hippocampal memory activity. *Translational psychiatry* 2012;2.
105. Molendijk ML, Haffmans JPM, Bus BAA, Spinhoven P, Penninx BWJH, Prickaerts J, Voshaar RCO, Elzinga BM. Serum BDNF concentrations show strong seasonal variation and correlations with the amount of ambient sunlight. *PLoS One* 2012;7(11).
106. Murabito JM, et al (including Penninx BW, Seldenrijk A). Association between chromosome 9p21 variants and the ankle-brachial index identified by a meta-analysis of 21 genome-wide association studies. *Circulation-cardiovascular genetics* 2012;5(1):100-112.
107. Nauta MH, Festen H, Reichart CG, Nolen WA, Stant AD, Bockting CLH, van der Wee NJA, Beekman A, Doreleijers TAH, Hartman CA, de Jong PJ, de Vries SO. Preventing mood and anxiety disorders in youth: a multi-centre RCT in the high risk offspring of depressed and anxious patients. *BMC psychiatry* 2012;12.
108. Nefs G, Bot M, Browne JL, Speight J, Pouwer F. Diabetes MILES--The Netherlands: rationale, design and sample characteristics of a national survey examining the

109. Okada Y, et al (including Penninx BW, Smit JH). Meta-analysis identifies multiple loci associated with kidney function-related traits in east Asian populations. *Nature genetics* 2012;44(8):904-+.
110. Palmer ND, et al (including Penninx BW, Smit JH, Vogelzangs N). A genome-wide association search for type 2 diabetes genes in African Americans. *PLoS One* 2012;7(1):e29202.
111. Piek E, Nolen WA, van der Meer K, Joling KJ, Kollen BJ, Penninx BWJH, van Marwijk HWJ, van Hout HPJ. Determinants of (non)-recognition of depression by general practitioners: Results of the Netherlands study of depression and anxiety. *Journal of affective disorders* 2012;138(3):397-404.
112. Plaisier I, de Graaf R, de Brujin J, Smit JH, van Dyck R, Beekman ATF, Penninx BWJH. Depressive and anxiety disorders on-the-job: The importance of job characteristics for good work functioning in persons with depressive and anxiety disorders. *Psychiatry research* 2012;200(2-3):382-388.
113. Post RM, Leverich GS, Altshuler LL, Frye MA, Suppes T, McElroy SL, Keck PEJ, Nolen WA, Rowe M, Kupka RW, Grunze H, Goodwin FK. Relationship of prior antidepressant exposure to long-term prospective outcome in bipolar I disorder outpatients. *Journal of clinical psychiatry* 2012 July;73(7):924-930.
114. Prina AM, Deeg D, Brayne C, Beekman A, Huisman M. The association between depressive symptoms and non-psychiatric hospitalisation in older adults. *PLoS One* 2012;7(4).
115. Quidé Y, Witteveen AB, El-Hage W, Veltman DJ, Olff M. Differences between effects of psychological versus pharmacological treatments on functional and morphological brain alterations in anxiety disorders and major depressive disorder: A systematic review. *Neuroscience and biobehavioral reviews* 2012;36(1):626-644.
116. Rhebergen D, Lamers F, Spijker J, de Graaf R, Beekman ATF, Penninx BWJH. Course trajectories of unipolar depressive disorders identified by latent class growth analysis. *Psychological medicine* 2012;42(7):1383-1396.
117. Rhebergen D, Arts DL, Comijs H, Beekman ATF, Terwee CB, Parker G, Stek ML. Psychometric properties of the dutch version of the core measure of melancholia. *Journal of affective disorders* 2012;142(1-3):343-346.
118. Rhebergen D, Graham R, Hadzi-Pavlovic D, Stek ML, Friend P, Barrett M, Parker G. The categorisation of dysthymic disorder: Can its constituents be meaningfully apportioned? *Journal of affective disorders* 2012;143(1-3):179-186.
119. Richard E, Schmand B, Eikelenboom P, Westendorp RG, van Gool WA. The Alzheimer myth and biomarker research in dementia. *Journal of Alzheimers disease* 2012;31:S203-S209.
120. Richard E, Schmand B, Eikelenboom P, Yang SC, Ligthart SA, van Charante EPM, van Gool WA. Symptoms of apathy are associated with progression from mild cognitive impairment to Alzheimer's disease in non-depressed subjects. *Dementia and geriatric cognitive disorders* 2012;33(2-3):204-209.

121. Ruhé HG, Booij J, Veltman DJ, Michel MC, Schene AH. Successful pharmacologic treatment of major depressive disorder attenuates amygdala activation to negative facial expressions: a functional magnetic resonance imaging study. *Journal of clinical psychiatry* 2012;73(4):451-459.
122. Ruissen AM, Widdershoven GAM, Meynen G, Abma TA, Van Balkom AJLM. A systematic review of the literature about competence and poor insight. *Acta psychiatica scandinavica* 2012;125(2):103-113.
123. Rutten S, Vriend C, van den Heuvel OA, Smit JH, Berendse HW, van der Werf YD. Bright light therapy in Parkinson's disease: an overview of the background and evidence. *Parkinsons disease* 2012;2012:767105.
124. Sanders JB, Bremmer MA, Deeg DJH, Beekman ATF. Do depressive symptoms and gait speed impairment predict each other's incidence? A 16-year prospective study in the community. *Journal of the american geriatrics society* 2012;60(9):1673-1680.
125. Sanders JL, Boudreau RM, Penninx BW, Simonsick EM, Kritchevsky SB, Satterfield S, Harris TB, Bauer DC, Newman AB. Association of a modified physiologic index with mortality and incident disability: the Health, Aging, and Body Composition study. *Journals of gerontology series a-biological sciences and medical sciences* 2012;67(12):1439-+.
126. Schmaal L, Veltman DJ, Nederveen A, van den Brink W, Goudriaan AE. N-acetylcysteine normalizes glutamate levels in cocaine-dependent patients: a randomized crossover magnetic resonance spectroscopy study. *Neuropsychopharmacology* 2012;37(9):2143-2152.
127. Schmaal L, Goudriaan AE, van der Meer J, van den Brink W, Veltman DJ. The association between cingulate cortex glutamate concentration and delay discounting is mediated by resting state functional connectivity. *Brain and Behavior* 2012 September;2(5):553-562.
128. Schmand B, Eikelenboom P, van Gool WA. Value of diagnostic tests to predict conversion to Alzheimer's disease in young and old patients with amnestic mild cognitive impairment. *Journal of Alzheimers disease* 2012;29(3):641-648.
129. Schouws SNTM, Comijs HC, Stek ML, Beekman ATF. Self-reported cognitive complaints in elderly bipolar patients. *American journal of geriatric psychiatry* 2012;20(8):700-706.
130. Schouws SNTM, Stek ML, Comijs HC, Dols A, Beekman ATF. Cognitive decline in elderly bipolar disorder patients: a follow-up study. *Bipolar disorders* 2012;14(7):749-755.
131. Schrier AC, De Wit MAS, Coupe VMH, Fassaert T, Verhoeff AP, Kupka RW, Dekker J, Beekman ATF. Comorbidity of anxiety and depressive disorders: A comparative population study in Western and non-Western inhabitants in the Netherlands. *International journal of social psychiatry* 2012;58(2):186-194.
132. Schrier AC, Ujcic-Voortman JK, De Wit MAS, Verhoeff AP, Kupka R, Dekker J, Beekman ATF. Ethnic differences in the association between cardiovascular risk factors and psychological distress in a population study in the Netherlands. *BMC public health* 2012;12:1090.

133. Schuurmans J, Van Balkom AJLM, van Megen HJGM, Smit JH, Eikelenboom M, Cath DC, Kaarsemaker M, Oosterbaan D, Hendriks GJ, Schruers KRJ, van der Wee NJA, Glas G, van Oppen P. The Netherlands Obsessive Compulsive Disorder Association (NOCDA) study: design and rationale of a longitudinal naturalistic study of the course of OCD and clinical characteristics of the sample at baseline. *International journal of methods in psychiatric research* 2012;21(4):273-285.
134. Scott RA, et al. (including Penninx BW, Smit JH). Large-scale association analyses identify new loci influencing glycemic traits and provide insight into the underlying biological pathways. *Nature genetics* 2012;44(9):991-+.
135. Seekles WM, Cuijpers P, van de Ven P, Penninx BWJH, Verhaak PFM, Beekman ATF, van Straten A. Personality and perceived need for mental health care among primary care patients. *Journal of affective disorders* 2012;136(3):666-674.
136. Seldenrijk A, Hamer M, Lahiri A, Penninx BWJH, Steptoe A. Psychological distress, cortisol stress response and subclinical coronary calcification. *Psychoneuroendocrinology* 2012;37(1):48-55.
137. Selten JP, Laan W, Kupka R, Smeets H, van Os J. Risk of psychiatric treatment for mood disorders and psychotic disorders among migrants and Dutch nationals in Utrecht, The Netherlands. *Social psychiatry and psychiatric epidemiology* 2012;47(2):271-278.
138. Selten JP, Laan W, Kupka R, Smeets HM, van Os J. Risk of psychiatric treatment for mood disorders and psychotic disorders among migrants and Dutch nationals in Utrecht, The Netherlands. *Social psychiatry and psychiatric epidemiology* 2012;47(2):271-278.
139. Shardell M, D'Adamo C, Alley DE, Miller RR, Hicks GE, Milaneschi Y, Semba RD, Cherubini A, Bandinelli S, Ferrucci L. Serum 25-hydroxyvitamin D, transitions between frailty states, and mortality in older adults: the Invecchiare in Chianti Study. *Journal of the american geriatrics society* 2012;60(2):256-264.
140. Smit Y, Huibers MJH, Ioannidis JPA, van Dyck R, van Tilburg W, Arntz A. The effectiveness of long-term psychoanalytic psychotherapy-A meta-analysis of randomized controlled trials. *Clinical psychology review* 2012;32(2):81-92.
141. Sonnenberg CM, Bierman EJM, Deeg DJH, Comijs HC, van Tilburg W, Beekman ATF. Ten-year trends in benzodiazepine use in the Dutch population. *Social psychiatry and psychiatric epidemiology* 2012;47(2):293-301.
142. Spinhoven P, de Rooij M, Heiser W, Smit JH, Penninx BWJH. Personality and changes in comorbidity patterns among anxiety and depressive disorders. *Journal of abnormal psychology* 2012;121(4):874-884.
143. Stein JL, et al. (including Penninx BW, Veltman DJ). Identification of common variants associated with human hippocampal and intracranial volumes. *Nature genetics* 2012;44(5):552-+.
144. Stoffers D, Moens S, Benjamins J, van Tol MJ, Penninx BWJH, Veltman DJ, van der Wee NJA, Van Someren EJW. Orbitofrontal gray matter relates to early morning awakening: a neural correlate of insomnia complaints? *Frontiers in neurology* 2012;3:105.

- 145.Sullivan P, 96 Psychiatric Genetics Investigators (including Penninx BW). Don't give up on GWAS. *Molecular psychiatry* 2012;17(1):2-3.
- 146.Sutin AR, Milaneschi Y, Cannas A, Ferrucci L, Uda M, Schlessinger D, Zonderman AB, Terracciano A. Impulsivity-related traits are associated with higher white blood cell counts. *Journal of behavioral medicine* 2012;35(6):616-623.
- 147.Talegawkar SA, Bandinelli S, Bandeen-Roche K, Chen P, Milaneschi Y, Tanaka T, Semba RD, Guralnik JM, Ferrucci L. A higher adherence to a mediterranean-style diet is inversely associated with the development of frailty in community-dwelling elderly men and women. *Journal of nutrition* 2012;142(12):2161-2166.
- 148.Thomaes K, Dorrepaal E, Draijer N, de Ruiter MB, Elzinga BM, van Balkom AJ, Smit JH, Veltman DJ. Treatment effects on insular and anterior cingulate cortex activation during classic and emotional Stroop interference in child abuse-related complex post-traumatic stress disorder. *Psychological medicine* 2012;42(11):2337-2349.
- 149.Tolea MI, Terracciano A, Milaneschi Y, Metter EJ, Ferrucci L. Personality typology in relation to muscle strength. *International journal of behavioral medicine* 2012;19(3):382-390.
- 150.Tully PJ, Penninx BW. Depression and anxiety among coronary heart disease patients: can affect dimensions and theory inform diagnostic disorder-based screening? *Journal of clinical psychology* 2012;68(4):448-461.
- 151.van Balkom AJLM, Emmelkamp PMG, Eikelenboom M, Hoogendoorn AW, Smit JH, van Oppen P. Cognitive therapy versus fluvoxamine as a second-step treatment in obsessive-compulsive disorder nonresponsive to first-step behavior therapy. *Psychotherapy and psychosomatics* 2012;81(6):366-374.
- 152.van Ballegooijen W, Riper H, Donker T, Abello KM, Marks I, Cuijpers P. Single-Item screening for agoraphobic symptoms: validation of a web-based audiovisual screening instrument. *PLoS One* 2012;7(7).
- 153.van Bastelaar KMP, Pouwer F, Cuijpers P, Riper H, Twisk JWR, Snoek FJ. Is a severe clinical profile an effect modifier in a web-based depression treatment for adults with Type 1 or Type 2 Diabetes? Secondary analyses from a randomized controlled trial. *Journal of medical internet research* 2012;14(1).
- 154.van Beek MHCT, Mingels M, Voshaar RCO, Van Balkom AJLM, Lappenschaar M, Pop G, Speckens AEM. One-year follow up of cardiac anxiety after a myocardial infarction: A latent class analysis. *Journal of psychosomatic research* 2012;73(5):362-368.
- 155.van Beek MHCT, Voshaar RCO, van Deelen FM, Van Balkom AJLM, Pop G, Speckens AEM. The Cardiac Anxiety Questionnaire: cross-validation among cardiac inpatients. *International journal of psychiatry in medicine* 2012;43(4):349-364.
- 156.van Bergen DD, Van Balkom AJLM, Smit JH, Saharso S. "I felt so hurt and lonely": Suicidal behavior in South Asian-Surinamese, Turkish, and Moroccan women in the Netherlands. *Transcultural psychiatry* 2012;49(1):69-86.
- 157.van den Beukel TO, Verduijn M, le Cessie S, Jager KJ, Boeschoten EW, Krediet RT, Siegert CEH, Honig A, Dekker FW. The role of psychosocial factors in ethnic differences in survival on dialysis in the Netherlands. *Nephrology, dialysis, transplantation* 2012;27(6):2472-2479.

- 158.van den Beukel TO, Siegert CEH, van Dijk S, Ter Wee PM, Dekker FW, Honig A. Comparison of the SF-36 Five-item Mental Health Inventory and Beck Depression Inventory for the screening of depressive symptoms in chronic dialysis patients. *Nephrology, dialysis, transplantation* 2012 December;27(12):4453-4457.
- 159.van den Kommer TN, Dik MG, Comijs HC, Lutjohann D, Lips P, Jonker C, Deeg DJH. The role of extracerebral cholesterol homeostasis and ApoE e4 in cognitive decline. *Neurobiology of aging* 2012;33(3).
- 160.van den Kommer TN, Dik MG, Comijs HC, Jonker C, Deeg DJH. The role of lipoproteins and inflammation in cognitive decline: Do they interact? *Neurobiology of aging* 2012;33(1).
- 161.van der Harst P, et al (including Penninx BWJH, Smit JH). Seventy-five genetic loci influencing the human red blood cell. *Nature* 2012;492(7429):369-375.
- 162.van der Post L, Visch I, Mulder C, Schoevers R, Dekker J, Beekman A. Factors associated with higher risks of emergency compulsory admission for immigrants: A report from the ASAP study. *International journal of social psychiatry* 2012;58(4):374-380.
- 163.van der Post LFM, Mulder CL, Peen J, Visch I, Dekker J, Beekman ATF. Social support and risk of compulsory admission: Part IV of the Amsterdam Study of Acute Psychiatry. *Psychiatric services* 2012;63(6):577-583.
- 164.van Dijk MK, Verbraak MJPM, Oosterbaan DB, Van Balkom AJLM. Implementing practice guidelines for anxiety disorders in secondary mental health care: a case study. *International journal of mental health systems* 2012;6.
- 165.van Dijk S, van den Beukel TO, Dekker FW, le Cessie S, Kaptein AA, Honig A, Siegert CE, Boeschoten EW, Krediet RT, Verduijn M. Short-term versus long-term effects of depressive symptoms on mortality in patients on dialysis. *Psychosomatic medicine* 2012;74(8):854-860.
- 166.van Holst RJ, Veltman DJ, van den Brink W, Goudriaan AE. Right on cue? Striatal reactivity in problem gamblers. *Biological psychiatry* 2012;72(10):E23-E24.
- 167.van Holst RJ, de Ruiter MB, van den Brink W, Veltman DJ, Goudriaan AE. A voxel-based morphometry study comparing problem gamblers, alcohol abusers, and healthy controls. *Drug and alcohol dependence* 2012;124(1-2):142-148.
- 168.van Holst RJ, Lemmens JS, Valkenburg PM, Peter J, Veltman DJ, Goudriaan AE. Attentional bias and disinhibition toward gaming cues are related to problem gaming in male adolescents. *Journal of adolescent health* 2012;50(6):541-546.
- 169.van Holst RJ, Veltman DJ, Buchel C, van den Brink W, Goudriaan AE. Distorted expectancy coding in problem gambling: is the addictive in the anticipation? *Biological psychiatry* 2012;71(8):741-748.
- 170.van Holst RJ, van Holstein M, van den Brink W, Veltman DJ, Goudriaan AE. Response inhibition during cue reactivity in problem gamblers: an fMRI Study. *Plos one* 2012;7(3).

- 171.van Holst RJ, van der Meer JN, McLaren DG, van den Brink W, Veltman DJ, Goudriaan AE. Interactions between affective and cognitive processing systems in problematic gamblers: a functional connectivity study. *PLoS One* 2012;7(11):e49923.
- 172.van Mierlo LD, Meiland FJM, Droles RM. Dementelcoach: effect of telephone coaching on carers of community-dwelling people with dementia. *International psychogeriatrics* 2012;24(2):212-222.
- 173.van Mierlo LD, Meiland FJM, Van der Roest HG, Droles RM. Personalised caregiver support: effectiveness of psychosocial interventions in subgroups of caregivers of people with dementia. *International journal of geriatric psychiatry* 2012;27(1):1-14.
- 174.van Milligen BA, Vogelzangs N, Smit JH, Penninx BWJH. Physical function as predictor for the persistence of depressive and anxiety disorders. *Journal of affective disorders* 2012;136(3):828-832.
- 175.van Reedt-Dortland AKBV, Giltay EJ, van Veen T, Zitman FG, Penninx BWJH. Personality traits and childhood trauma as correlates of metabolic risk factors: The Netherlands Study of Depression and Anxiety (NESDA). *Progress in neuro-psychopharmacology & biological psychiatry* 2012;36(1):85-91.
- 176.van Schaik AM, Comijs HC, Sonnenberg CM, Beekman AT, Sienaert P, Stek ML. Efficacy and safety of continuation and maintenance Electroconvulsive Therapy in depressed elderly patients: A systematic review. *American journal of geriatric psychiatry* 2012;20(1):5-17.
- 177.van Tol MJ, Demenescu LR, van der Wee NJA, Kortekaas R, Nielen MMA, Den Boer JA, Renken RJ, van Buchem MA, Zitman FG, Aleman A, Veltman DJ. Functional magnetic resonance imaging correlates of emotional word encoding and recognition in depression and anxiety disorders. *Biological psychiatry* 2012;71(7):593-602.
- 178.van Veen T, Goeman JJ, Monajemi R, Wardenaar KJ, Hartman CA, Snieder H, Nolte IM, Penninx BWJH, Zitman FG. Different gene sets contribute to different symptom dimensions of depression and anxiety. *American journal of medical genetics part b-neuropsychiatric genetics* 2012;159B(5):519-528.
- 179.van Zaane J, van den Berg B, Draisma S, Nolen WA, van den Brink W. Screening for bipolar disorders in patients with alcohol or substance use disorders: Performance of the Mood Disorder Questionnaire. *Drug and alcohol dependence* 2012;124(3):235-241.
- 180.Veen G, Giltay EJ, Vreeburg SA, Licht CMM, Cobbaert CM, Zitman FG, Penninx BWJH. Determinants of salivary evening alpha-amylase in a large sample free of psychopathology. *International journal of psychophysiology* 2012;84(1):33-38.
- 181.Verbeek EC, Bakker IMC, Bevova MR, Bochdanovits Z, Rizzu P, Sondervan D, Willemse G, de Geus EJ, Smit JH, Penninx BW, Boomsma DI, Hoogendoijk WJG, Heutink P. A fine-mapping study of 7 top scoring genes from a GWAS for Major Depressive Disorder. *PLoS One* 2012;7(5).
- 182.Verboom CE, Ormel J, Nolen WA, Penninx BWJH, Sijtsema JJ. Moderators of the synchrony of change between decreasing depression severity and disability. *Acta psychiatrica Scandinavica* 2012;126(3):175-185.

- 183.Verwijk E, Comijs HC, Kok RM, Spaans HP, Stek ML, Scherder EJA. Neurocognitive effects after brief pulse and ultrabrief pulse unilateral electroconvulsive therapy for major depression: A review. *Journal of affective disorders* 2012;140(3):233-243.
- 184.Vlasveld MC, van der Feltz-Cornelis C, Bultmann U, Beekman ATF, van Mechelen W, Hoedeman R, Anema JR. Predicting return to work in workers with all-cause sickness absence greater than 4 weeks: A prospective cohort study. *Journal of occupational rehabilitation* 2012;22(1):118-126.
- 185.Vlasveld MC, van der Feltz-Cornelis C, Ader HJ, Anema JR, Hoedeman R, van Mechelen W, Beekman ATF. Collaborative care for major depressive disorder in an occupational healthcare setting. *British journal of psychiatry* 2012;200(6):510-511.
- 186.Vogelzangs N, Duivis HE, Beekman ATF, Kluft C, Neuteboom J, Hoogendoijk W, Smit JH, de Jonge P, Penninx BWJH. Association of depressive disorders, depression characteristics and antidepressant medication with inflammation. *Translational psychiatry* 2012;2:e79.
- 187.Wardenaar KJ, Giltay EJ, van Veen T, Zitman FG, Penninx BWJH. Symptom dimensions as predictors of the two-year course of depressive and anxiety disorders. *Journal of affective disorders* 2012;136(3):1198-1203.
- 188.Wardenaar KJ, Giltay EJ, van Veen T, Zitman FG, Penninx BWJH. Dimensions of the inventory of depressive symptomatology as predictors of the course of depressive and anxiety disorders. *Journal of psychiatric research* 2012;46(12):1655-1661.
- 189.Warmerdam L, Riper H, Klein M, van den Ven P, Rocha A, Ricardo Henriques M, Tousset E, Silva H, Andersson G, Cuijpers P. Innovative ICT solutions to improve treatment outcomes for depression: the ICT4Depression project. *Studies in health technology and informatics* 2012;181:339-343.
- 190.Wink AM, de Munck JC, van der Werf YD, van den Heuvel OA, Barkhof F. Fast eigenvector centrality mapping of voxel-wise connectivity in functional magnetic resonance imaging: implementation, validation, and interpretation. *Brain Connectivity* 2012;2(5):265-274.
- 191.Woudstra S, Bochdanovits Z, van Tol MJ, Veltman DJ, Zitman FG, van Buchem MA, van der Wee NJ, Opmeer EM, Demenescu LR, Aleman A, Penninx BW, Hoogendoijk WJ. Piccolo genotype modulates neural correlates of emotion processing but not executive functioning. *Translational psychiatry* 2012;2.
- 192.Wray NR, Pergadia ML, Blackwood DHR, Penninx BWJH, Gordon SD, Nyholt DR, Ripke S, MacIntyre DJ, McGhee KA, Maclean AW, Smit JH, Hottenga JJ, Willemsen G, Middeldorp CM, de Geus EJC, Lewis CM, McGuffin P, Hickie IB, van den Oord EJCG, Liu JZ, Macgregor S, McEvoy BP, Byrne EM, Medland SE, Statham DJ, Henders AK, Heath AC, Montgomery GW, Martin NG, Boomsma DI, Madden PAF, Sullivan PF. Genome-wide association study of major depressive disorder: new results, meta-analysis, and lessons learned. *Molecular psychiatry* 2012;17(1):36-48.
- 193.Yang J,et al (including Penninx BW). FTO genotype is associated with phenotypic variability of body mass index. *Nature* 2012;490(7419):267-U178.

Publications in Dutch

1. Aartsen MJ, Comijs HC. Alcoholgebruik en depressieve symptomen bij ouderen: Resultaten van de Longitudinal Aging Study Amsterdam [Alcohol use and depressive symptoms in the elderly: results of the Longitudinal Aging Study Amsterdam]. *Tijdschrift voor Gerontologie en Geriatrie* 2012;43:127-136.
2. Beekman ATF, van Os J, van Marle HJC, van Harten PN. Stagering en profiling van psychiatrische stoornissen [Staging and profiling of psychiatric disorders]. *Tijdschrift voor Psychiatrie* 2012;54(11):915-920.
3. Beekman ATF, van Os J, van Marle HJC, van Harten PN. Themanummer stagering en profiling: hervorming van diagnostiek [Special issue on staging and profiling: reform of diagnostics]. *Tijdschrift voor Psychiatrie* 2012;54(11):913-914.
4. Braamse A, Meijel B, Dekker J. Psychosociale zorg na stamceltransplantatie bij hematologische kanker. *Tijdschrift voor Evidence Based Practice* 2012;1:9-12.
5. Buwalda VJA, Nugter MA, van de Brug SY, Draisma S, Smit JH, Swinkels JA, van Tilburg W. ROM in de volwassenenpsychiatrie: een evaluatie van meetinstrumenten [ROM in adult psychiatry: an evaluation of measurement instruments]. *Tijdschrift voor Psychiatrie* 2012;54(2):147-152.
6. Comijs HC, Aartsen MJ, Visser M, Deeg DJH. Alcoholgebruik onder 55-plussers in Nederland [Alcohol-use in people aged 55+ in the Netherlands]. *Tijdschrift voor Gerontologie en Geriatrie* 2012;43:115-126.
7. Dols A, van Gerven H, Oostervink F, Schouws S, Tolner I, Kupka RW, Stek ML. Aandachtspunten voor de behandeling van ouderen met een bipolaire stoornis [Key points for the treatment of the elderly with bipolar disorder]. *Tijdschrift voor Psychiatrie* 2012;54(1):75-80.
8. Draisma S. Verslagen Cliëntenfeedback voor diverse (10) locaties GGZ inGeest. GGZ inGeest; 2012.
9. Draisma S. Verslag cliëntenfeedback 2011 en 2012: Responsbeloop en uitkomsten op 'ultimate questions'. GGZ inGeest; 2012.
10. Draisma S. Cliëntenfeedback Gegevens voor P&C. GGZ inGeest; 2012.
11. Hondius AJK, Stikker TE, Wennink JMBH, Honig A. Wet BOPZ toegepast bij vroege zwangerschap van verslaafde [Involuntary admission of addict during early pregnancy]. *Nederlands Tijdschrift voor Geneeskunde* 2012;156(3):A3818.
12. Honig A, Heres M, Wennink H. Zorg voor kwetsbare zwangere bedreigd. Rubriek, Brieven. *Medisch Contact* 2012;67(22):1369-1370.
13. Houweling BM, Twigt BA, Regeer EJ, Kupka RW, Valk GD, Vriens MR. Lithium-geïnduceerde hyperparathyreoidie [Lithium-induced hyperparathyroidism]. *Nederlands Tijdschrift voor Geneeskunde* 2012;156(7):A4091.
14. Kieviet N, Dolman K, Wennink H, Heres M, Honig A. Ontwenning bij de pasgeborene na blootstelling aan psychofarmaca tijdens de zwangerschap [Withdrawal in newborns after exposure to psychotropic medications during pregnancy]. *Nederlands Tijdschrift voor Geneeskunde* 2012;A4395.

15. Kupka RW, Hillegers MHJ. Stagering en profiling bij bipolaire stoornissen [Staging and profiling in bipolar disorders]. *Tijdschrift voor Psychiatrie* 2012;54(11):949-956.
16. Meesters PD, Comijs HC, de Haan L, Smit JH, Eikelenboom P, Beekman AT, Stek ML. Minderheid van oudere patiënten met schizofrenie in symptomatiche remissie [Minority of elderly patients with schizophrenia in symptomatic remission]. *Nederlands Tijdschrift voor Geneeskunde* 2012;156(32):A4701.
17. Naarding P, Beekman ATF. 'Vasculaire depressie': een valide diagnose? ['Vascular depression': a valid diagnosis?]. *Nederlands Tijdschrift voor Geneeskunde* 2012;156(8):A3641.
18. Nauta KJ, Batelaan NM, Van Balkom AJLM. De obsessieve-compulsieve stoornis vanuit gezinsperspectief; implicaties voor behandeling en onderzoek [Obsessive-compulsive disorder from a family perspective; implications for treatment and research]. *Tijdschrift voor Psychiatrie* 2012;54(5):439-448.
19. Noom MJ, de Jong K, Tiemens B, Kamsteeg F, Markus MT, Pot AM, Schippers GM, Swildens W, Sytema S, Theunissen J, van der Vlist HP, Vuyk J, Zondervan J. Routine outcome monitoring en benchmarking: hoe kunnen we behandelresultaten op een zorgvuldige manier vergelijken? [Routine outcome monitoring and benchmarking: how can treatment results be compared in a responsible manner?]. *Tijdschrift voor Psychiatrie* 2012;54(2):141-145.
20. Noort A, Braam AW, van Gool AR, Verhagen PJ, Beekman ATF. De herkenning van psychische problemen met religieuze inhoud door pastores: een vignetstudie [Recognition of psychiatric disorders with a religious content by members of the clergy of different denominations in the Netherlands]. *Tijdschrift voor Psychiatrie* 2012;54(9):785-795.
21. Noorthoorn E, Janssen W, van de Sande R, Nijman H, Smit A, Hoogendoorn A, Bousardt Y, Voskes Y, Mulder N, Widdershoven G. Vijf jaar Argus, Rapportage uitkomsten vrijheidsbeperkende interventies 2011. Warnsveld: GGNet; 2012.
22. Nugter MA, Buwalda VJA, Dhondt ADF, Draisma S. Gebruik van de HONOS bij de behandeling van patiënten [The use of HoNOS in the treatment of patients]. *Tijdschrift voor Psychiatrie* 2012;54(2):153-159.
23. Peeters FPML, Ruhe HG, Beekman ATF, Spijker J, Schoevers R, Zitman F, Schene A. Stagering en profiling van unipolaire depressies [Staging and profiling of unipolar depression]. *Tijdschrift voor Psychiatrie* 2012;54(11):957-963.
24. Piek E, van der Meer K, Hoogendijk WJ, Penninx BW, Nolen WA. Weinig overbehandeling met antidepressiva. *Huisarts en Wetenschap* 2012;55(2):54-57.
25. Regeer RJ, Kupka RW. Lithiumrespons bij bipolaire stoornissen. *Psyfar* 2012;7(1).
26. Sanders F, Smeets-Janssen MMJ, Meesters PD, van der Vlies AE, Kerssens CJ, Pijnenburg YAL. Frontotemporale dementie en schizofrenie op oudere leeftijd: een verkenning van executief en globaal cognitief functioneren [Frontotemporal dementia and schizophrenia in later life: a comparison of executive and general cognitive functioning]. *Tijdschrift voor Psychiatrie* 2012;54(5):409-417.
27. Smit M, Jongedijk EJ, Heres MHB, Dolman KM, Honig A. Zwangere met psychiatrische stoornis kan stoppen met roken [Pregnant women with psychiatric

28. Theunissen JR. Rehbailitatie, vadis quo? *Tijdschrift voor rehabilitatie* 2012;2:30-31.
29. Van Balkom AJLM, Oosterbaan DB, Batelaan N, Cath DC, Hendriks GJ, van Megen HJGM, Schruers K, Spijker J, van der Wee N, van Vliet IM. De karakterisering van angststoornissen: stageren en proflieren met gezond verstand [The characterisation of anxiety disorders: staging and profiling based on common sense]. *Tijdschrift voor Psychiatrie* 2012;54(11):935-940.
30. van der Post LFM, Mulder CL, Bernardt CMH, Schoevers RA, Beekman ATF, Dekker JJM. Inbewaringstelling als uitkomst; de Amsterdam Study of Acute Psychiatry [Emergency compulsory admission in crisis situations; the Amsterdam Study of Acute Psychiatry]. *Tijdschrift voor Psychiatrie* 2012;54(4):317-327.
31. van der Stel J. Succes drankbestrijding komt niet meer terug. Een essay. *Tijdschrift voor Gezondheidswetenschappen* 2012;90:453-457.
32. van der Werf-Eldering MJ, Schouws S, Arts B, Jabben N. Cognitieve stoornissen bij patienten met een bipolaire stoornis: determinanten en consequenties [Cognitive dysfunction in bipolar disorder: determinants and functional outcome]. *Tijdschrift voor Psychiatrie* 2012;54(8):709-718.
33. van Os J, Kahn R, Denys D, Schoevers RA, Beekman ATF, Hoogendoijk WJG, van Hemert AM, Hodiamont PPG, Scheepers F, Delespaul PAEG, Leentjens AFG. ROM: gedragsnorm of dwangmaatregel? Overwegingen bij het themanummer over routine outcome monitoring [Behavioural standard or coercive measure? Some considerations regarding the special issue on ROM]. *Tijdschrift voor Psychiatrie* 2012;54(3):245-253.
34. van Schaik AM, van Mill JG, Appels BA, van Tilburg W. Simulatie in het algemeen ziekenhuis: differentiaaldiagnose en beleid [Simulation in the general hospital: differential diagnosis and policy]. *Nederlands Tijdschrift voor Geneeskunde* 2012;156(5):A3952.
35. van Tilburg W. Onderzoek naar separatie: een goed begin, maar nog wel half werk [Research of seclusion: well begun, but still half done]. *Tijdschrift voor Psychiatrie* 2012;54(3):222-224.
36. Visser HM, Kupka RW. Bipolaire stoornis en ADHD bij volwassenen: differentiatie, comorbiditeit en farmacotherapie. *Psyfar* 2012;7(3):51-54.
37. Vlasveld MC, van der Feltz-Cornelis CM, Bültmann U, Beekman ATF, van Mechelen W, Hoedeman R, Anema JR. Voorspellers voor de verzuimduur bij werknemers met minstens 4 weken verzuim. *Nederlands Tijdschrift voor Geneeskunde* 2012;156(A4243).

Books and book chapters

1. Batelaan NM, Van Balkom AJLM, Stein DJ. Evidence-based pharmacotherapy of panic disorder. In: Stein DJ, Lerer B, Stahl SM, eds. Essential Evidence-Based Psychopharmacology. Cambridge: Cambridge University Press, 2012:73-89.
2. Boon S, Draijer N. Dissociatieve stoornissen (dissociative disorders). In: Ingenhoven T, van Reekum A, van Luyn B, Luyten P, eds. Handboek Borderline persoonlijkheidsstoornissen.Utrecht: De Tijdstroom, 2012:329-341.
3. Cuijpers P, van Straten A, Driessen E, van Oppen P, Bockting C, Andersson. Depression and dysthymic disorders. In: Sturmey P, Hersen M, eds. The handbook of Evidence-Based Practice in Clinical Psychology. Volume 2, Adult Disorders ed. Hoboken, New Jersey: John Wiley and Sons, Inc, 2012:243-284.
4. Draijer N, van Mosel J. Transference-focused psychotherapie. In: Ingenhoven T, van Reekum A, van Luyn B, Luyten P, eds. Handboek Borderline persoonlijkheidsstoornissen.Utrecht: De Tijdstroom, 2012:93-109.
5. Draijer N, Langeland W. Klinische diagnostiek van complexe traumagerelateerde stoornissen. In: Vermetten E, Kleber RJ, van der Hart O, eds. Handboek posttraumatische stressstoornissen.Utrecht: De Tijdstroom, 2012:491-509.
6. Draijer N, Langeland W, Boon S. (De behandeling van) complexe traumagerelateerde stoornissen na vroegkinderlijke traumatisering. C-PTSS, borderline persoonlijkheidsstoornissen en dissociatieve stoornissen. In: Vermetten E, Kleber RJ, van der Hart O, eds. Handboek posttraumatische stressstoornissen.Utrecht: De Tijdstroom, 2012:619-638.
7. Dröes RM, Verhey F, Jonker C. Dementie. In: Kaptein AA, e.a., eds. Behavioural medicine. 4e geheel herziene druk ed. Houten: Bohn Stafleu van Loghum, 2012:287-304.
8. Kupka RW. Manie. In: Loonen AJM, Hovens JE, eds. Handboek functionele psychofarmacologie.Utrecht: De Tijdstroom, 2012.
9. Kupka RW. Stemningsstabilisatie bij bipolaire stoornissen. In: Loonen AJM, Hovens JE, eds. Handboek functionele psychofarmacologie.Utrecht: De Tijdstroom, 2012.
10. Kupka RW, Klumpers U, Jabben N. Bipolaire Stoornissen. In: Franken I, Muris P, Denys D, eds. Basisboek psychopathologie.Utrecht: De Tijdstroom, 2012.
11. Penninx BWJH, Comijs HC. Depression and other common mental health disorders in old age. In: Newman AB, Cauley JA, eds. The epidemiology of aging.New York: Springer, 2012:583-598.
12. Riper H, Cuijpers P. Depressiepreventie via het internet: alles onder controle. In: Brug J, Assema P, Lechner L, eds. Gezondheidsvoorlichting en Gedragsverandering.Assen: van Gorcum, 2012:345-360.
13. Seldenrijk A, Vogelzangs N, van Oppen P, Penninx B vSA. Depression, vascular conditions and chronicity. In: Schoepf D, ed. Psychiatric Disorders – New Frontiers in Affective Disorders.University Clinic Bonn, Department of Psychiatry, CBASP-Centre of Competence, Germany: Intech open science, 2012.

14. Smalbrugge M, Beekman ATF. De angstige patiënt. In: Olde Rikkert MGM, van Iersel MB, Flamaing J, Petrovic M, Schols JMGA, Hoefnagels WHM, eds. Probleemgericht denken in de Geriatrie.Utrecht: De Tijdstroom, 2012:317-333.
15. van Aken L, Van Balkom AJLM, Bannink M, van den Brink W, Birkenhäger TK, Denys DAJP, Egger JIM, van Egmond JJ, van Elburg AA, Glas, van Harten PN, Hauzer R, van Hemert AM, van der Heijen FMMA, Hodiamont PPG, Hoek HW, Hoeven JE, Kupka RW, Osse RJ, Overeem S, Pepplinkhuizen L, van der Poleg GJ, Reihart CG, Rentmeester TW, Stek ML, Touw DJ, Tulen JHM, Verhey F, Verhoeven WMA, Verwey B, van Vleit IM, Waldinger MD, Wingbermühle W. Psychiatrisch formularium. 7e editie ed. Bohn Stafleu van Loghum, 2012
16. Van Balkom AJLM, van Vliet IM. Angststoornissen. In: Pepplinkhuizen L, Verhoeven WMA, Sitsen JMA, eds. Het psychiatrisch formularium. 7^e geheel herziene druk ed. Houten: Bohn Stafleu van Loghum, 2012:33-41.
17. van der Stel J. Wat elke professional over verslaving moet weten. Tweede, herziene druk ed. Bohn, Stafleu van Loghum, 2012
18. van der Stel J. Focus op herstel bij psychische problemen. Den Haag: Boom Lemma Uitgevers, 2012
19. van der Stel J. De culturele formulering als noodverband: pleidooi voor een radicaal perspectief. In: van Dijk R, Beijers H, Groen S, eds. Het culturele interview. In gesprek met de hulpvrager over cultuur en context. Deel 2- Beschouwingen.Utrecht: Pharos, 2012:14-25.
20. van Vliet IM, van der Leest-Tijmense Y, Van Balkom AJLM. Angststoornissen. In: Blanken C, Clijsen M, Gaernfeld W, te Plaske I, van Piere M, eds. Psychiatrie voor SPH.Amsterdam: Reed business, 2012:155-193.