

Publications 2013

Department of Psychiatry VUmc – Research Department GGZ inGeest

International papers –refereed

- (1) Abdellaoui A, Hottenga JJ, de Knijff P, Nivard MG, Xiao XJ, Scheet P, Brooks A, et al. (including Penninx BWJH). Population structure, migration, and diversifying selection in the Netherlands. *European journal of human genetics* 2013;21(11):1277-1285.
- (2) Abdellaoui A, Hottenga JJ, Xiao XJ, Scheet P, Ehli EA, Davies GE, Hudziak JJ, et al. (including Smit JH, Penninx BWJH). Association between autozygosity and major depression: stratification due to religious assortment. *Behavior genetics* 2013;43(6):455-467.
- (3) Allebrandt KV, Amin N, Muller-Myhsok B, Esko T, Teder-Laving M, Azevedo RVDM, Hayward C, et al. (including van Mill J, Vogelzangs N, Penninx B). A K-ATP channel gene effect on sleep duration: from genome-wide association studies to function in Drosophila. *Molecular psychiatry* 2013;18(1):122-132.
- (4) Ameri P, Canepa M, Milaneschi Y, Spallarossa P, Leoncini G, Giallauria F, Strait JB, et al. Relationship between vitamin D status and left ventricular geometry in a healthy population: results from the Baltimore Longitudinal Study of Aging. *Journal of internal medicine* 2013;273(3):253-262.
- (5) Amin N, Hottenga JJ, Hansell NK, Janssens ACJW, de Moor MHM, Madden PAF, Zorkoltseva IV, et al. (including Penninx BW). Refining genome-wide linkage intervals using a meta-analysis of genome-wide association studies identifies loci influencing personality dimensions. *European journal of human genetics* 2013;21(8):876-882.
- (6) Anttila V, Winsvold BS, Gormley P, Kurth T, Bettella F, McMahon G, Kallela M, et al. (including Penninx BW). Genome-wide meta-analysis identifies new susceptibility loci for migraine. *Nature genetics* 2013;45(8):912-917.
- (7) Bakker TJEM, Duivenvoorden HJ, van der Lee J, Rikkert MGMO, Beekman ATF, Ribbe MW. Benefit of an integrative psychotherapeutic nursing home program to reduce multiple psychiatric symptoms of psychogeriatric patients and caregiver burden after six months of follow-up: a re-analysis of a randomized controlled trial. *International psychogeriatrics* 2013;25(1):34-46.
- (8) Beavers KM, Hsu FC, Houston DK, Beavers DP, Harris TB, Hue TF, Kim LJ, et al. (including Penninx BW). The role of metabolic syndrome, adiposity, and inflammation in physical performance in the Health ABC Study. *Journals of gerontology series a-biological sciences and medical sciences* 2013;68(5):617-623.
- (9) Beckerman H, Blikman LJ, Heine M, Malekzadeh A, Teunissen CE, Bussmann JB, et al. (including Dekker J). The effectiveness of aerobic training, cognitive behavioural therapy, and energy conservation management in treating MS-related fatigue: the design of the TREFAMS-ACE programme. *Trials* 2013;14:250.
- (10) Becking K, Boschloo L, Vogelzangs N, Haarman BCM, Riemersma-van der Lek R, Penninx BWJH, Schoevers RA. The association between immune activation and manic symptoms in patients with a depressive disorder. *Translational psychiatry* 2013;3:e314.
- (11) Beekman ATF, van der Feltz-Cornelis C, van Marwijk HWJ. Enhanced care for depression. *Current opinion in psychiatry* 2013;26(1):7-12.

- (12) Berndt SI, Gustafsson S, Mägi R, Ganna A, Wheeler E, Feitosa MF, et al. (including Penninx BW). Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. *Nature genetics* 2013;45(5):501-512.
- (13) Bet PM, Franken LGW, Klumpers UMH. Could pramipexole induce acute mania? A case report. *Bipolar disorders* 2013;15(4):446-448.
- (14) Bet PM, Hugtenburg JG, Penninx BWJH, Hoogendoijk WJG. Side effects of antidepressants during long-term use in a naturalistic setting. *European neuropsychopharmacology* 2013;23(11):1443-1451.
- (15) Bet PM, Hugtenburg JG, Penninx BWJH, van Balkom AJLM, Nolen WA, Hoogendoijk WJG. Treatment inadequacy in primary and specialized care patients with depressive and/or anxiety disorders. *Psychiatry research* 2013;210(2):594-600.
- (16) Bogers ICHM, Zuidersma M, Boshuisen ML, Comijs HC, Voshaar RCO. Determinants of thoughts of death or suicide in depressed older persons. *International psychogeriatrics* 2013;25(11):1775-1782.
- (17) Bolier L, Haverman M, Kramer J, Westerhof GJ, Riper H, Walburg JA, Boon B, Bohlmeijer E. An internet-based intervention to promote mental fitness for mildly depressed adults: randomized controlled trial. *Journal of medical internet research* 2013;15(9):209-226.
- (18) Bolier L, Haverman M, Westerhof GJ, Riper H, Smit F, Bohlmeijer E. Positive psychology interventions: a meta-analysis of randomized controlled studies. *Bmc public health* 2013;13:119.
- (19) Boschloo L, Vogelzangs N, van den Brink W, Smit JH, Beekman ATF, Penninx BWJH. The role of negative emotionality and impulsivity in depressive/anxiety disorders and alcohol dependence. *Psychological medicine* 2013;43(6):1241-1253.
- (20) Boschloo L, Nolen WA, Spijker AT, Hoencamp E, Kupka R, Penninx BWJH, Schoevers RA. The Mood Disorder Questionnaire (MDQ) for detecting (hypo)manic episodes: Its validity and impact of recall bias. *Journal of affective disorders* 2013;151(1):203-208.
- (21) Boschloo L, Vogelzangs N, van den Brink W, Smit JH, Veltman DJ, Beekman ATF, Penninx BWJH. Depressive and anxiety disorders predicting first incidence of alcohol use disorders: results of the Netherlands Study of Depression and Anxiety (NESDA). *Journal of clinical psychiatry* 2013;74(12):1233-1240.
- (22) Bot M, Vink JM, Willemsen G, Smit JH, Neuteboom J, Kluft C, Boomsma DI, Penninx BWJH. Exposure to secondhand smoke and depression and anxiety: A report from two studies in the Netherlands. *Journal of psychosomatic research* 2013;75(5):431-436.
- (23) Bot M, Pouwer F, de Jonge P, Tack CJ, Geelhoed-Duijvestijn PHLM, Snoek FJ. Differential associations between depressive symptoms and glycaemic control in outpatients with diabetes. *Diabetic medicine* 2013;30(3):e115-e122.
- (24) Bot M, Pouwer F, de Jonge P, Nolan JJ, Mari A, Hojlund K, Golay A, Balkau B, Dekker JM. Depressive symptoms, insulin sensitivity and insulin secretion in the RISC cohort study. *Diabetes & metabolism* 2013;39(1):42-49.
- (25) Bron TI, Bijlenga D, Kasander MV, Spuijbroek AT, Beekman ATF, Kooij JJS. Long-term relationship between methylphenidate and tobacco consumption and nicotine craving in adults with ADHD in a prospective cohort study. *European neuropsychopharmacology* 2013;23(6):542-554.

- (26) Bruggink KA, Jongbloed W, Biemans EALM, Veerhuis R, Claassen JAHR, Kuiperij HB, Verbeek MM. Amyloid-beta oligomer detection by ELISA in cerebrospinal fluid and brain tissue. *Analytical biochemistry* 2013;433(2):112-120.
- (27) Bryant C, Mohlman J, Gum A, Stanley M, Beekman AT, Wetherell JL, Thorp SR, et al. Anxiety disorders in older adults: looking to DSM5 and beyond. *American journal of geriatric psychiatry* 2013;21(9):872-876.
- (28) Byrne EM, Gehrman PR, Medland SE, Nyholt DR, Heath AC, Madden PA, et al. (including Vogelzangs N, Penninx BW). A genome-wide association study of sleep habits and insomnia. *American journal of medical genetics. Part B, Neuropsychiatric genetics* 2013;162B(5):439-451.
- (29) Canepa M, Milaneschi Y, Ameri P, AlGhatri M, Leoncini G, Spallarossa P, Pontremoli R, et al. Relationship between inter-arm difference in systolic blood pressure and arterial stiffness in community-dwelling older adults. *Journal of clinical hypertension* 2013;15(12):880-887.
- (30) Canepa M, Strait JB, Milaneschi Y, AlGhatri M, Ramachandran R, Makrogiannis S, Moni M, David M, Brunelli C, Lakatta EG, Ferrucci L. The relationship between visceral adiposity and left ventricular diastolic function: Results from the Baltimore Longitudinal Study of Aging. *Nutrition metabolism and cardiovascular diseases* 2013;23(12):1263-1270.
- (31) Castien R, Blankenstein A, van der Windt D, Heymans MW, Dekker J. The working mechanism of manual therapy in participants with chronic tension-type headache. *Journal of orthopaedic & sports physical therapy* 2013;43(10):693-699.
- (32) Cohn MD, Popma A, van den Brink W, Pape LE, Kindt M, van Domburgh L, Doreleijers TAH, Veltman DJ. Fear conditioning, persistence of disruptive behavior and psychopathic traits: an fMRI study. *Translational psychiatry* 2013;3:e319.
- (33) Comijs HC, van Exel E, van der Mast RC, Paauw A, Voshaar RO, Stek ML. Childhood abuse in late-life depression. *Journal of affective disorders* 2013;147(1-3):241-246.
- (34) Cousijn J, Goudriaan AE, Ridderinkhof KR, van den Brink W, Veltman DJ, Wiers RW. Neural responses associated with cue-reactivity in frequent cannabis users. *Addiction biology* 2013;18(3):570-580.
- (35) Cousijn J, Wiers RW, Ridderinkhof KR, van den Brink W, Veltman DJ, Porrino LJ, Goudriaan AE. Individual differences in decision making and reward processing predict changes in cannabis use: a prospective functional magnetic resonance imaging study. *Addiction biology* 2013;18(6):1013-1023.
- (36) Cross-Disorder Group of the Psychiatric Genomics Consortium. Lee SH, Ripke S, et al (including Penninx BW, Smit JH, van Grootheest G). Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. *Nature genetics* 2013;45(9):984-994.
- (37) Cross-Disorder Group of the Psychiatric Genomics Consortium; Genetic Risk Outcome of Psychosis (GROUP) Consortium. Smoller JW, Ripke S et al. (including Penninx BW, Smit JH, van Grootheest G). Identification of risk loci with shared effects on five major psychiatric disorders: a genome-wide analysis. *Lancet* 2013;381(9875):1371-1379.
- (38) Crunelle CL, Veltman DJ, van Emmerik-van Oortmerssen K, Booij J, van den Brink W. Impulsivity in adult ADHD patients with and without cocaine dependence. *Drug and alcohol dependence* 2013;129(1-2):18-24.

- (39) Crunelle CL, van den Brink W, Veltman DJ, van Emmerik-van Oortmerssen K, Dom G, Schoevers RA, Booij J. Low dopamine transporter occupancy by methylphenidate as a possible reason for reduced treatment effectiveness in ADHD patients with cocaine dependence. *European neuropsychopharmacology* 2013;23(12):1714-1723.
- (40) Cuijpers P, Sijbrandij M, Koole SL, Andersson G, Beekman AT, Reynolds CF. The efficacy of psychotherapy and pharmacotherapy in treating depressive and anxiety disorders: a meta-analysis of direct comparisons. *World psychiatry* 2013;12(2):137-148.
- (41) Cuijpers P, Vogelzangs N, Twisk J, Kleiboer A, Li J, Penninx BW. Differential mortality rates in major and subthreshold depression: meta-analysis of studies that measured both. *British journal of psychiatry* 2013;202(1):22-27.
- (42) Culverhouse RC, Bowes L, Breslau N, Nurnberger JI Jr, Burmeister M, Fergusson DM, Munafò M, et al. (including Penninx BW, Smit JH). Protocol for a collaborative meta-analysis of 5-HTTLPR, stress, and depression. *Bmc psychiatry* 2013;13:304.
- (43) Davis LK, Yu D, Keenan CL, Gamazon ER, Konkashbaev AI, Derkx EM, et al. (including Smit JH). Partitioning the heritability of tourette syndrome and obsessive compulsive disorder reveals differences in genetic architecture. *Plos genetics* 2013;9(10):e1003864.
- (44) de Heer EW, Dekker J, van der Sluijs JFV, Beekman ATF, van Marwijk HWJ, Holwerda TJ, Bet PM, et al. Effectiveness and cost-effectiveness of transmural collaborative care with consultation letter (TCCCL) and duloxetine for major depressive disorder (MDD) and (sub)chronic pain in collaboration with primary care: design of a randomized placebo-controlled multi-centre trial: TCC:PAINDIP. *Bmc psychiatry* 2013;13(1):147.
- (45) de Klerk OL, Nolte IM, Bet PM, Bosker FJ, Snieder H, den Boer JA, Bruggeman R, Hoogendojk WJ, Penninx BW. ABCB1 gene variants influence tolerance to selective serotonin reuptake inhibitors in a large sample of Dutch cases with major depressive disorder. *Pharmacogenomics journal* 2013;13(4):349-353.
- (46) de Rooij A, van der Leeden M, Roorda LD, Steultjens MPM, Dekker J. Predictors of outcome of multidisciplinary treatment in chronic widespread pain: an observational study. *Bmc musculoskeletal disorders* 2013;14(1):133.
- (47) de Vries C, van Bergen A, Regeer EJ, Bentheim E, Kupka RW, Boks MPM. The effectiveness of restarted lithium treatment after discontinuation: reviewing the evidence for discontinuation-induced refractoriness. *Bipolar disorders* 2013;15(6):645-649.
- (48) de Vries FE, van den Heuvel OA, Cath DC, Groenewegen HJ, van Balkom AJLM, Boellaard R, Lammertsma AA, Veltman DJ. Limbic and motor circuits involved in symmetry behavior in Tourette's syndrome. *CNS spectrums* 2013;18(1):34-42.
- (49) de Vries OJ, Peeters G, Elders P, Sonnenberg C, Muller M, Deeg DJH, Lips P. The elimination half-life of benzodiazepines and fall risk: two prospective observational studies. *Age and ageing* 2013;42(6):764-770.
- (50) Deckers MML, de Jongh RT, Lips PTAM, Penninx BWJH, Milaneschi Y, Smit JH, van Schoor NM, Blankenstein MA, Heijboer AC. Prevalence of vitamin D deficiency and consequences for PTH reference values. *Clinica chimica acta; international journal of clinical chemistry* 2013;426:41-45.
- (51) Dekker J, Beekman ATF, Boenink AD, Bomhof-Roordink H, Braamse AM, Collette EH, Huijgens PC, et al. Comment on 'Psychological distress in patients with cancer: is screening the effective solution?'. *British journal of cancer* 2013;108(12):2628-2630.

- (52) Dekker J, Theunissen J, Van R, Kikkert M, van der Post L, Zoeteman J, Peen J. Are long-term psychiatric patients causing more crisis consultations outside office hours in mental health care? *The International journal of social psychiatry* 2013;59(6):555-560.
- (53) Demenescu LR, Kortekaas R, Cremers HR, Renken RJ, van Tol MJ, van der Wee MJA, Veltman DJ, et al. Amygdala activation and its functional connectivity during perception of emotional faces in social phobia and panic disorder. *Journal of psychiatric research* 2013;47(8):1024-1031.
- (54) Denys D, de Vries F, Cath D, Figuee M, Vulink N, Veltman DJ, van der Doef TF, et al. Dopaminergic activity in Tourette syndrome and obsessive-compulsive disorder. *European neuropsychopharmacology* 2013;23(11):1423-1431.
- (55) Dols A, Sienaert P, van Gerven H, Schouws S, Stevens A, Kupka R, Stek ML. The prevalence and management of side effects of lithium and anticonvulsants as mood stabilizers in bipolar disorder from a clinical perspective: a review. *International clinical psychopharmacology* 2013;28(6):287-296.
- (56) Dorrepaal E, Thomaes K, Smit JH, Veltman DJ, Hoogendoorn AW, van Balkom AJ, Draijer N. Treatment compliance and effectiveness in complex PTSD patients with co-morbid personality disorder undergoing stabilizing cognitive behavioral group treatment: a preliminary study. *European journal of psychotraumatology* 2013;4(eCollection).
- (57) Draijer N, van Zon P. Transference-Focused Psychotherapy with former child soldiers: meeting the murderous self. *Journal of trauma & dissociation* 2013;14(2):170-183.
- (58) Duivis HE, Kupper N, Penninx BW, Na B, de Jonge P, Whooley MA. Depressive symptoms and white blood cell count in coronary heart disease patients: Prospective findings from the Heart and Soul Study. *Psychoneuroendocrinology* 2013;38(4):479-487.
- (59) Duivis HE, Vogelzangs N, Kupper N, de Jonge P, Penninx BWJH. Differential association of somatic and cognitive symptoms of depression and anxiety with inflammation: Findings from the Netherlands Study of Depression and Anxiety (NESDA). *Psychoneuroendocrinology* 2013;38(9):1573-1585.
- (60) Ebert DD, Gollwitzer M, Riper H, Cuijpers P, Baumeister H, Berking M. For whom does it work? Moderators of outcome on the effect of a transdiagnostic internet-based maintenance treatment after inpatient psychotherapy: Randomized Controlled Trial. *Journal of medical internet research* 2013;15(10):231-247.
- (61) Elgersma HJ, Glashouwer KA, Bockting CLH, Penninx BWJH, de Jong PJ. Hidden scars in depression? Implicit and explicit self-associations following recurrent depressive episodes. *Journal of abnormal psychology* 2013;122(4):951-960.
- (62) Ellwardt L, Aartsen M, Deeg D, Steverink N. Does loneliness mediate the relation between social support and cognitive functioning in later life? *Social science & medicine* 2013;98:116-124.
- (63) Evans DM, Brion MJ, Paternoster L, Kemp JP, McMahon G, Munafò M, et al. (including Penninx BW, Smit JH, Vogelzangs N). Mining the human genome using allelic scores that index biological intermediates. *Plos genetics* 2013;9(10):e1003919.
- (64) Eysen ICJM, Steultjens MPM, de Groot V, Steultjens EMJ, Knol DL, Polman CH, Dekker J. A cluster randomised controlled trial on the efficacy of client-centred occupational therapy in multiple sclerosis: good process, poor outcome. *Disability and rehabilitation* 2013;35(19):1636-1646.

- (65) Fall T, Hägg S, Mägi R, Ploner A, Fischer K, Horikoshi M, et al. (including Penninx BW, Smit JH). The role of adiposity in cardiometabolic traits: a mendelian randomization analysis. *Plos medicine* 2013;10(6):e1001474.
- (66) Fineberg NA, Baldwin DS, Menchon JM, Denys D, Grünblatt E, Pallanti S, et al. (including van den Heuvel O, Veltman D for the Obsessive Compulsive and Related Disorders Research Network). Manifesto for a European research network into obsessive-compulsive and related disorders. *European neuropsychopharmacology* 2013;23(7):561-568.
- (67) Ganesh SK, Tragante V, Guo W, Guo Y, Lanktree MB, Smith EN, et al. (including Penninx BW). Loci influencing blood pressure identified using a cardiovascular gene-centric array. *Human molecular genetics* 2013;22(8):1663-1678.
- (68) Gast KB, Smit JWA, den Heijer M, Middeldorp S, Rippe RCA, le Cessie S, de Koning EJP, et al. (including Penninx BW). Abdominal adiposity largely explains associations between insulin resistance, hyperglycemia and subclinical atherosclerosis: the NEO study. *Atherosclerosis* 2013;229(2):423-429.
- (69) Gerrits MM, van Oppen P, van Marwijk HW, van der Horst H, Penninx BW. The impact of chronic somatic diseases on the course of depressive and anxiety disorders. *Psychotherapy and psychosomatics* 2013;82(1):64-66.
- (70) Gerrits MMJG, van Marwijk HWJ, van Oppen P, van der Horst H, Penninx BWJH. The role of somatic health problems in the recognition of depressive and anxiety disorders by general practitioners. *Journal of affective disorders* 2013;151(3):1025-1032.
- (71) Goudriaan AE, van Holst RJ, Veltman DJ, van den Brink W. Betting on the brain: neuroimaging research in pathological gambling, similarities and differences with substance use disorders. *Substance abuse* 2013;34(3):326-327.
- (72) Goudriaan AE, Veltman DJ, van den Brink W, Dom G, Schmaal L. Neurophysiological effects of modafinil on cue-exposure in cocaine dependence: A randomized placebo-controlled cross-over study using pharmacological fMRI. *Addictive behaviors* 2013;38(2):1509-1517.
- (73) Groenewold NA, Doornbos B, Zuidersma M, Vogelzangs N, Penninx BWJH, Aleman A, de Jonge P. Comparing cognitive and somatic symptoms of depression in myocardial infarction patients and depressed patients in primary and mental health care. *Plos one* 2013;8(1).
- (74) Groffen DA, Koster A, Bosma H, van den Akker M, Kempen GI, van Eijk JT, van Gool CH, et al. (including Penninx BW). Unhealthy lifestyles do not mediate the relationship between socioeconomic status and incident depressive symptoms: the Health ABC study. *American journal of geriatric psychiatry* 2013;21(7):664-674.
- (75) Hardeveld F, Spijker J, de Graaf R, Hendriks SM, Licht CMM, Nolen WA, Penninx BWJH, Beekman ATF. Recurrence of major depressive disorder across different treatment settings: Results from the NESDA study. *Journal of affective disorders* 2013;147(1-3):225-231.
- (76) Hardeveld F, Spijker J, de Graaf R, Nolen WA, Beekman ATF. Recurrence of major depressive disorder and its predictors in the general population: results from The Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Psychological medicine* 2013;43(1):39-48.
- (77) Heber E, Ebert DD, Lehr D, Nobis S, Berking M, Riper H. Efficacy and cost-effectiveness of a web-based and mobile stress-management intervention for employees: design of a randomized controlled trial. *Bmc public health* 2013;13:655.

- (78) Hek K, Demirkan A, Lahti J, Terracciano A, Teumer A, Cornelis MC, Amin N, et al. (including Penninx BW). A genome-wide association study of depressive symptoms. *Biological psychiatry* 2013;73(7):667-678.
- (79) Hendriks SM, Spijker J, Licht CMM, Beekman ATF, Penninx BWJH. Two-year course of anxiety disorders: different across disorders or dimensions? *Acta psychiatica scandinavica* 2013;128(3):212-221.
- (80) Hepp DH, da Hora CC, Koene T, Uitdehaag BM, van den Heuvel OA, Klein M, van de Berg WD, Berendse HW, Foncke EM. Cognitive correlates of visual hallucinations in non-demented Parkinson's disease patients. *Parkinsonism & related disorders* 2013;19(9):795-799.
- (81) Hermans H, Beekman ATF, Evenhuis HM. Prevalence of depression and anxiety in older users of formal Dutch intellectual disability services. *Journal of affective disorders* 2013;144(1-2):94-100.
- (82) Holla JFM, van der Leeden M, Knol DL, Roorda LD, van der Esch M, Voorneman RE, Lems WF, Dekker J. The association of body-mass index and depressed mood with knee pain and activity limitations in knee osteoarthritis: results from the Amsterdam osteoarthritis cohort. *Bmc musculoskeletal disorders* 2013;14:296.
- (83) Hoogendoorn AW, Lamers F, Penninx BWJH, Smit JH. Does a stepped approach using mixed-mode data collection reduce attrition problems in a longitudinal mental health study? *Longitudinal and life course studies* 2013;4(3):242-257.
- (84) Hu YJ, Berndt SI, Gustafsson S, Ganna A, Genetic Investigation of ANthropometric Traits (GIANT) Consortium, et al. (including Penninx BW). Meta-analysis of gene-level associations for rare variants based on single-variant statistics. *American journal of human genetics* 2013;93(2):236-248.
- (85) Huijbregts KML, de Jong FJ, van Marwijk HWJ, Beekman ATF, Ader HJ, Hakkaart-van Roijen L, Unutzer J, van der Feltz-Cornelis C. A target-driven collaborative care model for Major Depressive Disorder is effective in primary care in the Netherlands. A randomized clinical trial from the depression initiative. *Journal of affective disorders* 2013;146(3):328-337.
- (86) Huijbregts KML, Jong FJ, van Marwijk HWJ, Beekman ATF, Ader HJ, van der Feltz-Cornelis C. A high physical symptom count reduces the effectiveness of treatment for depression, independently of chronic medical conditions. *Journal of psychosomatic research* 2013;74(3):179-185.
- (87) Huyser C, van den Heuvel OA, Wolters LH, de Haan E, Boer F, Veltman DJ. Increased orbital frontal gray matter volume after cognitive behavioural therapy in paediatric obsessive compulsive disorder. *World journal of biological psychiatry* 2013;14(4):319-331.
- (88) Jansen JM, Daams JG, Koeter MW, Veltman DJ, van den Brink W, Goudriaan AE. Effects of non-invasive neurostimulation on craving: A meta-analysis. *Neuroscience and biobehavioral reviews* 2013;37(2):2472-2480.
- (89) Janssen WA1, Noorthoorn EO, Nijman HL, Bowers L, Hoogendoorn AW, Smit A, Widdershoven GA. Differences in seclusion rates between admission wards: does patient compilation explain? *The psychiatric quarterly* 2013;84(1):39-52
- (90) Jeronimus BF, Ormel J, Aleman A, Penninx BWJH, Riese H. Negative and positive life events are associated with small but lasting change in neuroticism. *Psychological medicine* 2013;43(11):2403-2415.

- (91) Jongbloed W, Kester MI, van der Flier WM, Veerhuis R, Scheltens P, Blankenstein MA, Teunissen CE. Discriminatory and predictive capabilities of enzyme-linked immunosorbent assay and multiplex platforms in a longitudinal Alzheimer's disease study. *Alzheimers & dementia* 2013;9(3):276-283.
- (92) Joos L, Goudriaan AE, Schmaal L, de Witte NAJ, van den Brink W, Sabbe BGC, Dom G. The relationship between impulsivity and craving in alcohol dependent patients. *Psychopharmacology (Berl)* 2013;226(2):273-283.
- (93) Joos L, Goudriaan AE, Schmaal L, van den Brink W, Sabbe BGC, Dom G. Effect of modafinil on cognitive functions in alcohol dependent patients: a randomized, placebo-controlled trial. *Journal of psychopharmacology* 2013;27(11):998-1006.
- (94) Joos L, Schmaal L, Goudriaan AE, Fransen E, van den Brink W, Sabbe BGC, Dom G. Age of onset and neuropsychological functioning in alcohol dependent inpatients. *Alcoholism, clinical and experimental research* 2013;37(3):407-416.
- (95) Joos L, Goudriaan AE, Schmaal L, Fransen E, van den Brink W, Sabbe BGC, Dom G. Effect of modafinil on impulsivity and relapse in alcohol dependent patients: a randomized, placebo-controlled trial. *European neuropsychopharmacology* 2013;23(8):948-955.
- (96) Karsten J, Penninx BWJH, Verboom CE, Nolen WA, Hartman CA. Course and risk factors of functional impairment in subthreshold depression and anxiety. *Depression and anxiety* 2013;30(4):386-394.
- (97) Kenter RMF, van Straten A, Hobbel SH, Smit F, Bosmans J, Beekman A, Cuijpers P. Effectiveness and cost effectiveness of guided online treatment for patients with major depressive disorder on a waiting list for psychotherapy: study protocol of a randomized controlled trial. *Trials* 2013;14:412.
- (98) Kieviet N, Dolman KM, Honig A. The use of psychotropic medication during pregnancy: how about the newborn? *Neuropsychiatric disease and treatment* 2013;9:1257-1266.
- (99) Klaassen EB, de Groot RHM, Evers EAT, Nicolson NA, Veltman DJ, Jolles J. Cortisol and induced cognitive fatigue: Effects on memory activation in healthy males. *Biological psychology* 2013;94(1):167-174.
- (100) Klaassen EB, de Groot RHM, Evers EAT, Snel J, Veerman ECI, Ligtenberg AJM, Jolles J, Veltman DJ. The effect of caffeine on working memory load-related brain activation in middle-aged males. *Neuropharmacology* 2013;64:160-167.
- (101) Klein Hofmeijer-Sevink M, van Oppen P, van Megen HJ, Batelaan NM, Cath DC, van der Wee NJA, van den Hout MA, van Balkom AJ. Clinical relevance of comorbidity in obsessive compulsive disorder: The Netherlands OCD Association study. *Journal of affective disorders* 2013;150(3):847-854.
- (102) Koorevaar AML, Comijs HC, Dhondt ADF, van Marwijk HWJ, van der Mast RC, Naarding P, Voshaar RCO, Stek ML. Big Five personality and depression diagnosis, severity and age of onset in older adults. *Journal of affective disorders* 2013;151(1):178-185.
- (103) Köttgen A, Albrecht E, Teumer A, Vitart V, Krumsiek J, Hundertmark C, et al (including Penninx BWJH, Smit JH). Genome-wide association analyses identify 18 new loci associated with serum urate concentrations. *Nature genetics* 2013;45(2):145-154.

- (104) Kruijt AW, Antypa N, Booij L, de Jong PJ, Glashouwer K, Penninx BWJH, van der Does W. Cognitive reactivity, implicit associations, and the incidence of depression: a two-year prospective study. *Plos one* 2013;8(7):e70245.
- (105) Kuiper EA, Batelaan NM, van Oppen P, Hendriks GJ, van Balkom AJLM. Gastro-intestinal conditions in patients with obsessive compulsive disorder. *Journal of obsessive-compulsive and related disorders* 2013;2(4):437-438.
- (106) Lamers F, Vogelzangs N, Merikangas KR, de Jonge P, Beekman ATF, Penninx BWJH. Evidence for a differential role of HPA-axis function, inflammation and metabolic syndrome in melancholic versus atypical depression. *Molecular psychiatry* 2013;18(6):692-699.
- (107) Lamers F, Hickie I, Merikangas KR. Prevalence and correlates of prolonged fatigue in a U.S. sample of adolescents. *American journal of psychiatry* 2013;170(5):502-510.
- (108) Licht CMM, de Geus EJC, Penninx BWJH. Dysregulation of the autonomic nervous system predicts the development of the metabolic syndrome. *Journal of clinical endocrinology & metabolism* 2013;98(6):2484-2493.
- (109) Lieverse R, de Vries R, Hoogendoorn AW, Smit JH, Hoogendijk WJ. Social support and social rhythm regularity in elderly patients with major depressive disorder. *American journal of geriatric psychiatry* 2013;21(11):1144-1153.
- (110) Lighart L, Gerrits MMJG, Boomsma DI, Penninx BWJH. Anxiety and depression are associated with migraine and pain in general: an investigation of the interrelationships. *Journal of pain* 2013;14(4):363-370.
- (111) Lokkerbol J, Adema D, de Graaf R, ten Have M, Cuijpers P, Beekman A, Smit F. Non-fatal burden of disease due to mental disorders in the Netherlands. *Social psychiatry and psychiatric epidemiology* 2013;48(10):1591-1599.
- (112) Luijten M, Veltman DJ, Hester R, Smits M, Nijs IMT, Pepplinkhuizen L, Franken IHA. The role of dopamine in inhibitory control in smokers and non-smokers: A pharmacological fMRI study. *European neuropsychopharmacology* 2013;23(10):1247-1256.
- (113) Maggio M, Snyder PJ, Ceda GP, Milaneschi Y, Luci M, Cattabiani C, Masoni S, et al. Is the haematopoietic effect of testosterone mediated by erythropoietin? The results of a clinical trial in older men. *Andrology* 2013;1(1):24-28.
- (114) Mauritz MW, Goossens PJJ, Draijer N, van Achterberg T. Prevalence of interpersonal trauma exposure and trauma-related disorders in severe mental illness. *European journal of psychotraumatology* 2013;4.
- (115) Meesters PD, Comijs HC, de Haan L, Smit JH, Eikelenboom P, Beekman ATF, Stek ML. Subjective quality of life and its determinants in a catchment area based population of elderly schizophrenia patients. *Schizophrenia research* 2013;147(2-3):275-280.
- (116) Meesters PD, Comijs HC, Droes RM, de Haan L, Smit JH, Eikelenboom P, Beekman ATF, Stek ML. The care needs of elderly patients with schizophrenia spectrum disorders. *American journal of geriatric psychiatry* 2013;21(2):129-137.
- (117) Meesters PD, Schouws S, Stek M, de Haan L, Smit J, Eikelenboom P, Beekman A, Comijs H. Cognitive impairment in late life schizophrenia and bipolar I disorder. *International journal of geriatric psychiatry* 2013;28(1):82-90.

- (118) Meltzer-Brody S, Boschloo L, Jones I, Sullivan PF, Penninx BW. The EPDS-Lifetime: assessment of lifetime prevalence and risk factors for perinatal depression in a large cohort of depressed women. *Archives of women's mental health* 2013;16(6):465-473.
- (119) Michielsen M, Comijs HC, Semeijn EJ, Beekman ATF, Deeg DJH, Kooij JJS. The comorbidity of anxiety and depressive symptoms in older adults with attention-deficit/hyperactivity disorder: A longitudinal study. *Journal of affective disorders* 2013;148(2-3):220-227.
- (120) Michielsen M, Semeijn E, Comijs HC, Beekman A, Kooij S. Attention-deficit hyperactivity disorder across the lifespan. Reply. *British journal of psychiatry* 2013;202(2):156.
- (121) Milaneschi Y, Cesari M, Simonsick EM, Vogelzangs N, Kanaya AM, Yaffe K, Patrignani P, Metti A, Kritchevsky SB, Pahor M, Ferrucci L, Penninx BWJH. Lipid peroxidation and depressed mood in community-dwelling older men and women. *Plos one* 2013;8(6):e65406.
- (122) Muntingh ADT, de Heer EW, van Marwijk HWJ, Ader HJ, van Balkom AJLM, Spinhoven P, van der Feltz-Cornelis C. Screening high-risk patients and assisting in diagnosing anxiety in primary care: the Patient Health Questionnaire evaluated. *Bmc psychiatry* 2013;13:192.
- (123) Naude PJW, Eiselt ULM, Comijs HC, Groenewold NA, De Deyn PP, Bosker FJ, Luiten PGM, den Boer JA, Voshaar RCO. Neutrophil gelatinase-associated lipocalin: A novel inflammatory marker associated with late-life depression. *Journal of psychosomatic research* 2013;75(5):444-450.
- (124) Nielsen HM, Ek D, Avdic U, Orbjorn C, Hansson O, Veerhuis R, Rozemuller AJ, et al. NG2 cells, a new trail for Alzheimer's disease mechanisms? *Acta neuropathology communications* 2013;1(1):7.
- (125) Nobis S, Lehr D, Ebert DD, Berking M, Heber E, Baumeister H, Becker A, Snoek F, Riper H. Efficacy and cost-effectiveness of a web-based intervention with mobile phone support to treat depressive symptoms in adults with diabetes mellitus type 1 and type 2: design of a randomised controlled trial. *Bmc psychiatry* 2013;13:306.
- (126) Oosterbaan DB, Verbraak MJPM, Terluin B, Hoogendoorn AW, Peyrot WJ, Muntingh A, van Balkom AJLM. Collaborative stepped care v. care as usual for common mental disorders: 8-month, cluster randomised controlled trial. *British journal of psychiatry* 2013;203(2):132-139.
- (127) Opmeer EM, Kortekaas R, van Tol MJ, van der Wee NJA, Woudstra S, van Buchem MA, Penninx BW, Veltman DJ, Aleman A. Influence of COMT val158met genotype on the depressed brain during emotional processing and working memory. *Plos one* 2013;8(9):e73290.
- (128) Pannekoek JN, Veer IM, van Tol MJ, van der Werff SJA, Demenescu LR, Aleman A, Veltman DJ, et al. Resting-state functional connectivity abnormalities in limbic and salience networks in social anxiety disorder without comorbidity. *European neuropsychopharmacology* 2013;23(3):186-195.
- (129) Pannekoek JN, Veer IM, van Tol MJ, van der Werff SJA, Demenescu LR, Aleman A, Veltman DJ, et al. Aberrant limbic and salience network resting-state functional connectivity in panic disorder without comorbidity. *Journal of affective disorders* 2013;145(1):29-35.
- (130) Paul DS, Albers CA, Rendon A, Voss K, Stephens J; HaemGen Consortium, van der Harst P, et al. (including Penninx BW, Smit JH). Maps of open chromatin highlight cell type-restricted patterns of regulatory sequence variation at hematological trait loci. *Genome research* 2013;23(7):1130-1141.

- (131) Penninx BW, Milaneschi Y, Lamers F, Vogelzangs N. Understanding the somatic consequences of depression: biological mechanisms and the role of depression symptom profile. *Bmc medicine* 2013;11:129.
- (132) Peyrot WJ, Middeldorp CM, Jansen R, Smit JH, de Geus EJC, Hottenga JJ, Willemsen G, Vink JM, Virding S, Barragan I, Ingelman-Sundberg M, Sim SC, Boomsma DI, Penninx BWJH. Strong effects of environmental factors on prevalence and course of major depressive disorder are not moderated by 5-HTTLPR polymorphisms in a large Dutch sample. *Journal of affective disorders* 2013;146(1):91-99.
- (133) Piccinin AM, Muniz-Terrera G, Clouston S, Reynolds CA, Thorvaldsson V, Deary IJ, Deeg DJH, et al. Coordinated analysis of age, sex, and education effects on change in MMSE scores. *Journals of gerontology series b-psychological sciences and social sciences* 2013;68(3):374-390.
- (134) Post RM, Altshuler LL, Leverich GS, Frye MA, Suppes T, McElroy SL, Keck PE, et al. (including Kupka R). Role of childhood adversity in the development of medical co-morbidities associated with bipolar disorder. *Journal of affective disorders* 2013;147(1-3):288-294.
- (135) Pronk M, Deeg DJ, Festen JM, Twisk JW, Smits C, Comijs HC, Kramer SE. Decline in older persons' ability to recognize speech in noise: the influence of demographic, health-related, environmental, and cognitive factors. *Ear and hearing* 2013;34(6):722-732.
- (136) Randall JC, Winkler TW, Kutalik Z, Berndt SI, Jackson AU, Monda KL, et al. (including Penninx B). Sex-stratified genome-wide association studies including 270,000 individuals show sexual dimorphism in genetic loci for anthropometric traits. *Plos genetics* 2013;9(6):e1003500.
- (137) Reins JA, Ebert DD, Lehr D, Riper H, Cuijpers P, Berking M. Internet-based treatment of major depression for patients on a waiting list for inpatient psychotherapy: protocol for a multi-centre randomised controlled trial. *Bmc psychiatry* 2013;13:318.
- (138) Remijnse PL, van den Heuvel OA, Nielen MMA, Vriend C, Hendriks GJ, Hoogendoijk WJG, Uylings HBM, Veltman DJ. Cognitive inflexibility in obsessive-compulsive disorder and major depression is associated with distinct neural correlates. *Plos one* 2013;8(4):e59600.
- (139) Renner F, Penninx BWJH, Peeters F, Cuijpers P, Huibers MJH. Two-year stability and change of neuroticism and extraversion in treated and untreated persons with depression: Findings from the Netherlands Study of Depression and Anxiety (NESDA). *Journal of affective disorders* 2013;150(2):201-208.
- (140) Revez JA, Bain L, Chapman B, Powell JE, Jansen R, Duffy DL, Tung JY, et al. (including Penninx BW). A new regulatory variant in the interleukin-6 receptor gene associates with asthma risk. *Genes and immunity* 2013;14(7):441-446.
- (141) Richard E, Schmand BA, Eikelenboom P, van Gool WA. MRI and cerebrospinal fluid biomarkers for predicting progression to Alzheimer's disease in patients with mild cognitive impairment: a diagnostic accuracy study. *Bmj open* 2013;3(6):e002541.
- (142) Rietveld CA, Medland SE, Derringer J, Yang J, Esko T, Martin NW, et al. (including Penninx BWJH). GWAS of 126,559 individuals identifies genetic variants associated with educational attainment. *Science* 2013;340(6139):1467-1471.
- (143) Rijs KJ, Comijs HC, van den Kommer TN, Deeg DJH. Do employed and not employed 55 to 64-year-olds' memory complaints relate to memory performance? A longitudinal cohort study. *European journal of public health* 2013;23(6):1013-1020.

- (144) Rive MM, van Rooijen G, Veltman DJ, Phillips ML, Schene AH, Ruhe HG. Neural correlates of dysfunctional emotion regulation in major depressive disorder. A systematic review of neuroimaging studies. *Neuroscience and biobehavioral reviews* 2013;37:2529-2553.
- (145) Robitaille A, Piccinin AM, Muniz-Terrera G, Hoffman L, Johansson B, Deeg DJH, Aartsen MJ, Comijs HC, Hofer SM. Longitudinal mediation of processing speed on age-related change in memory and fluid intelligence. *Psychology and aging* 2013;28(4):887-901.
- (146) Schade A, van Grootenhuis G, Smit JH. HIV-infected mental health patients: characteristics and comparison with HIV-infected patients from the general population and non-infected mental health patients. *Bmc psychiatry* 2013;13:35.
- (147) Scharf JM, Yu D, Mathews CA, Neale BM, Stewart SE, Fagerness JA, et al. (including Smit JH). Genome-wide association study of Tourette's syndrome. *Molecular psychiatry* 2013;18(6):721-728.
- (148) Schmaal L, Goudriaan AE, Joos L, Kruse AM, Dom G, van den Brink W, Veltman DJ. Modafinil modulates resting-state functional network connectivity and cognitive control in alcohol-dependent patients. *Biological psychiatry* 2013;73(8):789-795.
- (149) Schmaal L, Joos L, Koeleman M, Veltman DJ, van den Brink W, Goudriaan AE. Effects of Modafinil on neural correlates of response inhibition in alcohol-dependent patients. *Biological psychiatry* 2013;73(3):211-218.
- (150) Scholten WD, Batelaan NM, van Oppen P, Smit JH, van Balkom AJLM. Discontinuation of antidepressants in remitted anxiety disorder patients: the need for strategies to prevent relapse. Letter to the editor. *Psychotherapy and psychosomatics* 2013;82(6):399-400.
- (151) Scholten WD, Batelaan NM, van Balkom AJLM, Penninx BWJH, Smit JH, van Oppen P. Recurrence of anxiety disorders and its predictors. *Journal of affective disorders* 2013;147(1-3):180-185.
- (152) Schork AJ, Thompson WK, Pham P, Torkamani A, Roddey JC, Sullivan PF, et al. (including Penninx BW, Smit JH). All SNPs are not created equal: genome-wide association studies reveal a consistent pattern of enrichment among functionally annotated SNPs. *Plos genetics* 2013;9(4):e1003449.
- (153) Schrier AC, de Wit MAS, Krol A, Fassaert TJL, Verhoeff AP, Kupka RW, Dekker J, Beekman ATF. Similar associations between personality dimensions and anxiety or depressive disorders in a population study of Turkish-Dutch, Moroccan-Dutch, and native Dutch subjects. *Journal of nervous and mental disease* 2013;201(5):421-428.
- (154) Seekles W, Cuijpers P, Kok R, Beekman A, van Marwijk H, van Straten A. Psychological treatment of anxiety in primary care: a meta-analysis. *Psychological medicine* 2013;43(2):351-361.
- (155) Seldenrijk A, van Hout HPJ, van Marwijk HWJ, de Groot E, Gort J, Rustemeijer C, Diamant M, Penninx BWJH. Sensitivity to depression or anxiety and subclinical cardiovascular disease. *Journal of affective disorders* 2013;146(1):126-131.
- (156) Semeijn EJ, Kooij JJS, Comijs HC, Michielsen M, Deeg DJH, Beekman ATF. Attention-deficit/hyperactivity disorder, physical health, and lifestyle in older adults. *Journal of the american geriatrics society* 2013;61(6):882-887.

- (157) Semeijn EJ, Michielsen M, Comijs HC, Deeg DJ, Beekman AT, Kooij JJ. Criterion validity of an Attention Deficit Hyperactivity Disorder (ADHD) screening list for screening ADHD in older adults aged 60-94 years. *American journal of geriatric psychiatry* 2013;21(7):631-635.
- (158) Sinnema H, Terluin B, Wensing M, Volker D, Franx G, van Balkom A, de Lange J. Systematic tailoring for the implementation of guideline recommendations for anxiety and depressive disorders in general practice: perceived usefulness of tailored interventions. *Bmc family practice* 2013;14:94.
- (159) Sjoerds Z, van Tol MJ, van den Brink W, van der Wee NJA, Aleman A, Beekman ATF, Penninx BWJH, Veltman DJ. Family history of alcohol dependence modulates functional neurophysiology in mood/anxiety disorders. *Psychological medicine* 2013;43(7):1487-1497.
- (160) Sjoerds Z, de Wit S, van den Brink W, Robbins TW, Beekman ATF, Penninx BWJH, Veltman DJ. Behavioral and neuroimaging evidence for overreliance on habit learning in alcohol-dependent patients. *Translational psychiatry* 2013;3:e337.
- (161) Sjoerds Z, van Tol MJ, van den Brink W, van der Wee NJA, van Buchem MA, Aleman A, Penninx BWJH, Veltman DJ. Family history of alcohol dependence and gray matter abnormalities in non-alcoholic adults. *The world journal of biological psychiatry* 2013;14(8):565-573.
- (162) Slor CJ, Witlox J, Jansen RWMM, Adamis D, Meagher DJ, Tieken E, Houdijk APJ, van Gool WA, Eikelenboom P, de Jonghe JFM. Affective functioning after delirium in elderly hip fracture patients. *International psychogeriatrics* 2013;25(3):445-455.
- (163) Slor CJ, Witlox J, Adamis D, Meagher DJ, van der Ploeg T, Jansen RWMM, van Stijn MFM, et al. (including Eikelenboom P). Predicting delirium duration in elderly hip-surgery patients: does early symptom profile matter? *Current gerontology and geriatrics research* 2013;2013:962321.
- (164) Smeets-Janssen MMJ, Meesters PD, Comijs HC, Eikelenboom P, Smit JH, de Haan L, Beekman ATF, Stek ML. Theory of mind differences in older patients with early-onset and late-onset paranoid schizophrenia. *International journal of geriatric psychiatry* 2013;28(11):1141-1146.
- (165) Soleman RS, Schagen SEE, Veltman DJ, Kreukels BPC, Cohen-Kettenis PT, Lambalk CB, Wouters F, Delemarre-van de Waal H. Sex differences in verbal fluency during adolescence: a functional magnetic resonance imaging study in gender dysphoric and control boys and girls. *Journal of sexual medicine* 2013;10(8):1969-1977.
- (166) Sonnenberg CM, Deeg DJH, van Tilburg TG, Vink D, Stek ML, Beekman ATF. Gender differences in the relation between depression and social support in later life. *International psychogeriatrics* 2013;25(1):61-70.
- (167) Spaans HP, Kho KH, Verwijk E, Kok RM, Stek ML. Efficacy of ultrabrief pulse electroconvulsive therapy for depression: A systematic review. *Journal of affective disorders* 2013;150(3):720-726.
- (168) Spaans HP, Verwijk E, Comijs HC, Kok RM, Sienaert P, Bouckaert F, Fannes K, et al. (including Stek ML). Efficacy and cognitive side effects after brief pulse and ultrabrief pulse right unilateral electroconvulsive therapy for major depression: a randomized, double-blind, controlled study. *Journal of clinical psychiatry* 2013;74(11):e1029-e1036.
- (169) Spijker J, van Straten A, Bockting CLH, Meeuwissen JAC, van Balkom AJLM. Psychotherapy, antidepressants, and their combination for chronic major depressive disorder: a

systematic review. *Canadian journal of psychiatry-revue canadienne de psychiatrie* 2013;58(7):386-392.

- (170) Spinhoven P, van der Does W, Ormel J, Zitman FG, Penninx BWJH. Confounding of Big Five personality assessments in emotional disorders by comorbidity and current disorder. *European journal of personality* 2013;27(4):389-397.
- (171) Starcke K, van Holst RJ, van den Brink W, Veltman DJ, Goudriaan AE. Physiological and endocrine reactions to psychosocial stress in alcohol use disorders: duration of abstinence matters. *Alcoholism-clinical and experimental research* 2013;37(8):1343-1350.
- (172) Staufenbiel SM, Penninx BWJH, Spijker AT, Elzinga BM, van Rossum EFC. Hair cortisol, stress exposure, and mental health in humans: A systematic review. *Psychoneuroendocrinology* 2013;38(8):1220-1235.
- (173) Stegenga BT, Geerlings MI, Torres-Gonzalez F, Xavier M, Svab I, Penninx BW, Nazareth I, King M. Risk factors for onset of multiple or long major depressive episodes versus single and short episodes. *Social psychiatry and psychiatric epidemiology* 2013;48(7):1067-1075.
- (174) Stephens SH, Hartz SM, Hoft NR, Saccone NL, Corley RC, Hewitt JK, et al. (including Vogelzangs N, Penninx BW). Distinct loci in the CHRNA5/CHRNA3/CHRN4 gene cluster are associated with onset of regular smoking. *Genetic epidemiology* 2013;37(8):846-859.
- (175) Stewart SE, Yu D, Scharf JM, Neale BM, Fagerness JA, Mathews CA, et al. (including Smit JH). Genome-wide association study of obsessive-compulsive disorder. *Molecular psychiatry* 2013;18(7):788-798.
- (176) Stringer B, van Meijel B, Eikelenboom M, Koekkoek B, Verhaak PFM, Kerkhof AJMF, Penninx BWJH, Beekman ATF. Perceived need for care and health care utilization among depressed and anxious patients with and without suicidal ideation. *Crisis-the journal of crisis intervention and suicide prevention* 2013;34(3):192-199.
- (177) Stringer B, van Meijel B, Eikelenboom M, Koekkoek B, Licht CMM, Kerkhof AJFM, Penninx BWJH, Beekman ATF. Recurrent suicide attempts in patients with depressive and anxiety disorders: The role of borderline personality traits. *Journal of affective disorders* 2013;151(1):23-30.
- (178) Sullivan PF, Ripke S, Wray NR, Lewis CM, Hamilton SP, Weissman MM, et al. (including Penninx BW, Smit JH, van Grootheest G for the Major Depressive Disorder Working Group of the Psychiatric GWAS Consortium). A mega-analysis of genome-wide association studies for major depressive disorder. *Molecular psychiatry* 2013;18(4):497-511.
- (179) Sutin AR, Costa PT, Chan W, Milaneschi Y, Eaton WW, Zonderman AB, Ferrucci L, Terracciano A. I know not to, but I can't help it: weight gain and changes in impulsivity-related personality traits. *Psychological science* 2013;24(7):1323-1328.
- (180) Sutin AR, Terracciano A, Milaneschi Y, An Y, Ferrucci L, Zonderman AB. The effect of birth cohort on well-being: the legacy of economic hard times. *Psychological science* 2013;24(3):379-385.
- (181) Sutin AR, Terracciano A, Milaneschi Y, An Y, Ferrucci L, Zonderman AB. The trajectory of depressive symptoms across the adult life span. *Jama psychiatry* 2013;70(8):803-811.
- (182) Tait RJ, Spijkerman R, Riper H. Internet and computer based interventions for cannabis use: A meta-analysis. *Drug and alcohol dependence* 2013;133(2):295-304.

- (183) ten Have M, Nuyen J, Beekman A, de Graaf R. Common mental disorder severity and its association with treatment contact and treatment intensity for mental health problems. *Psychological medicine* 2013;43(10):2203-2213.
- (184) ten Have M, de Graaf R, van Dorsselaer S, Beekman A. Lifetime treatment contact and delay in treatment seeking after first onset of a mental disorder. *Psychiatric services* 2013;64(10):981-989.
- (185) Thiart H, Lehr D, Ebert DD, Sieland B, Berking M, Riper H. Log in and breathe out: efficacy and cost-effectiveness of an online sleep training for teachers affected by work-related strain - study protocol for a randomized controlled trial. *Trials* 2013;14:169.
- (186) Thomaes K, Dorrepaal E, Draijer N, de Ruiter MB, Elzinga BM, Sjoerds Z, van Balkom AJ, Smit JH, Veltman DJ. Increased anterior cingulate cortex and hippocampus activation in Complex PTSD during encoding of negative words. *Social cognitive and affective neuroscience* 2013;8(2):190-200.
- (187) Thorgeirsson TE, Gudbjartsson DF, Sulem P, Besenbacher S, Styrkarsdottir U, Thorleifsson G, et al. (including Penninx BW, Smit JH, Vogelzangs N). A common biological basis of obesity and nicotine addiction. *Translational psychiatry* 2013;3:e308.
- (188) Tibi L, van Oppen P, Aderka IM, van Balkom AJLM, Batelaan NM, Spinhover P, Penninx BW, Anholt GE. Examining determinants of early and late age at onset in panic disorder: An admixture analysis. *Journal of psychiatric research* 2013;47(12):1870-1875.
- (189) Twigt BA, Houweling BM, Vriens MR, Regeer EJ, Kupka RW, Borel Rinkes IHM, Valk G. Hypercalcemia in patients with bipolar disorder treated with lithium: a cross-sectional study. *International journal of bipolar disorders* 2013; 1:18.
- (190) Ünlü Ince B, Cuijpers P, van 't Hof E, van Ballegooijen W, Christensen H, Riper H. Internet-based, culturally sensitive, problem-solving therapy for Turkish migrants with depression: randomized controlled trial. *Journal of medical internet research* 2013;15(10):248-262.
- (191) van Ballegooijen W, Riper H, Klein B, Ebert DD, Kramer J, Meulenbeek P, Cuijpers P. An internet-based guided self-help intervention for panic symptoms: randomized controlled trial. *Journal of medical internet research* 2013;15(7):33-44.
- (192) van Beek MHCT, Voshaar RCO, Beek AM, van Zijderveld GA, Visser S, Speckens AEM, Batelaan N, van Balkom AJLM. A brief cognitive-behavioral intervention for treating depression and panic disorder in patients with noncardiac chest pain: a 24-week randomized controlled trial. *Depression and anxiety* 2013;30(7):670-678.
- (193) van den Heuvel OA, van Gorsel HC, Veltman DJ, van der Werf YD. Impairment of executive performance after transcranial magnetic modulation of the left dorsal frontal-striatal circuit. *Human brain mapping* 2013;34(2):347-355.
- (194) van den Hoek J, Roorda LD, Boshuizen HC, van Hees J, Rupp I, Tijhuis GJ, Dekker J, van den Bos GAM. Long-term physical functioning and its association with somatic comorbidity and comorbid depression in patients with established rheumatoid arthritis: a longitudinal study. *Arthritis care & research* 2013;65(7):1157-1165.
- (195) van den Kommer TN, Comijs HC, Aartsen MJ, Huisman M, Deeg DJ, Beekman AT. Depression and cognition: how do they interrelate in old age? *American journal of geriatric psychiatry* 2013;21(4):398-410.

- (196) van der Aa HPA, van Rens GHMB, Comijs HC, Bosmans JE, Margrain TH, van Nispen RMA. Stepped-care to prevent depression and anxiety in visually impaired older adults - design of a randomised controlled trial. *Bmc psychiatry* 2013;13:209.
- (197) van der Kooij C, Droles R, de Lange J, Ettema T, Cools H, van Tilburg W. The implementation of integrated emotion-oriented care: Did it actually change the attitude, skills and time spent of trained caregivers? *Dementia (London)* 2013;12(5):536-550.
- (198) van der Molen E, Vermeiren RRJM, Krabbendam AA, Beekman ATF, Doreleijers TAH, Jansen LMC. Detained adolescent females' multiple mental health and adjustment problem outcomes in young adulthood. *Journal of child psychology and psychiatry* 2013;54(9):950-957.
- (199) van der Salm SMA, van der Meer JN, Nederveen AJ, Veltman DJ, van Rootselaar AF, Tijssen MAJ. Functional MRI study of response inhibition in myoclonus dystonia. *Experimental neurology* 2013;247:623-629.
- (200) van der Werff SJA, Pannekoek JN, Veer IM, van Tol MJ, Aleman A, Veltman DJ, Zitman FG, Rombouts SAR, Elzinga BM, van der Wee NJA. Resting-state functional connectivity in adults with childhood emotional maltreatment. *Psychological medicine* 2013;43(9):1825-1836.
- (201) van der Werff SJA, Pannekoek JN, Veer IM, van Tol MJ, Aleman A, Veltman DJ, Zitman FG, Rombouts SAR, Elzinga BM, van der Wee NJA. Resilience to childhood maltreatment is associated with increased resting-state functional connectivity of the salience network with the lingual gyrus. *Child abuse and neglect* 2013;37(11):1021-1029.
- (202) van Dijk KD, Jongbloed W, Heijst JA, Teunissen CE, Groenewegen HJ, Berendse HW, van de Berg WDJ, Veerhuis R. Cerebrospinal fluid and plasma clusterin levels in Parkinson's disease. *Parkinsonism and related disorders* 2013;19(12):1079-1083.
- (203) van Dijk S, van den Beukel TO, Kaptein AA, Honig A, le Cessie S, Siegert CE, Boeschoten EW, Krediet RT, Dekker FW. How baseline, new-onset, and persistent depressive symptoms are associated with cardiovascular and non-cardiovascular mortality in incident patients on chronic dialysis. *Journal of psychosomatic research* 2013;74(6):511-517.
- (204) van Exel E, Jacobs J, Korswagen LA, Voskuyl AE, Stek M, Dekker J, Bultink IEM. Depression in systemic lupus erythematosus, dependent on or independent of severity of disease. *Lupus* 2013;22(14):1462-1469.
- (205) van Harmelen AL, van Tol MJ, Demenescu LR, van der Wee NJA, Veltman DJ, Aleman A, van Buchem MA, Spinhoven P, Penninx BWJH, Elzinga BM. Enhanced amygdala reactivity to emotional faces in adults reporting childhood emotional maltreatment. *Social cognitive and affective neuroscience* 2013;8(4):362-369.
- (206) van Lammeren A, Dols A, van de Ven PM, Greuters S, Boer C, Loer SA, Stek ML. Etomidate and seizure duration in electroconvulsive therapy: is there a dose-dependent relation? *Journal of ect* 2013;29(2):101-105.
- (207) van Loon A, van Schaik A, Dekker J, Beekman A. Bridging the gap for ethnic minority adult outpatients with depression and anxiety disorders by culturally adapted treatments. *Journal of affective disorders* 2013;147(1-3):9-16.
- (208) van Mill JG, Vogelzangs N, Hoogendoijk WJG, Penninx BWJH. Sleep disturbances and reduced work functioning in depressive or anxiety disorders. *Sleep medicine* 2013;14(11):1170-1177.

- (209) van Reedt-Dortland AKBV, Vreeburg SA, Giltay EJ, Licht CMM, Vogelzangs N, van Veen T, de Geus EJC, Penninx BWJH, Zitman FG. The impact of stress systems and lifestyle on dyslipidemia and obesity in anxiety and depression. *Psychoneuroendocrinology* 2013;38(2):209-218.
- (210) van Reedt-Dortland AKBV, Giltay EJ, van Veen T, Zitman FG, Penninx BWJH. Longitudinal relationship of depressive and anxiety symptoms with dyslipidemia and abdominal obesity. *Psychosomatic medicine* 2013;75(1):83-89.
- (211) van Tol MJ, Veer IM, van der Wee NJ, Aleman A, van Buchem MA, Rombouts SA, Zitman FG, Veltman DJ, Johnstone T. Whole-brain functional connectivity during emotional word classification in medication-free Major Depressive Disorder: Abnormal salience circuitry and relations to positive emotionality. *Neuroimage*. Clinical 2013;2:790-796.
- (212) van Veen T, Wardenaar KJ, Carlier IVE, Spinhoven P, Penninx BWJH, Zitman FG. Are childhood and adult life adversities differentially associated with specific symptom dimensions of depression and anxiety? Testing the tripartite model. *Journal of affective disorders* 2013;146(2):238-245.
- (213) van Vliet IM, van Well EPL, Bruggeman R, Campo JA, Hijman R, van Megen HJGM, van Balkom AJLM, van Rijen PC. An evaluation of irreversible psychosurgical treatment of patients with obsessive-compulsive disorder in the Netherlands, 2001-2008. *Journal of nervous and mental disease* 2013;201(3):226-228.
- (214) van Wingen GA, van den Brink W, Veltman DJ, Schmaal L, Dom G, Booij J, Crunelle CL. Reduced striatal brain volumes in non-medicated adult ADHD patients with comorbid cocaine dependence. *Drug and alcohol dependence* 2013;131(3):198-203.
- (215) Veen G, Giltay EJ, Licht CMM, Vreeburg SA, Cobbaert CM, Penninx BWJH, Zitman FG. Evening salivary alpha-amylase, major depressive disorder, and antidepressant use in the Netherlands Study of Depression and Anxiety (NESDA). *Psychiatry research* 2013;208(1):41-46.
- (216) Verbeek EC, Bevova MR, Bochdanovits Z, Rizzu P, Bakker IMC, Uithuisje T, de Geus EJ, et al. (including Smit JH, Penninx BW). Resequencing three candidate genes for major depressive disorder in a dutch cohort. *Plos one* 2013;8(11):e79921.
- (217) Verwey NA, Hoozemans JJM, Korth C, van Royen MR, Prikulis I, Wouters D, Twaalfhoven HAM, van Haastert ES, Schenk D, Scheltens P, Rozemuller AJM, Blankenstein MA, Veerhuis R. Immunohistochemical characterization of novel monoclonal antibodies against the N-terminus of amyloid beta-peptide. *Amyloid-journal of protein folding disorders* 2013;20(3):179-187.
- (218) Vimaleswaran KS, Berry DJ, Lu C, Tikkanen E, Pilz S, Hiraki LT, et al. (including Penninx BW, Smit JH). Causal relationship between obesity and vitamin D status: bi-directional mendelian randomization analysis of multiple cohorts. *Plos medicine* 2013;10(2).
- (219) Vlasveld MC, van der Feltz-Cornelis C, Ader HJ, Anema JR, Hoedeman R, van Mechelen W, Beekman ATF. Collaborative care for sick-listed workers with major depressive disorder: a randomised controlled trial from the Netherlands Depression Initiative aimed at return to work and depressive symptoms. *Occupational and environmental medicine* 2013;70(4):223-230.
- (220) Vlasveld MC, van der Feltz-Cornelis C, Anema JR, van Mechelen W, Beekman ATF, van Marwijk HWJ, Penninx BWJH. The associations between personality characteristics and absenteeism: a cross-sectional study in workers with and without depressive and anxiety disorders. *Journal of occupational rehabilitation* 2013;23(3):309-317.

- (221) Vogel N, Schilling OK, Wahl HW, Beekman ATF, Penninx BWJH. Time-to-death-related change in positive and negative affect among older adults approaching the end of life. *Psychology and aging* 2013;28(1):128-141.
- (222) Vogelzangs N, Beekman ATF, de Jonge P, Penninx BWJH. Anxiety disorders and inflammation in a large adult cohort. *Translational psychiatry* 2013;3:e249.
- (223) Volker D, Vlasveld MC, Anema JR, Beekman ATF, Hakkaart-Van Roijen L, Brouwers EPM, van Lomwel AGC, van der Feltz-Cornelis C. Blended E-health module on return to work embedded in collaborative occupational health care for common mental disorders: design of a cluster randomized controlled trial. *Neuropsychiatric disease and treatment* 2013;9:529-537.
- (224) Vreeburg SA, Hoogendoijk WJG, de Rijk RH, van Dyck R, Smit JH, Zitman FG, Penninx BWJH. Salivary cortisol levels and the 2-year course of depressive and anxiety disorders. *Psychoneuroendocrinology* 2013;38(9):1494-1502.
- (225) Vriend C, de Wit SJ, Remijnse PL, van Balkom AJLM, Veltman DJ, van den Heuvel OA. Switch the itch: A naturalistic follow-up study on the neural correlates of cognitive flexibility in obsessive-compulsive disorder. *Psychiatry research-neuroimaging* 2013;213(1):31-38.
- (226) Welschen LMC, van Oppen P, Bot SDM, Kostense PJ, Dekker JM, Nijpels G. Effects of a cognitive behavioural treatment in patients with type 2 diabetes when added to managed care; a randomised controlled trial. *Journal of behavioral medicine* 2013;36(6):556-566.
- (227) Westhoff D, Witlox J, Koenderman L, Kalisvaart KJ, de Jonghe JFM, van Stijn MFM, Houdijk APJ, et al. (including Eikelenboom P). Preoperative cerebrospinal fluid cytokine levels and the risk of postoperative delirium in elderly hip fracture patients. *Journal of neuroinflammation* 2013;10:122.
- (228) Witlox J, Slor CJ, Jansen RWMM, Kalisvaart KJ, van Stijn MFM, Houdijk APJ, Eikelenboom P, van Gool WA, de Jonghe JFM. The neuropsychological sequelae of delirium in elderly patients with hip fracture three months after hospital discharge. *International psychogeriatrics* 2013;25(9):1521-1531.
- (229) Woudstra S, van Tol MJ, Bochdanovits Z, van der Wee NJ, Zitman FG, van Buchem MA, Opmeer EM, Aleman A, Penninx BW, Veltman DJ, Hoogendoijk WJ. Modulatory effects of the piccolo genotype on emotional memory in health and depression. *Plos one* 2013;8(4).
- (230) Zhang JH, Lamers F, Hickie IB, He JP, Feig E, Merikangas KR. Differentiating nonrestorative sleep from nocturnal insomnia symptoms: demographic, clinical, inflammatory, and functional correlates. *Sleep* 2013;36(5):671-679.
- (231) Zhernakova DV, de Klerk E, Westra HJ, Mastrokolas A, Amini S, Ariyurek Y, Jansen R, et al. (including Penninx BW). DeepSAGE reveals genetic variants associated with alternative polyadenylation and expression of coding and non-coding transcripts. *Plos genetics* 2013;9(6):e1003594.

Publications in Dutch

- (1) Beekman ATF. We doen het al. *Maandblad geestelijke volksgezondheid* 2013;68:98-101.
- (2) Blankers M, Donker T, Riper H. e-Mental Health in Nederland. Wetenschappelijke evidentië en uitdagingen voor de praktijk. *De psycholoog* 2013;(september):12-22.
- (3) Comijs HC. De diagnostiek van depressie bij ouderen. *Neuropraktijk* 2013;5(1):26-29.
- (4) Dozeman E, van Schaik A, Smit F, Stek ML, van der Horst H, Bohlmeijer E, Beekman ATF. Preventie van depressie en angst in verzorgingshuizen. *Huisarts en wetenschap* 2013;56(4):154-158.
- (5) Draisma S. Twaalf rapporten over tevredenheid cliënten GGZ inGeest. GGZ inGeest; 2013 (*report*).
- (6) Gossink F, Dols A, Kerssens CJ, Scheltens P, Stek ML, Pijnenburg YAL. De gedragsvariant van frontotemporale dementie. *Nederlands tijdschrift voor geneeskunde* 2013;157(42):A6370.
- (7) Hattink B, Meiland F, Campman C, Rietsema J, Sitskoorn M, Dröes RM. Evaluatie van Into D'mentia: een onderzoek naar de gebruiksvriendelijkheid, bruikbaarheid en impact van de dementiesimulator "Into D'mentia" onder mantelzorgers en zorgprofessionals. Amsterdam: EMGO+ VU Medisch Centrum; 2013 (*report*).
- (8) Heijnen H, Beekman ATF, Verheul R, Dekker J. Kostenstijging ggz wordt overdreven. *Medisch contact* 2013;40:2023-2025.
- (9) Huber E, Meiland F, Stek M, Dröes RM, Bootsma-van der Wiel A. De overdracht van GGZ naar verpleeghuis. Continuïteit van zorg voor patiënten met dementie. *Tijdschrift voor ouderengeneeskunde* 2013;(4):177-181.
- (10) Huijbregts K, de Jong F, van Marwijk H, Beekman ATF, Hakkaart-Van Roijen L, van der Feltz-Cornelis C. Collaborative care voor depressieve patiënten. *Huisarts en wetenschap* 2013;56:210-213.
- (11) van der Stel JC. Innovatie rond herstel. *Tijdschrift verslaving* 2013;9(4):5-18.
- (12) Joos L, Schmaal L, Broos N, Goudriaan AE. Modafinil bij alcoholafhankelijke patiënten: het effect op terugval. *Tijdschrift voor psychiatrie* 2013;55(11):879-884.
- (13) Krudop WA, Kerssens CJ, Dols A, Prins ND, van der Flier WM, Scheltens P, Stek ML, Pijnenburg YAL. Frontotemporale dementie en de psychiatrische differentiaaldiagnose: twee gevallenbeschrijvingen en de rationale van de Laat Onstaan Frontaal syndroom (LOF) studie. *Tijdschrift voor neuropsychiatrie en gedragsneurologie* 2013; 1(3):72-79.
- (14) Kupka RW, Folers C, Potmes G. Bipolaire stoornis en borderline persoonlijkheidsstoornis: differentiatie, comorbiditeit en farmacotherapie. *Psyfar* 2013;8(1):60-63.
- (15) Meesters PD, Comijs H, Dröes RM, de Haan L, Smit JH, Eikelenboom P, Beekman ATF, Stek M. Ouderen met schizofrenie: zorgbehoeften en zorgvernieuwing. *Maandblad geestelijke volksgezondheid* 2013;68(4):174-183.
- (16) Riper H, van Ballegooijen W, Kooistra L, de Wit J, Donker T. Preventie & eMental Health: Kennissynthese 2013. Den Haag: ZonMw; 2013 (*report*).

- (17) Schmaal L, Broos N, Joos L, Pattij T, Goudriaan AE. Impulsregulatie en verslaving: een translationeel onderzoek. *Tijdschrift voor psychiatrie* 2013;55(11):823-831.
- (18) Scholten WD, Muntingh A. Psycho-educatiecursus voor volwassenen met OCS en hun omgeving. *Psychopraktijk* 2013;5.
- (19) Scholten, WD. Nooit meer bang. Terugvalpreventie bij angststoornissen: een casus. *Directieve therapie* 2013;32(4):287-299.
- (20) Schouws S, Meesters PD, Comijs H. Cognitief functioneren bij schizofrenie en bipolaire stoornis op oudere leeftijd. *Tijdschrift voor neuropsychologie* 2013;8:17-26.
- (21) Theunissen JR, Duurkoop P, Kikkert M, Peen J, Dekker J. Na de extramuralisering. II. Een crossectionele studie naar psychisch en sociaal functioneren en kwaliteit van leven van een steekproef van chronische psychiatrische patiënten in de Amsterdamse ggz. *Tijdschrift voor psychiatrie* 2013;55(3):153-163.
- (22) van Ballegooijen W, Riper H, Kooistra L, Cuijpers P. E-mental health interventies voor angststoornissen. *Gedragstherapie* 2013;46:343-358.
- (23) van der Kooij SJJ, Semeijn E, Michielsen M, Comijs HC. Heeft opa ADHD? *GZ psycholoog* 2013;2:10-12.
- (24) van Schaik A. Een specifieke therapievorm voor chronische depressie: Cognitive Behavioral Analysis System of Psychotherapy. *Psychopraktijk* 2013;5(2):15-19.
- (25) Visser HM, Renes JW, Koninkx D, Kupka RW. Vraaguitval bij poliklinische patienten met een bipolaire stoornis als gevolg van de eigen bijdrage in de tweedelijns-ggz. *Tijdschrift voor psychiatrie* 2013;55(9):655-663.
- (26) Vriend C, van der Werf YD, Pattij T, Voorn P, Booij J, Rutten S, Berendse HW, van den Heuvel OA. De ziekte van Parkinson: van geremde motoriek tot ontremde impulsen. *Neuropraxis* 2013;4:103-112.

Books and book chapters

- (1) Beekman ATF, Cuijpers P, Smit F. Prevention of depression in later life: a developmental perspective. In: Lavretsky H, Sajatovic M, Reynolds CF, eds. Late-Life Mood Disorders. Oxford: Oxford University Press, 2013:448-456.
- (2) Comijs HC. Psychische klachten bij ouderen. In: Jukema J, van Vliet J, eds. Ouder en sociaal-maatschappelijke dienstverlening. Den Haag: Boom Lemma Uitgevers, 2013.
- (3) Cuijpers P, Riper H, Beekman ATF. Novel platforms for care delivery: internet based interventions and telepsychiatry. In: Lavretsky H, Sajatovic M, Reynolds CF, eds. Late-Life Mood Disorders. Oxford: Oxford University Press, 2013:546-558.
- (4) Deeg DJ. Verborgen bewustzijn. Hoe een coma een mens verandert. In: Oderwald A, Neuvel K, van Tilburg W, eds. Het verwonde brein. Hersenziekten in fictie. Utrecht: De Tijdstroom, 2013:137-144.
- (5) Deeg DJH, Huisman M, Terwee CB, Comijs HC, Thomé FGCF, Visser M. Changes in physical functioning with ageing and over time (International Perspectives on Aging) In: Phellas C, ed. Aging in European Societies. New York: Springer US, 2013:117-132.
- (6) van der Stel JC. De toekomst van diagnostiek en behandeling van comorbiditeit (epiloog). In: Dom G, Dijkhuizen A, van der Hoorn B, Kroon H, Muusse C, van Rooijen S, Schoevers R, van Wamel A, eds. Handboek dubbele diagnose. Utrecht: De Tijdstroom, 2013:381-390.
- (7) van der Stel JC. Zelfregulatie, ontwikkeling en herstel. Verbetering en herstel van cognitie, emotie, motivatie en regulatie van gedrag. Amsterdam: Uitgeverij SWP, 2013.
- (8) Mokkenstorm JK, Huisman A, Kerkhof AJFM, Smit JH. Results and experiences of 113 Online: a comprehensive Dutch online suicide prevention platform. In: Mishira BL, Kerkhof AJFM, eds. Suicide prevention and new technologies: evidence based practice. New York: Palgrave Macmillan, 2013:123-149.
- (9) Penninx BWJH, Comijs HC. Depression and other mental disorders in old age. In: Newman A, Caulay JA, eds. Epidemiology of aging. New York: Springer, 2013:583-598.
- (10) Seldenrijk A, Vogelzangs N, van Oppen P, Penninx BWJH, van Schaik DJF. Depression, vascular conditions & chronicity. In: Schoepf D, ed. Psychiatric Disorders - New Frontiers in Affective Disorders. InTechOpen (online), 2013.
- (11) van Balkom AJLM, van Vliet IM. Angststoornissen. In: Een psychische stoornis heb je niet alleen. Baars J, van Meekeren E, eds. Amsterdam: Boom, 2013:323-336.
- (12) Wiersma J, van Schaik DJF. Die Rolle früher Traumatisierungen beim CBASP. In: Belz E, Caspar F, Schramm E, eds. Therapieren mit CBASP, Chronische Depression, Komorbiditäten und störungsubergreifender Einsatz. München: Elsevier GmbH Urban & Fischer Verlag, 2013:79-86.