

Publications 2014

Department of Psychiatry VUmc / Research Department GGZ inGeest

International publications (refereed) *

1. Aghajani M, Veer IM, van Tol MJ, Aleman A, van Buchem MA, Veltman DJ, Rombouts SARb, van der Wee NJ. Neuroticism and extraversion are associated with amygdala resting-state functional connectivity. *Cognitive affective & behavioral neuroscience*. 2014;14:836-848.
2. Ameri P, Canepa M, Fabbri P, Leoncini G, Milaneschi Y, Mussap M, et al. Vitamin D modulates the association of circulating insulin-like growth factor-1 with carotid artery intima-media thickness. *Atherosclerosis*. 2014;236:418-425.
3. Andersson G, Cuijpers P, Carlbring P, Riper H, Hedman E. Guided internet-based vs. face-to-face cognitive behavior therapy for psychiatric and somatic disorders: a systematic review and meta-analysis. *World psychiatry*. 2014;13:288-295.
4. Anholt GE, Aderka IM, van Balkom AJLM, Smit JH, Schruers K, van der Wee NJA, Eikelenboom M, de Luca V, van Oppen P. Age of onset in obsessive-compulsive disorder: admixture analysis with a large sample. *Psychological medicine*. 2014;44:185-194.
5. Barry LC, Thorpe RJ, Penninx BWJH, Yaffe K, Wakefield D, Ayonayon HN, Satterfield S, Newman AB, Simonsick EM. Race-related differences in depression onset and recovery in older persons over time: the Health, Aging, and Body Composition study. *American journal of geriatric psychiatry*. 2014;22:682-691.
6. Batelaan NM, Rhebergen D, Spinhoven P, van Balkom AJ, Penninx BW. Two-year course trajectories of anxiety disorders: do DSM classifications matter? *Journal of clinical psychiatry*. 2014;75:985-993.
7. Batelaan NM, ten Have M, van Balkom AJLM, Tuithof M, de Graaf R. Anxiety disorders and onset of cardiovascular disease: the differential impact of panic, phobias and worry. *Journal of anxiety disorders*. 2014;28:252-258.
8. Bet PM, van Laer SD, Hugtenburg JG, Penninx BWJH, Hoogendoijk WJG. Depression and anxiety as risk factors of medication non-adherence. *British journal of clinical pharmacology*. 2014;78:765.
9. Blom MT, Cohen D, Seldenrijk A, Penninx BWJH, Nijpels G, Stehouwer CDA, Dekker JM, Tan HL. Brugada syndrome ECG is highly prevalent in schizophrenia. *Circulation-arrhythmia and electrophysiology*. 2014;7:384-391.

10. Bode GH, Losen M, Buurman WA, Veerhuis R, Molenaar PC, Steinbusch HWM, de Baets MH, Daha MR, Martinez-Martinez P. Complement activation by ceramide transporter proteins. *Journal of immunology*. 2014;192:1154-1161.
11. Boeschoten RE, Uitdehaag BM, Van Oppen P, de Groot V, Collette EH, Bakker KA, Polman CH, Dekker J. A computer-based screening method for distress in patients with multiple sclerosis: a feasibility study. *Journal of medical internet research, research protocols*. 2014;3:e29.
12. Bolier L, Majo C, Smit F, Westerhof GJ, Haverman M, Walburg JA, Riper H, Bohlmeijer E. Cost-effectiveness of online positive psychology: Randomized controlled trial. *Journal of positive psychology*. 2014;9:460-471.
13. Bolton JL, Hayward C, Direk N, Lewis JG, Hammond GL, Hill LA, et al. (including Milaneschi Y). Genome wide association identifies common variants at the SERPINA6/SERPINA1 locus influencing plasma cortisol and corticosteroid binding globulin. *Plos genetics*. 2014;10(7):e10044740.
14. Boschloo L, Spijker AT, Hoencamp E, Kupka R, Nolen WA, Schoevers RA, Penninx BWJH. Predictors of the onset of manic symptoms and a (hypo)manic episode in patients with Major Depressive Disorder. *Plos one*. 2014;9:e106871.
15. Boschloo L, Reeuwijk KG, Schoevers RA, Penninx BWJH. The impact of lifestyle factors on the 2-year course of depressive and/or anxiety disorders. *Journal of affective disorders*. 2014;159:73-79.
16. Boschloo L, Schoevers RA, Beekman ATF, Smit JH, van Hemert AM, Penninx BWJH. The four-year course of major depressive disorder: the role of staging and risk factor determination. *Psychotherapy and psychosomatics*. 2014;83:279-288.
17. Boschloo L, van den Brink W, Penninx BWJH. Does self-medication predict the persistence or rather the recurrence of alcohol dependence? *Jama psychiatry*. 2014;71:205.
19. Bosmans JE, Dozeman E, van Marwijk HWJ, van Schaik DJF, Stek ML, Beekman ATF, van der Horst HE. Cost-effectiveness of a stepped care programme to prevent depression and anxiety in residents in homes for the older people: a randomised controlled trial. *International journal of geriatric psychiatry*. 2014;29:182-190.
20. Bossen D, Veenhof C, Dekker J, de Bakker D. The effectiveness of self-guided web-based physical activity interventions among patients with a chronic disease: a systematic review. *Journal of physical activity & health*. 2014;11:665-677.
21. Bot M, Vink J, Milaneschi Y, Smit JH, Kluft C, Neuteboom J, Penninx B. Plasma cotinine levels in cigarette smokers: impact of mental health and other correlates. *European addiction research*. 2014;20:183-191.
22. Bot M, Pouwer F, de Jonge P, Snoek F. Response to Kawada. Depressive symptoms and HbA1c in patients with Type 1 and Type 2 diabetes (letter to the editor). *Diabetic medicine*. 2014;31:760-761.

23. Bouckaert F, Sienaert P, Obbels J, Dols A, Vandenbulcke M, Stek M, Bolwig T. ECT: its brain enabling effects. A review of electroconvulsive therapy-induced structural brain plasticity. *Journal of ect.* 2014;30:143-151.
24. Bouckaert F, Dewinter FL, Emsell L, Dols A, Wampers M, Obbels J, Sienaert P, Vandenbulcke M. Gray matter volume increase after electroconvulsive therapy in late-life depression. *Journal of ect.* 2014;30:255.
25. Braam AW, Copeland JRM, Delespaul PAEG, Beekman ATF, Como A, Dewey M, et al. Depression, subthreshold depression and comorbid anxiety symptoms in older Europeans: Results from the EURODEP concerted action. *Journal of affective disorders.* 2014;155:266-272.
26. Braam AW, Schaap-Jonker H, van der Horst MHL, Steunenberg B, Beekman ATF, van Tilburg W, Deeg DJH. Twelve-year history of late-life depression and subsequent feelings to God. *American journal of geriatric psychiatry.* 2014;22:1272-1281.
27. Braamse AMJ, van Meijel B, Visser O, Huijgens PC, Beekman ATF, Dekker J. Distress, problems and supportive care needs of patients treated with auto- or allo-SCT. *Bone marrow transplantation.* 2014;49:292-298.
28. Bron TI, Bijlenga D, Boonstra AM, Breuk M, Pardoen WFH, Beekman ATF, Kooij JJS. OROS-methylphenidate efficacy on specific executive functioning deficits in adults with ADHD: A randomized, placebo-controlled cross-over study. *European neuropsychopharmacology.* 2014;24:519-528.
29. Buntrock C, Ebert DD, Lehr D, Cuijpers P, Riper H, Smit F, Berking M. Evaluating the efficacy and cost-effectiveness of web-based indicated prevention of major depression: design of a randomised controlled trial. *Bmc psychiatry.* 2014;14:25.
30. Burke SM, Cohen-Kettenis PT, Veltman DJ, Klink DT, Bakker J. Hypothalamic response to the chemo-signal androstadienone in gender dysphoric children and adolescents. *Frontiers in endocrinology (Lausanne).* 2014;5:60.
31. Bus BAA, Molendijk ML, Penninx BWJH, Buitelaar JK, Prickaerts J, Elzinga BM, Oude Voshaar RC. Low serum BDNF levels in depressed patients cannot be attributed to individual depressive symptoms or symptom cluster. *World journal of biological psychiatry.* 2014;15:561-569.
32. Byrne EM, Carrillo-Roa T, Penninx BWJH, Sallis HM, Viktorin A, Chapman B, et al (including van Grootenhuis G). Applying polygenic risk scores to postpartum depression. *Archives of womens mental health.* 2014;17:519-528.
33. Canepa M, Ameri P, AlGhafir M, Pestelli G, Milaneschi Y, Strait JB, et al. Role of bone mineral density in the inverse relationship between body size and aortic calcification: Results from the Baltimore Longitudinal Study of Aging. *Atherosclerosis.* 2014;235:169-175.
34. Carrano A, Snkhchyan H, Kooij G, van der Pol S, van Horszen J, Veerhuis R, Hoozemans J, Rozemuller A, de Vries HE. ATP-binding cassette transporters P-glycoprotein and

breast cancer related protein are reduced in capillary cerebral amyloid angiopathy. *Neurobiology of aging*. 2014;35:565-575.

35. Collard RM, Comijs HC, Naarding P, Oude Voshaar RC. Physical frailty: vulnerability of patients suffering from late-life depression. *Aging & mental health*. 2014;18:570-578.
36. Cousijn J, Wiers RW, Ridderinkhof KR, van den Brink W, Veltman DJ, Goudriaan AE. Effect of baseline cannabis use and working-memory network function on changes in cannabis use in heavy cannabis users: A prospective fMRI study. *Human brain mapping*. 2014;35:2470-2482.
37. Cousminer DL, Stergiakouli E, Berry DJ, Ang W, Groen-Blokhuis MM, Korner A, et al (including Jansen R and Penninx BWJH). Genome-wide association study of sexual maturation in males and females highlights a role for body mass and menarche loci in male puberty. *Human molecular genetics*. 2014;23:4452-4464.
38. Cuijpers P, Sijbrandij M, Koole SL, Andersson G, Beekman AT, Reynolds CF. Adding psychotherapy to antidepressant medication in depression and anxiety disorders: a meta-analysis. *World psychiatry*. 2014;13:56-67.
39. Cuijpers P, Vogelzangs N, Twisk J, Kleiboer A, Li J, Penninx BW. Comprehensive meta-analysis of excess mortality in depression in the general community versus patients with specific illnesses. *American journal of psychiatry*. 2014;171:453-462.
40. Cuijpers P, Vogelzangs N, Twisk J, Kleiboer A, Li J, Penninx BW. Is excess mortality higher in depressed men than in depressed women? A meta-analytic comparison. *Journal of affective disorders*. 2014;161:47-54.
41. de Castro SMM, Unlu C, Tuynman JB, Honig A, van Wagenveld BA, Steller EP, Vrouenraets BC. Incidence and risk factors of delirium in the elderly general surgical patient. *American journal of surgery*. 2014;208:26-32.
42. de Heer EW, Gerrits MM, Beekman AT, Dekker J, van Marwijk HW, de Waal MW, Spinhoven P, Penninx BW, van der Feltz-Cornelis CM. The association of depression and anxiety with pain: a study from NESDA. *Plos one*. 2014;9:e106907.
43. de Vries FE, de Wit SJ, Cath DC, van der Werf YD, van der Borden V, van Rossum TB, van Balkom AJLM, van der Wee NJA, Veltman DJ, van den Heuvel OA. Compensatory frontoparietal activity during working memory: an endophenotype of Obsessive-Compulsive Disorder. *Biological psychiatry*. 2014;76:878-887.
44. de Wit SJ, Alonso P, Schweren L, Mataix-Cols D, Lochner C, Menchon JM, et al (including Veltman DJ, van den Heuvel OA). Multicenter voxel-based morphometry mega-analysis of structural brain scans in obsessive-compulsive disorder. *American journal of psychiatry*. 2014;171:340-349.
45. Dekker J, Bai B, Oldenburg B, Qiu CX, Zhong XF. Behavioral medicine in China. *International journal of behavioral medicine*. 2014;21:571-573.

46. Del Campo M, Hoozemans JJM, Dekkers LL, Rozemuller AJ, Korth C, Muller-Schiffmann A, Scheltens P, Blankenstein MA, Jimenez CR, Veerhuis R, Teunissen CE. BRI2-BRICHOS is increased in human amyloid plaques in early stages of Alzheimer's disease. *Neurobiology of aging*. 2014;35:1596-1604.
47. Demenescu LR, Stan A, Kortekaas R, van der Wee NJA, Veltman DJ, Aleman A. On the connection between level of education and the neural circuitry of emotion perception. *Frontiers in human neuroscience*. 2014;8:866.
48. Dols A, Kupka RW, van Lammeren A, Beekman AT, Sajatovic M, Stek ML. The prevalence of late-life mania: a review. *Bipolar disorders*. 2014;16:113-118.
49. Dols A, Rhebergen D, Beekman A, Kupka R, Sajatovic M, Stek ML. Psychiatric and medical comorbidities: results from a bipolar elderly cohort study. *American journal of geriatric psychiatry*. 2014;22:1066-1074.
50. Dorrepaal E, Thomaes K, Smit JH, Veltman DJ, Hoogendoorn AW, van Balkom AJLM, Draijer N. Response to "Treatment compliance and effectiveness in complex PTSD patients with co-morbid personality disorder undergoing stabilizing cognitive behavioral group treatment: a preliminary study" - authors' reply. *European journal of psychotraumatology*. 2014;5:23792.
51. Dorrepaal E, Thomaes K, Hoogendoorn AW, Veltman DJ, Draijer N, van Balkom AJLM. Evidence-based treatment for adult women with child abuse-related Complex PTSD: a quantitative review. *European journal of psychotraumatology*. 2014;5:23613.
52. Ebenfeld L, Stegemann SK, Lehr D, Ebert DD, Jazaieri H, van Ballegooijen W, Funk B, Riper H, Berking M. Efficacy of a hybrid online training for panic symptoms and agoraphobia: study protocol for a randomized controlled trial. *Trials*. 2014;15:427.
53. Ebert DD, Lehr D, Smit F, Zarski AC, Riper H, Heber E, Cuijpers P, Berking M. Efficacy and cost-effectiveness of minimal guided and unguided internet-based mobile supported stress-management in employees with occupational stress: a three-armed randomised controlled trial. *Bmc public health*. 2014;14:807.
54. Ebert DD, Lehr D, Boss L, Riper H, Cuijpers P, Andersson G, Thiart H, Heber E, Berking M. Efficacy of an internet-based problem-solving training for teachers: results of a randomized controlled trial. *Scandinavian journal of work environment & health*. 2014;40:582-596.
55. Ebert DD, Lehr D, Baumeister H, Boss L, Riper H, Cuijpers P, Reins JA, Buntrock C, Berking M. GET.ON Mood Enhancer: efficacy of Internet-based guided self-help compared to psychoeducation for depression: an investigator-blinded randomised controlled trial. *Trials*. 2014;15:39.
56. Eikelenboom M, Smit JH, Beekman ATF, Kerkhof AJFM, Penninx BWJH. Reporting suicide attempts: consistency and its determinants in a large mental health study. *International journal of methods in psychiatric research*. 2014;23:257-266.

57. Emmelkamp PMG, David D, Beckers T, Muris P, Cuijpers P, Lutz W, et al (including Riper H). Advancing psychotherapy and evidence-based psychological interventions. *International journal of methods in psychiatric research*. 2014;23:58-91.
58. Eyssen IJCM, Dekker J, de Groot V, Steultjens EMJ, Knol DL, Polman CH, Steultjens MPM. Client-centred therapy in Multiple Sclerosis: more intensive diagnostic evaluation and less intensive treatment. *Journal of rehabilitation medicine*. 2014;46:527-531.
59. Fassaert T, Lauriks S, van de Weerd S, Theunissen J, Kikkert M, Dekker J, Buster M, de Wit M. Psychometric properties of the Dutch version of the Self-Sufficiency Matrix (SSM-D). *Community mental health journal*. 2014;50:583-590.
60. Frijling JL, van Zuiden M, Koch SBJ, Nawijn L, Goslings JC, Luitse JS, Biesheuvel TH, Honig A, Bakker FC, Denys D, Veltman DJ, Olff M. Efficacy of oxytocin administration early after psychotrauma in preventing the development of PTSD: study protocol of a randomized controlled trial. *Bmc psychiatry*. 2014;14:92.
61. Generaal E, Vogelzangs N, Macfarlane GJ, Geenen R, Smit JH, Penninx BWJH, Dekker J. Reduced hypothalamic-pituitary-adrenal axis activity in chronic multi-site musculoskeletal pain: partly masked by depressive and anxiety disorders. *Bmc musculoskeletal disorders*. 2014;15:227.
62. Generaal E, Vogelzangs N, Macfarlane GJ, Geenen R, Smit JH, Dekker J, Penninx BWJH. Basal inflammation and innate immune response in chronic multisite musculoskeletal pain. *Pain*. 2014;155:1605-1612.
63. Geraedts AS, Fokkema M, Kleiboer AM, Smit F, Wiezer NW, Majo MC, van Mechelen W, Cuijpers P, Penninx BWJH. The longitudinal prediction of costs due to health care uptake and productivity losses in a cohort of employees with and without depression or anxiety. *Journal of Occupational and Environmental Medicine*. 2014;56:794-801.
64. Gerrits MMJG, Van Oppen P, van Marwijk HWJ, Penninx BWJH, van der Horst HE. Pain and the onset of depressive and anxiety disorders. *Pain*. 2014;155:53-59.
65. Gerrits MMJG, Van Oppen P, Leone SS, van Marwijk HWJ, van der Horst HE, Penninx BW. Pain, not chronic disease, is associated with the recurrence of depressive and anxiety disorders. *Bmc psychiatry*. 2014;14:187.
66. Gerrits NJHM, van der Werf YD, Hofman M, Foncke EMJ, Klein M, Berendse HW, van den Heuvel OA. Gray matter differences contribute to variation in cognitive performance in Parkinson's disease. *European journal of neurology*. 2014;21:245-252.
67. Goorden M, Muntingh A, van Marwijk H, Spinhoven P, Ader H, van Balkom A, van der Feltz-Cornelis C, Hakkaart-van Roijen L. Cost utility analysis of a collaborative stepped care intervention for panic and generalized anxiety disorders in primary care. *Journal of psychosomatic research*. 2014;77:57-63.
68. Goorden M, Vlasveld MC, Anema JR, van Mechelen W, Beekman ATF, Hoedeman R, van der Feltz-Cornelis C, Hakkaart-van Roijen L. Cost-utility analysis of a collaborative care

- intervention for Major Depressive Disorder in an occupational healthcare setting. *Journal of occupational rehabilitation*. 2014;24:555-562.
69. Grant JE, Atmaca M, Fineberg NA, Fontenelle LF, Matsunaga H, Reddy YCJ, Simpson HB, Thomsen PH, van den Heuvel OA, Veale D, Woods DW, Stein DJ. Impulse control disorders and "behavioural addictions" in the ICD-11. *World psychiatry*. 2014;13:125-127.
 70. Greeven A, van Balkom AJLM, Spinhoven P. Personality predicts time to remission and clinical status in hypochondriasis during a 6-year follow-up. *Journal of nervous and mental disease*. 2014;202:402-407.
 71. Guigas B, van Weenen JED, van Leeuwen N, Simonis-Bik AM, van Haeften TW, Nijpels G, et al (including Penninx BW and Vogelzangs N). Sex-specific effects of naturally occurring variants in the dopamine receptor D2 locus on insulin secretion and Type 2 diabetes susceptibility. *Diabetic medicine*. 2014;31:1001-1008.
 72. Guiy JJ, van de Ven P, Nelson J, Warmerdam L, Riper H. Activity recognition with smartphone support. *Medical engineering & physics*. 2014;36:670-675.
 73. Hanssen DJC, Naarding P, Collard RM, Comijs HC, Oude Voshaar RC. Physical, lifestyle, psychological, and social determinants of pain intensity, pain disability, and the number of pain locations in depressed older adults. *Pain*. 2014;155:2088-2096.
 74. Hardeveld F, Spijker J, Vreeburg SA, de Graaf R, Hendriks SM, Licht CMM, Nolen WA, Penninx BWJH, Beekman ATF. Increased cortisol awakening response was associated with time to recurrence of major depressive disorder. *Psychoneuroendocrinology*. 2014;50:62-71.
 75. Hartmans C, Comijs H, Jonker C. Cognitive functioning and its influence on sexual behavior in normal aging and dementia. *International journal of geriatric psychiatry*. 2014;29:441-446.
 76. Heller HM, van Straten A, de Groot CJM, Honig A. The (cost) effectiveness of an online intervention for pregnant women with affective symptoms: protocol of a randomised controlled trial. *Bmc pregnancy and childbirth*. 2014;14:273.
 77. Hendriks SM, Spijker J, Licht CMM, Beekman ATF, Hardeveld F, de Graaf R, Batelaan NM, Penninx BWJH. Disability in anxiety disorders. *Journal of affective disorders*. 2014;166:227-233.
 78. Hendriks SM, Licht CMM, Spijker J, Beekman ATF, Hardeveld F, de Graaf R, Penninx BWJH. Disorder-specific cognitive profiles in major depressive disorder and generalized anxiety disorder. *Bmc psychiatry*. 2014;14:96.
 79. Hermans H, Beekman ATF, Evenhuis HM. Comparison of anxiety as reported by older people with intellectual disabilities and by older people with normal intelligence. *American journal of geriatric psychiatry*. 2014;22:1391-1398.

80. Hermens MLM, Muntingh A, Franx G, van Splunteren PT, Nuyen J. Stepped care for depression is easy to recommend, but harder to implement: Results of an explorative study within primary care in the Netherlands. *Bmc family practice*. 2014;15:5.
81. Hermsen LAH, Smalbrugge M, van der Wouden JC, Leone SS, Dekker J, van der Horst HE. Trajectories of physical functioning and their prognostic indicators: A prospective cohort study in older adults with joint pain and comorbidity. *Maturitas*. 2014;78:316-322.
82. Hermsen LAH, Leone SS, Smalbrugge M, Dekker J, van der Horst HE. Frequency, severity and determinants of functional limitations in older adults with joint pain and comorbidity: Results of a cross-sectional study. *Archives of gerontology and geriatrics*. 2014;59:98-106.
83. Holla JFM, van der Leeden M, Heymans MW, Roorda LD, Bierma-Zeinstra SMA, Boers M, Lems WF, Steultjens MPM, Dekker J. Three trajectories of activity limitations in early symptomatic knee osteoarthritis: a 5-year follow-up study. *Annals of the rheumatic diseases*. 2014;73:1369-1375.
84. Holla JFM, Sanchez-Ramirez DC, van der Leeden M, Ket JCF, Roorda LD, Lems WF, Steultjens MPM, Dekker J. The avoidance model in knee and hip osteoarthritis: a systematic review of the evidence. *Journal of behavioral medicine*. 2014;37:1226-1241.
85. Holwerda TJ, Deeg DJH, Beekman ATF, van Tilburg TG, Stek ML, Jonker C, Schoevers RA. Feelings of loneliness, but not social isolation, predict dementia onset: Results from the Amsterdam Study of the Elderly (AMSTEL). *Journal of neurology neurosurgery and psychiatry*. 2014;85:135-142.
86. Hoozemans JJM, van Haastert ES, Mulder SD, Nielsen HM, Veerhuis R, Ruijtenbeek R, Rozemuller AJM, Hilhorst R, van der Vies SM. Increased IRAK-4 kinase activity in Alzheimer's disease: IRAK 1/4 inhibitor I prevents pro-inflammatory cytokine secretion but not the uptake of amyloid beta by primary human glia. *Journal of clinical & cellular immunology*. 2014;5.
87. Houtjes W, van Meijel B, van de Ven PM, Deeg D, van Tilburg T, Beekman A. The impact of an unfavorable depression course on network size and loneliness in older people: a longitudinal study in the community. *International journal of geriatric psychiatry*. 2014;29:1010-1017.
88. Huyser C, van den Heuvel OA, Wolters L, de Haan E, Lindauer R, Veltman DJ. A longitudinal VBM study in paediatric obsessive-compulsive disorder at 2-year follow-up after cognitive behavioural therapy. *World journal of biological psychiatry*. 2014;15:443-452.
89. Iancu SC, Zweekhorst MBM, Veltman DJ, van Balkom AJLM, Bunders JFG. Mental health recovery on care farms and day centres: A qualitative comparative study of users' perspectives. *Disability and rehabilitation*. 2014;36:573-583.
90. Iancu SC, Batelaan NM, Zweekhorst MBM, Bunders JFG, Veltman DJ, Penninx BWJH, van Balkom AJLM. Trajectories of functioning after remission from anxiety disorders: 2-year course and outcome predictors. *Psychological medicine*. 2014;44:593-605.

91. Jabben N, de Jong PJ, Kupka RW, Glashouwer KA, Nolen WA, Penninx BWJH. Implicit and explicit self-associations in bipolar disorder: A comparison with healthy controls and unipolar depressive disorder. *Psychiatry research*. 2014;215:329-334.
92. Jansen R, Batista S, Brooks AI, Tischfield JA, Willemsen G, van Grootenhuis G, Hottenga JJ, Milaneschi Y, Mbarek H, Madar V, Peyrot W, Vink JM, Verweij CL, de Geus EJC, Smit JH, Wright FA, Sullivan PF, Boomsma DI, Penninx BWJH. Sex differences in the human peripheral blood transcriptome. *Bmc genomics*. 2014;15:33.
93. Jongbloed W, Herrebout MAC, Blankenstein MA, Veerhuis R. Quantification of clusterin in paired cerebrospinal fluid and plasma samples. *Annals of clinical biochemistry*. 2014;51:557-567.
94. Kamann TC, de Wit MAS, Cremer S, Beekman ATF. Health, drugs and service use among deprived single men: comparing (subgroups) of single male welfare recipients against employed single men in Amsterdam. *Bmj open*. 2014;4.
95. Kamperman AM, Henrichs J, Bogaerts S, Lesaffre EMEH, Wierdsma AI, Ghauharali RRR, et al (including Theunissen JR). Criminal victimisation in people with severe mental illness: A multi-site prevalence and incidence survey in the Netherlands. *Plos one*. 2014;9:e91029.
96. Kapczinski F, Magalhaes PVS, Balanza-Martinez V, Dias VV, Frangou S, Gama CS, et al (including Kupka RW). Staging systems in bipolar disorder: an International Society for Bipolar Disorders Task Force Report. *Acta psychiatrica Scandinavica*. 2014;130:354-363.
97. Kerklaan BJ, van Berckel BNM, Herholz K, Dols A, van der Flier WM, Scheltens P, Pijnenburg YAL. The added value of 18-fluorodeoxyglucose-positron emission tomography in the diagnosis of the behavioral variant of frontotemporal dementia. *American journal of alzheimers disease and other dementias*. 2014;29:607-613.
98. Klaassen EB, Evers EAT, de Groot RHM, Backes WH, Veltman DJ, Jolles J. Working memory in middle-aged males: Age-related brain activation changes and cognitive fatigue effects. *Biological psychology*. 2014;96:134-143.
99. Koch SBJ, van Zuiden M, Nawijn L, Frijling JL, Veltman DJ, Olff M. Intranasal oxytocin as strategy for medication-enhanced psychotherapy of PTSD: Salience processing and fear inhibition processes. *Psychoneuroendocrinology*. 2014;40:242-256.
100. Kok G, van Rijsbergen G, Burger H, Elgersma H, Riper H, Cuijpers P, Dekker J, Smit F, Bockting C. The scars of childhood adversity: minor stress sensitivity and depressive symptoms in remitted recurrently depressed adult patients. *Plos one*. 2014;9:e111711.
101. Kok RN, van Straten A, Beekman AT, Cuijpers P. Short-term effectiveness of web-based guided self-help for phobic outpatients: randomized controlled trial. *Journal of medical internet research*. 2014;16:e226.
102. Konz HW, Meesters PD, Paans NPG, van Grootenhuis DS, Comijs HC, Stek ML, Dols A. Screening for metabolic syndrome in older patients with severe mental illness. *American journal of geriatric psychiatry*. 2014;22:1116-1120.

103. Kooistra LC, Wiersma JE, Ruwaard J, Van Oppen P, Smit F, Lokkerbol J, Cuijpers P, Riper H. Blended vs. face-to-face cognitive behavioural treatment for major depression in specialized mental health care: study protocol of a randomized controlled cost-effectiveness trial. *Bmc psychiatry*. 2014;14:290.
104. Korhonen T, Loukola A, Wedenoja J, Nyman E, Latvala A, Broms U, Häppölä A, Paunio T, Schrage AJ, Vink JM, Mbarek H, Boomsma DI, Penninx BW, Pergadia ML, Madden PA, Kaprio J. Role of nicotine dependence in the association between the dopamine receptor gene DRD3 and major depressive disorder. *Plos one*. 2014;9:e98199.
105. Korten NCM, Penninx BWJH, Pot AM, Deeg DJH, Comijs HC. Adverse childhood and recent negative life events: contrasting associations with cognitive decline in older persons. *Journal of geriatric psychiatry and neurology*. 2014;27:128-138.
106. Korten NCM, Sliwinski MJ, Comijs HC, Smyth JM. Mediators of the relationship between life events and memory functioning in a community sample of adults. *Applied cognitive psychology*. 2014;28:626-633.
107. Korten NCM, Penninx BWJH, Kok RM, Stek ML, Oude Voshaar RC, Deeg DJH, Comijs HC. Heterogeneity of late-life depression: relationship with cognitive functioning. *International psychogeriatrics*. 2014;26:953-963.
108. Kramer J, Conijn B, Oijevaar P, Riper H. Effectiveness of a web-based solution-focused brief chat treatment for depressed adolescents and young adults: randomized controlled trial. *Journal of medical internet research*. 2014;16:40-50.
109. Krudop WA, Kerssens CJ, Dols A, Prins ND, Moller C, Schouws S, Barkhof F, van Berckel BNM, Teunissen CE, van der Flier WM, Scheltens P, Stek ML, Pijnenburg YAL. Building a new paradigm for the early recognition of behavioral variant frontotemporal dementia: late onset frontal lobe syndrome study. *American journal of geriatric psychiatry*. 2014;22:735-740.
110. Laudisio A, Milaneschi Y, Bandinelli S, Gemma A, Ferrucci L, Incalzi RA. Chewing problems are associated with depression in the elderly: results from the InCHIANTI study. *International journal of geriatric psychiatry*. 2014;29:236-244.
111. Lever-van Milligen BA, Vogelzangs N, Smit JH, Penninx BWJH. Hemoglobin levels in persons with depressive and/or anxiety disorders. *Journal of psychosomatic research*. 2014;76:317-321.
112. Levinson DF, Mostafavi S, Milaneschi Y, Rivera M, Ripke S, Wray NR, Sullivan PF. Genetic studies of Major Depressive Disorder: why are there no genome-wide association study findings and what can we do about it? *Biological psychiatry*. 2014;76:510-512.
113. Ligthart L, Hottenga JJ, Lewis CM, Farmer AE, Craig IW, Breen G, et al (including Penninx BWJH). Genetic risk score analysis indicates migraine with and without comorbid depression are genetically different disorders. *Human genetics*. 2014;133:173-186.

114. Lubke GH, Laurin C, Amin N, Hottenga JJ, Willemsen G, van Grootheest G, Abdellaoui A, Karssen LC, Oostra B, van Duijn CM, Penninx BWJH, Boomsma DI. Genome-wide analyses of borderline personality features. *Molecular psychiatry*. 2014;19:923-929.
115. Ludwig G, Krenz S, Zdrojewski C, Bot M, Rousselle I, Stagno D, et al. Psychodynamic interventions in cancer care I: psychometric results of a randomized controlled trial. *Psycho-oncology*. 2014;23:65-74.
116. Luijten M, Machielsen MWJ, Veltman DJ, Hester R, de Haan L, Franken IHA. Systematic review of ERP and fMRI studies investigating inhibitory control and error processing in people with substance dependence and behavioural addictions. *Journal of psychiatry & neuroscience*. 2014;39:149-169.
117. Luppino FS, Bouvy PF, Giltay EJ, Penninx BWJH, Zitman FG. The metabolic syndrome and related characteristics in major depression: inpatients and outpatients compared metabolic differences across treatment settings. *General hospital psychiatry*. 2014;36:509-515.
118. Machielsen MWJ, Veltman DJ, van den Brink W, de Haan L. The effect of clozapine and risperidone on attentional bias in patients with schizophrenia and a cannabis use disorder: an fMRI study. *Journal of psychopharmacology*. 2014;28:633-642.
119. Maggio M, Snyder PJ, De Vita F, Ceda GP, Milaneschi Y, Lauretani F, et al. Effects of transdermal testosterone treatment on inflammatory markers in elderly males. *Endocrine practice*. 2014;20:1170-1177.
120. Manthey L, van Lonen-Froesch F, Giltay EJ, van Veen T, Glashouwer K, Penninx BWJH, et al. High dose benzodiazepines prolong reaction times in chronic users who have major depressive and/or anxiety disorders. *British journal of clinical pharmacology*. 2014;77:571-577.
121. Marijnissen RM, Naude PJW, Comijs HC, Schoevers RA, Oude Voshaar RC. Waist circumference and Neutrophil Gelatinase-Associated Lipocalin in late-life depression. *Brain behavior and immunity*. 2014;37:231-239.
122. Marijnissen RM, Wouts L, Schoevers RA, Bremmer MA, Beekman ATF, Comijs HC, Oude Voshaar RC. Depression in context of low neuroticism is a risk factor for stroke A 9-year cohort study. *Neurology*. 2014;83:1692-1698.
123. Mauritz MW, van de Sande R, Goossens PJJ, van Achterberg T, Draijer N. Phase-based treatment of a complex severely mentally ill case involving complex posttraumatic stress disorder and psychosis related to Dandy Walker syndrome. *Journal of trauma & dissociation*. 2014;15:588-606.
124. McGrath LM, Yu DM, Marshall C, Davis LK, Thiruvahindrapuram B, Li BB, et al (including Smit JH). Copy number variation in obsessive-compulsive disorder and Tourette syndrome: A cross-disorder study. *Journal of the american academy of child and adolescent psychiatry*. 2014;53:910-919.

125. Meesters PD, Comijs HC, Sonnenberg CM, Hoogendoorn AW, de Haan L, Eikelenboom P, Beekman ATF, Stek ML. Prevalence and correlates of depressive symptoms in a catchment-area based cohort of older community-living schizophrenia patients. *Schizophrenia research*. 2014;157:285-291.
126. Meesters PD. Late-life schizophrenia: Remission, recovery, resilience. *American journal of geriatric psychiatry*. 2014;22:423-426.
127. Meland FJM, Hattink BJJ, Overmars-Marx T, de Boer ME, Jedlitschka A, Ebben PWG, Stalpers-Croeze IINW, Flick S, van der Leeuw J, Karkowski IP, Dros RM. Participation of end users in the design of assistive technology for people with mild to severe cognitive problems; the European Rosetta project. *International psychogeriatrics*. 2014;26:769-779.
128. Merckelbach H, Langeland W, de Vries G, Draijer N. Symptom overreporting obscures the dose-response relationship between trauma severity and symptoms. *Psychiatry research*. 2014;217:215-219.
129. Michielsen M, Comijs HC, Semeijn EJ, Beekman ATF, Deeg DJH, Kooij JJS. Attention Deficit Hyperactivity Disorder and personality characteristics in older adults in the general Dutch population. *American journal of geriatric psychiatry*. 2014;22:1623-1632.
130. Milaneschi Y, Hoogendoijk W, Lips P, Heijboer AC, Schoevers R, van Hemert AM, Beekman ATF, Smit JH, Penninx BWJH. The association between low vitamin D and depressive disorders. *Molecular psychiatry*. 2014;19:444-451.
131. Milaneschi Y, Sutin AR, Terracciano A, Canepa M, Gravenstein KS, Egan JM, Vogelzangs N, Guralnik JM, Bandinelli S, Penninx BWJH, Ferrucci L. The association between leptin and depressive symptoms is modulated by abdominal adiposity. *Psychoneuroendocrinology*. 2014;42:1-10.
132. Milaneschi Y, Lamers F, Mbarek H, Hottenga JJ, Boomsma DI, Penninx BWJH. The effect of FTO rs9939609 on major depression differs across MDD subtypes (letter to the editor). *Molecular psychiatry*. 2014;19:960-962.
133. Milaneschi Y, Penninx BWJH. Depression in older persons with mobility limitations. *Current pharmaceutical design*. 2014;20:3114-3118.
134. Molendijk ML, Spinhoven P, Polak M, Bus BAA, Penninx BWJH, Elzinga BM. Serum BDNF concentrations as peripheral manifestations of depression: evidence from a systematic review and meta-analyses on 179 associations (N=9484). *Molecular psychiatry*. 2014;19:791-800.
135. Mulder SD, Nielsen HM, Blankenstein MA, Eikelenboom P, Veerhuis R. Apolipoproteins E and J interfere with amyloid-beta uptake by primary human astrocytes and microglia in vitro. *Glia*. 2014;62:493-503.
136. Muntingh A, Feltz-Cornelis C, van Marwijk H, Spinhoven P, Assendelft W, de Waal M, Ader H, van Balkom A. Effectiveness of collaborative stepped care for anxiety disorders in primary care: A pragmatic cluster randomised controlled trial. *Psychotherapy and psychosomatics*. 2014;83:37-44.

137. Naude PJW, den Boer JA, Comijs HC, Bosker FJ, Zuidersma M, Groenewold NA, de Deyn PP, Luiten PGM, Eiselt ULM, Oude Voshaar RC. et al. Sex-specific associations between Neutrophil Gelatinase-Associated Lipocalin (NGAL) and cognitive domains in late-life depression. *Psychoneuroendocrinology*. 2014;48:169-177.
138. Nivard MG, Mbarek H, Hottenga JJ, Smit JH, Jansen R, Penninx BW, Middeldorp CM, Boomsma DI. Further confirmation of the association between anxiety and CTNND2: replication in humans. *Genes brain and behavior*. 2014;13:195-201.
139. Oosterhof B, Dekker JHM, Sloots M, Bartels EAC, Dekker J. Success or failure of chronic pain rehabilitation: the importance of good interaction - a qualitative study under patients and professionals. *Disability and rehabilitation*. 2014;36:1903-1910.
140. Opmeer EM, Kortekaas R, van Tol MJ, van der Wee NJA, Woudstra S, van Buchem MA, Penninx BWJH, Veltman DJ, Aleman A. Interaction of neuropeptide Y genotype and childhood emotional maltreatment on brain activity during emotional processing. *Social cognitive and affective neuroscience (SCAN)*. 2014;9:601-609.
141. Oudega ML, van Exel E, Stek ML, Wattjes MP, van der Flier WM, Comijs HC, Dols A, Scheltens P, Barkhof F, Eikelenboom P, van den Heuvel OA. The structure of the geriatric depressed brain and response to electroconvulsive therapy. *Psychiatry research-neuroimaging*. 2014;222:1-9.
142. Oudega ML, van Exel E, Wattjes MP, Comijs HC, Scheltens P, Barkhof F, Eikelenboom P, de Craen AJM, Beekman ATF, Stek ML. White matter hyperintensities and cognitive impairment during electroconvulsive therapy in severely depressed elderly patients. *American journal of geriatric psychiatry*. 2014;22:157-166.
143. Oude Voshaar RC, Derkx WJ, Comijs HC, Schoevers RA, de Borst MH, Marijnissen RM. Antidepressants differentially related to 1,25-(OH)(2) vitamin D-3 and 25-(OH) vitamin D-3 in late-life depression. *Translational psychiatry*. 2014;4:e383.
144. Paap JV, Vernooij-Dassen M, Dröes RM, Radbruch L, Vissers K, Engels Y. Consensus on quality indicators to assess the organisation of palliative cancer and dementia care applicable across national healthcare systems and selected by international experts. *Bmc health services research*. 2014;14:396.
145. Patas K, Penninx BWJH, Bus BAA, Vogelzangs N, Molendijk ML, Elzinga BM, Bosker FJ, Oude Voshaar RC. Association between serum brain-derived neurotrophic factor and plasma interleukin-6 in major depressive disorder with melancholic features. *Brain behavior and immunity*. 2014;36:71-79.
146. Pennarts HM, Schouws SNTM, Bongers IMB. Cognitive functioning in relation to self-care in elderly persons with a bipolar disorder. *Clinical gerontologist*. 2014;37:419-428.
147. Peyrot WJ, Milaneschi Y, Abdellaoui A, Sullivan PF, Hottenga JJ, Boomsma DI, Penninx BWJH. Effect of polygenic risk scores on depression in childhood trauma. *British journal of psychiatry*. 2014;205:113-119.

148. Piek E, Kollen BJ, van der Meer K, Penninx BWJH, Nolen WA. Maintenance use of antidepressants in Dutch general practice: non-guideline concordant. *Plos one*. 2014;9:e97463.
149. Pisters MF, Veenhof C, van Dijk GM, Dekker J. Avoidance of activity and limitations in activities in patients with osteoarthritis of the hip or knee: a 5 year follow-up study on the mediating role of reduced muscle strength. *Osteoarthritis and cartilage*. 2014;22:171-177.
150. Post RM, Altshuler LL, Leverich GS, Frye MA, Suppes T, McElroy SL, Keck PE, Nolen WA, Kupka RW, Grunze H, Rowe M. More medical comorbidities in patients with bipolar disorder from the United States than from the Netherlands and German. *Journal of nervous and mental disease*. 2014;202:265-270.
151. Post RM, Leverich GS, Kupka R, Keck P, McElroy S, Altshuler L, Frye MA, Luckenbaugh DA, Rowe M, Grunze H, Suppes T, Nolen WA. Increased parental history of bipolar disorder in the United States: association with early age of onset. *Acta psychiatica Scandinavica*. 2014;129:375-382.
152. Post RM, Altshuler L, Kupka R, McElroy S, Frye MA, Rowe M, Leverich GS, Grunze H, Suppes T, Keck PE, Nolen WA. More pernicious course of bipolar disorder in the United States than in many European countries: Implications for policy and treatment. *Journal of affective disorders*. 2014;160:27-33.
153. Postmes L, Sno HN, Goedhart S, van der Stel J, Heering HD, de Haan L. Schizophrenia as a self-disorder due to perceptual incoherence. *Schizophrenia research*. 2014;152:41-50.
154. Pronk M, Deeg DJH, Smits C, Twisk JW, van Tilburg TG, Festen JM, Kramer SE. Hearing loss in older persons: Does the rate of decline affect psychosocial health? *Journal of aging and health*. 2014;26:703-723.
155. Quak J, Doornbos B, Roest AM, Duivis HE, Vogelzangs N, Nolen WA, Penninx BWJH, Kema IP, de Jonge P. Does tryptophan degradation along the kynurene pathway mediate the association between pro-inflammatory immune activity and depressive symptoms? *Psychoneuroendocrinology*. 2014;45:202-210.
156. Raaphorst J, van Tol MJ, Groot PFC, Altena E, van der Werf YD, Majoe CB, van der Kooi AJ, van den Berg LH, Schmand B, de Visser M, Veltman DJ. Prefrontal involvement related to cognitive impairment in progressive muscular atrophy. *Neurology*. 2014;83:818-825.
157. Radua J, Grau M, van den Heuvel OA, Thiebaut de Schotten M, Stein DJ, Canales-Rodriguez EJ, Catani M, Mataix-Cols D. Multimodal voxel-based meta-analysis of white matter abnormalities in Obsessive-Compulsive Disorder. *Neuropsychopharmacology*. 2014;39:1547-1557.
158. Rafiq R, Swart KMA, van Schoor NM, Deeg DJ, Lips P, de Jongh RT. Associations of serum 25-Hydroxyvitamin D concentrations with quality of life and self-rated health in an older population. *Journal of clinical endocrinology & metabolism*. 2014;99:3136-3143.

159. Rees CS, Roberts LD, Van Oppen P, Eikelenboom M, Hendriks AAJ, van Balkom AJLM, van Megen H. Personality and symptom severity in Obsessive-Compulsive Disorder: The mediating role of depression. *Personality and individual differences*. 2014;71:92-97.
160. Reinders AATS, Willemsen ATM, den Boer JA, Vos HPJ, Veltman DJ, Loewenstein RJ. Opposite brain emotion-regulation patterns in identity states of dissociative identity disorder: A PET study and neurobiological model. *Psychiatry research-neuroimaging*. 2014;223:236-243.
161. Renes JW, Regeer EJ, van der Voort TYG, Nolen WA, Kupka RW. Treatment of bipolar disorder in the Netherlands and concordance with treatment guidelines: study protocol of an observational, longitudinal study on naturalistic treatment of bipolar disorder in everyday clinical practice. *Bmc psychiatry*. 2014;14:58.
162. Révész D, Milaneschi Y, Verhoeven JE, Penninx BWJH. Telomere length as a marker of cellular aging is associated with prevalence and progression of metabolic syndrome. *Journal of clinical endocrinology & metabolism*. 2014;99:4607-4615.
163. Révész D, Verhoeven JE, Milaneschi Y, de Geus EJCN, Wolkowitz OM, Penninx BWJH. Dysregulated physiological stress systems and accelerated cellular aging. *Neurobiology of aging*. 2014;35:1422-1430.
164. Rhebergen D, van der Steenstraten IM, Sunderland M, de Graaf R, ten Have M, Lamers F, Penninx BWJH, Andrews G. An examination of generalized anxiety disorder and dysthymic disorder by latent class analysis. *Psychological medicine*. 2014;44:1701-1712.
165. Rhebergen D, Graham R. The re-labelling of dysthymic disorder to persistent depressive disorder in DSM-5: old wine in new bottles? *Current opinion in psychiatry*. 2014;27:27-31.
166. Riemann G, Weisscher N, Goossens PJJ, Draijer N, Apenhorst-Hol M, Kupka RW. The addition of STEPPS in the treatment of patients with bipolar disorder and comorbid borderline personality features: a protocol for a randomized controlled trial. *Bmc psychiatry*. 2014;14:172.
167. Riese H, Munoz LM, Hartman CA, Ding XH, Su SY, Oldehinkel AJ, et al (including Penninx BWJH). Identifying genetic variants for heart rate variability in the acetylcholine pathway. *Plos one*. 2014;9(11):e112476.
168. Riper H, Andersson G, Hunter SB, de Wit J, Berking M, Cuijpers P. Treatment of comorbid alcohol use disorders and depression with cognitive-behavioural therapy and motivational interviewing: a meta-analysis. *Addiction*. 2014;109:394-406.
169. Riper H, Blankers M, Hadiwijaya H, Cunningham J, Clarke S, Wiers R, Ebert D, Cuijpers P. Effectiveness of guided and unguided low-intensity internet interventions for adult alcohol misuse: A meta-analysis. *Plos one*. 2014;9:e99912.
170. Ruhe HG, Koster M, Booij J, van Herk M, Veltman DJ, Schene AH. Occupancy of serotonin transporters in the amygdala by paroxetine in association with attenuation of left amygdala activation by negative faces in major depressive disorder. *Psychiatry research-neuroimaging*. 2014;221:155-161.

171. Rutters F, Lemmens SG, Adam TC, Bremmer MA, Elders PJ, Nijpels G, Dekkers JM. Is social jetlag associated with an adverse endocrine, behavioral, and cardiovascular risk profile? *Journal of biological rhythms*. 2014;29:377-383.
172. Schmaal L, Goudriaan AE, Joos L, Dom G, Pattij T, van den Brink W, Veltman DJ. Neural substrates of impulsive decision making modulated by modafinil in alcohol-dependent patients. *Psychological medicine*. 2014;44:2787-2798.
173. Schomaker J, Berendse HW, Foncke EMJ, van der Werf YD, van den Heuvel OA, Theeuwes J, Meeter M. Novelty processing and memory formation in Parkinson's disease. *Neuropsychologia*. 2014;62:124-136.
174. Schotanus-Dijkstra M, Havinga P, van Ballegooijen W, Delfosse L, Mokkenstorm J, Boon B. What do the bereaved by suicide communicate in online support groups? A content analysis. *Crisis*. 2014;35:27-35.
175. Schrier AC, Peen J, de Wit MAS, van Ameijden EJC, Erdem O, Verhoeff AP, Dekker JJM, Beekman ATF. Ethnic density is not associated with psychological distress in Turkish-Dutch, Moroccan-Dutch and Surinamese-Dutch ethnic minorities in the Netherlands. *Social psychiatry and psychiatric epidemiology*. 2014;49:1557-1567.
176. Schuch JJJ, Roest AM, Nolen WA, Penninx BWJH, de Jonge P. Gender differences in major depressive disorder: Results from the Netherlands study of depression and anxiety. *Journal of affective disorders*. 2014;156:156-163.
177. Schulte MHJ, Cousijn J, den Uyl TE, Goudriaan AE, van den Brink W, Veltman DJ, Schilt T, Wiers RW. Recovery of neurocognitive functions following sustained abstinence after substance dependence and implications for treatment. *Clinical psychology review*. 2014;34:531-550.
178. Sijtsema JJ, Verboom CE, Penninx BWJH, Verhulst FC, Ormel J. Psychopathology and academic performance, social well-being, and social preference at school: the TRAILS study. *Child psychiatry & human development*. 2014;45:273-284.
179. Simino J, Shi G, Bis JC, Chasman DI, Ehret GB, Gu XJ, et al (including Penninx BWJH). Gene-age interactions in blood pressure regulation: A large-scale investigation with the CHARGE, Global BPgen, and ICBP consortia. *American journal of human genetics*. 2014;95:24-38.
180. Sjoerds Z, van den Brink W, Beekman ATF, Penninx BWJH, Veltman DJ. Cue reactivity is associated with duration and severity of alcohol dependence: an fMRI study. *Plos one*. 2014;9:e84560.
181. Sjoerds Z, van den Brink W, Beekman ATF, Penninx BWJH, Veltman DJ. Response inhibition in alcohol-dependent patients and patients with depression/anxiety: a functional magnetic resonance imaging study. *Psychological medicine*. 2014;44:1713-1725.
182. Spaans HP, Verwijk E, Sienaert P, Stek ML, Bouckaert F, Comijs HC, Kok RM, Scherder EJ, Kho KH. Dr. Spaans and colleagues reply (letter to the editor). *Journal of clinical psychiatry*. 2014;75:777-778.

183. Spinhoven P, Penelo E, de Rooij M, Penninx BW, Ormel J. Reciprocal effects of stable and temporary components of neuroticism and affective disorders: results of a longitudinal cohort study. *Psychological medicine*. 2014;44:337-348.
184. Spinhoven P, Elzinga BM, van Hemert AM, de Rooij M, Penninx BW. A longitudinal study of facets of extraversion in depression and social anxiety. *Personality and individual differences*. 2014;71:39-44.
185. Spinhoven P, Penninx BW, Hickendorff M, van Hemert AM, Bernstein DP, Elzinga BM. Childhood Trauma Questionnaire: factor structure, measurement invariance, and validity across emotional disorders. *Psychological assessment*. 2014;26:717-729.
186. Spinhoven P, Drost J, de Rooij M, van Hemert AM, Penninx BW. A longitudinal study of experiential avoidance in emotional disorders. *Behavior therapy*. 2014;45:840-850.
187. Spinhoven P, Penninx BW, van Hemert AM, de Rooij M, Elzinga BM. Comorbidity of PTSD in anxiety and depressive disorders: Prevalence and shared risk factors. *Child abuse & neglect*. 2014;38:1320-1330.
188. Stam M, Kostense PJ, Lemke U, Merkus P, Smit JH, Festen JM, Kramer SE. Comorbidity in adults with hearing difficulties: Which chronic medical conditions are related to hearing impairment? *International journal of audiology*. 2014;53:392-401.
189. Stevens AWMM, Geerling B, Kupka RW. Postpartum mania in a man with bipolar disorder: case report and a review of the role of sleep loss. *Bipolar disorders*. 2014;16:93-96.
190. Taal EM, Vermetten E, van Schaik DJF, Leenstra T. Do soldiers seek more mental health care after deployment? Analysis of mental health consultations in the Netherlands Armed Forces following deployment to Afghanistan. *European journal of psychotraumatology*. 2014;5:23667.
191. Thomaes K, Dorrepaal E, Draijer N, Jansma EP, Veltman DJ, van Balkom AJ. Can pharmacological and psychological treatment change brain structure and function in PTSD? A systematic review. *Journal of psychiatric research*. 2014;50:1-15.
192. Thompson PM, Stein JL, Medland SE, Hibar DP, Vasquez AA, Renteria ME, et al (including Milaneschi Y, Penninx BW, Schmaal L). The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. *Brain imaging and behavior*. 2014;8:153-182.
193. Tragante V, Barnes MR, Ganesh SK, Lanktree MB, Guo W, Franceschini N, et al (including Penninx BW). Gene-centric meta-analysis in 87,736 individuals of European ancestry identifies multiple blood-pressure-related loci. *American journal of human genetics*. 2014;94:349-360.
194. Unlü Ince B, Riper H, van 't Hof E, Cuijpers P. The effects of psychotherapy on depression among racial-ethnic minority groups: a metaregression analysis. *Psychiatric services*. 2014;65:612-617.

195. van Ballegooijen W, Cuijpers P, van Straten A, Karyotaki E, Andersson G, Smit JH, Riper H. Adherence to internet-based and face-to-face cognitive behavioural therapy for depression: A meta-analysis. *Plos one*. 2014;9:e100674.
196. van Beek MHCT, Voshaar RCO, van Deelen FM, van Balkom AJLM, Pop G, Speckens AEM. Inverse correlation between cardiac injury and cardiac anxiety: A potential role for communication. *Journal of cardiovascular nursing*. 2014;29:448-453.
197. van Beljouw IMJ, van Exel E, Gierveld JD, Comijs HC, Heerings M, Stek ML, van Marwijk HWJ. "Being all alone makes me sad": loneliness in older adults with depressive symptoms. *International psychogeriatrics*. 2014;26:1541-1551.
198. van Beljouw IMJ, Laurant MGH, Heerings M, Stek ML, van Marwijk HWJ, van Exel E. Implementing an outreaching, preference-led stepped care intervention programme to reduce late life depressive symptoms: results of a mixed-methods study. *Implementation science*. 2014;9:107.
199. van Bloemendaal L, IJzerman RG, ten Kulve JS, Barkhof F, Konrad RJ, Drent ML, Veltman DJ, Diamant M. GLP-1 receptor activation modulates appetite- and reward-related brain areas in humans. *Diabetes*. 2014;63:4186-4196.
200. van den Akker EB, Passtoors WM, Jansen R, van Zwet EW, Goeman JJ, Hulsman M, et al (including Penninx BWJH). Meta- analysis on blood transcriptomic studies identifies consistently coexpressed protein- protein interaction modules as robust markers of human aging. *Aging cell*. 2014;13:216-225.
201. van den Berg JF, Kok RM, van Marwijk HWJ, van der Mast RC, Naarding P, Oude Voshaar RC, Stek ML, Verhaak PFM, de Waal MWM, Comijs HC. Correlates of alcohol abstinence and at-risk alcohol consumption in older adults with depression: the NESDO study. *American journal of geriatric psychiatry*. 2014;22:866-874.
202. van den Berg SM, de Moor MHM, McGue M, Pettersson E, Terracciano A, Verweij KJH, et al (including van Grootenhuis G, Penninx BWJH). Harmonization of neuroticism and extraversion phenotypes across inventories and cohorts in the Genetics of Personality Consortium: an application of Item Response Theory. *Behavior genetics*. 2014;44:295-313.
203. van den Heuvel OA, Veale D, Stein DJ. Hypochondriasis: considerations for ICD-11. *Revista brasileira de psiquiatria*. 2014;36:S21-S27.
204. van den Heuvel OA. Risk prediction and treatment monitoring are crucial for prevention and management of compulsive dopamine use in Parkinson's disease. *Journal of neurology neurosurgery and psychiatry*. 2014;85:244.
205. van den Kommer TN, Comijs HC, Rijs KJ, Heymans MW, van Boxtel MPJ, Deeg DJH. Classification models for identification of at-risk groups for incident memory complaints. *International psychogeriatrics*. 2014;26:257-271.

206. van der Lee J, Bakker TJEM, Duivenvoorden HJ, Droses RM. Multivariate models of subjective caregiver burden in dementia: A systematic review. *Ageing research reviews*. 2014;15:76-93.
207. van der Meij A, Comijs HC, Dols A, Janzing JGE, Oude Voshaar RC. BDNF in late-life depression: Effect of SSRI usage and interaction with childhood abuse. *Psychoneuroendocrinology*. 2014;43:81-89.
208. van der Post LFM, Peen J, Visch I, Mulder CL, Beekman ATF, Dekker JJM. Patient perspectives and the risk of compulsory admission: The Amsterdam Study of Acute Psychiatry V. *International journal of social psychiatry*. 2014;60:125-133.
209. van der Veen DC, Comijs HC, van Zelst WH, Schoevers RA, Oude Voshaar RC. Defining anxious depression in later life: a scaring heterogeneity in results. *American journal of geriatric psychiatry*. 2014;22:1375-1378.
210. van Dessel N, Leone SS, van der Wouden JC, Dekker J, van der Horst HE. The PROSPECTS study: Design of a prospective cohort study on prognosis and perpetuating factors of medically unexplained physical symptoms (MUPS). *Journal of psychosomatic research*. 2014;76:200-206.
211. van Dongen J, Jansen R, Smit D, Hottenga JJ, Mbarek H, Willemse G, Kluft C, Penninx BWJ, Ferreira MA, Boomsma DI, de Geus EJC. The contribution of the functional IL6R polymorphism rs2228145, eQTLs and other genome-wide SNPs to the heritability of plasma sIL-6R levels. *Behavior genetics*. 2014;44:368-382.
212. van Exel E, Eikelenboom P, Comijs H, Deeg DJH, Stek ML, Westendorp RGJ. Insulin-like growth factor-1 and risk of late-onset Alzheimer's disease: findings from a family study. *Neurobiology of aging*. 2014;35:725.
213. van Golen LW, Veltman DJ, IJzerman RG, Deijen JB, Heijboer AC, Barkhof F, Drent ML, Diamant M. Effects of insulin detemir and NPH insulin on body weight and appetite-regulating brain regions in human Type 1 Diabetes: A randomized controlled trial. *Plos one*. 2014;9:e94483.
214. van Harmelen AL, van Tol MJ, Dalgleish T, van der Wee NJ, Veltman DJ, Aleman A, Spinthonen P, Penninx BW, Elzinga BM. Hypoactive medial prefrontal cortex functioning in adults reporting childhood emotional maltreatment. *Social cognitive and affective neuroscience (SCAN)*. 2014; 9(12):2026-33.
215. van Holst RJ, Clark L, Veltman DJ, van den Brink W, Goudriaan AE. Enhanced striatal responses during expectancy coding in alcohol dependence. *Drug and alcohol dependence*. 2014;142:204-208.
216. van Mierlo LD, Meiland FJM, Van Hout HPJ, Droses RM. Towards personalized integrated dementia care: a qualitative study into the implementation of different models of case management. *Bmc geriatrics*. 2014;14:84.

217. van Mill JG, Vogelzangs N, van Someren EJW, Hoogendoijk WJG, Penninx BWJH. Sleep duration, but not insomnia, predicts the 2-year course of depressive and anxiety disorders. *Journal of clinical psychiatry*. 2014;75:119-126.
218. van Nieuwenhuizen AJ, Buffart LM, Smit JH, Brakenhoff RH, Braakhuis BJM, de Bree R, Leemans CR, Verdonck-de Leeuw IM. A comprehensive assessment protocol including patient reported outcomes, physical tests, and biological sampling in newly diagnosed patients with head and neck cancer: is it feasible? *Supportive care in cancer*. 2014;22:3321-3330.
219. van Riet Paap J, Vernooij-Dassen M, Dröes RM, Radbruch L, Vissers K, Engels Y. Consensus on quality indicators to assess the organisation of palliative cancer and dementia care applicable across national healthcare systems and selected by international experts. *Bmc health services research*. 2014;14:396.
220. van Schaik DJF, Dozman E, van Marwijk HWJ, Stek ML, Smit F, Beekman ATF, van der Horst HE. Preventing depression in homes for older adults: are effects sustained over 2 years? *International journal of geriatric psychiatry*. 2014;29:191-197.
221. van Schoor NM, Knol DL, Deeg DJH, Peters FPAM, Heijboer AC, Lips P. Longitudinal changes and seasonal variations in serum 25-hydroxyvitamin D levels in different age groups: results of the Longitudinal Aging Study Amsterdam. *Osteoporosis international*. 2014;25:1483-1491.
222. van Velzen LS, Vriend C, de Wit SJ, van den Heuvel OA. Response inhibition and interference control in obsessive-compulsive spectrum disorders. *Frontiers in human neuroscience*. 2014;8.
223. van Zaane J, van de Ven PM, Draisma S, Smit JH, Nolen WA, van den Brink W. Effect of alcohol use on the course of bipolar disorder: one-year follow-up study using the daily prospective Life Chart method. *Bipolar disorders*. 2014;16:400-409.
224. van Zoonen K, Buntrock C, Ebert DD, Smit F, Reynolds CF, Beekman ATF, Cuijpers P. Preventing the onset of major depressive disorder: A meta-analytic review of psychological interventions. *International journal of epidemiology*. 2014;43:318-329.
225. Verboom CE, Sijtsema JJ, Verhulst FC, Penninx BWJH, Ormel J. Longitudinal associations between depressive problems, academic performance, and social functioning in adolescent boys and girls. *Developmental psychology*. 2014;50:247-257.
226. Verhaak PFM, Dekker JH, de Waal MWM, van Marwijk HWJ, Comijs HC. Depression, disability and somatic diseases among elderly. *Journal of affective disorders*. 2014;167:187-191.
227. Verhoeven JE, Revesz D, Wolkowitz OM, Penninx BWJH. Cellular aging in depression: Permanent imprint or reversible process? An overview of the current evidence, mechanistic pathways, and targets for interventions. *Bioessays*. 2014;36:968-978.

228. Verhoeven JE, Revesz D, Epel ES, Lin J, Wolkowitz OM, Penninx BWJH. Major depressive disorder and accelerated cellular aging: results from a large psychiatric cohort study. *Molecular psychiatry*. 2014;19:895-901.
229. Verwijk E, Comijs HC, Kok RM, Spaans HP, Tielkes CEM, Scherder EJA, Stek ML. Short- and long-term neurocognitive functioning after electroconvulsive therapy in depressed elderly: a prospective naturalistic study. *International psychogeriatrics*. 2014;26:315-324.
230. Vimaleswaran KS, Cavadino A, Berry DJ, Jorde R, Dieffenbach AK, Lu C, et al (including Penninx BW). Association of vitamin D status with arterial blood pressure and hypertension risk: a mendelian randomisation study. *Lancet diabetes & endocrinology*. 2014;2:719-729.
231. Vinkers CH, Joels M, Milaneschi Y, Kahn RS, Penninx BWJH, Boks MPM. Stress exposure across the life span cumulatively increases depression risk and is moderated by neuroticism. *Depression and anxiety*. 2014;31:737-745.
232. Visser HA, Van Oppen P, van Megen HJ, Eikelenboom M, van Balkom AJ. Obsessive-compulsive disorder; chronic versus non-chronic symptoms. *Journal of affective disorders*. 2014;152:169-174.
233. Visser HA, van MA, van MH, Eikelenboom M, Hoogendoorn AW, Kaarsemaker M, van Balkom AJ, van Oppen P. The relationship between adverse childhood experiences and symptom severity, chronicity, and comorbidity in patients with obsessive-compulsive disorder. *Journal of clinical psychiatry*. 2014;75:1034-1039.
234. Vogelzangs N, Comijs HC, Oude Voshaar RC, Stek ML, Penninx BWJH. Late-life depression symptom profiles are differentially associated with immunometabolic functioning. *Brain behavior and immunity*. 2014;41:109-115.
235. Vogelzangs N, Beekman ATF, van Reeldt-Dortland AKB, Schoevers RA, Giltay EJ, de Jonge P, Penninx BWJH. Inflammatory and metabolic dysregulation and the 2-year course of depressive disorders in antidepressant users. *Neuropsychopharmacology*. 2014;39:1624-1634.
236. Vriend C, Pattij T, van der Werf YD, Voorn P, Booij J, Rutten S, Berendse HW, van den Heuvel OA. Depression and impulse control disorders in Parkinson's disease: Two sides of the same coin? *Neuroscience and biobehavioral reviews*. 2014;38:60-71.
237. Vriend C, Nordbeck AH, Booij J, van der Werf YD, Pattij T, Voorn P, Raijmakers P, Foncke EMJ, van de Giessen E, Berendse HW, van den Heuvel OA. Reduced dopamine transporter binding predates impulse control disorders in Parkinson's disease. *Movement disorders*. 2014;29:904-911.
238. Vriend C, Raijmakers P, Veltman DJ, van Dijk KD, van der Werf YD, Foncke EMJ, Smit JH, Berendse HW, van den Heuvel OA. Depressive symptoms in Parkinson's disease are related to reduced [¹¹³I]FP-CIT binding in the caudate nucleus. *Journal of neurology neurosurgery and psychiatry*. 2014;85:159-164.

239. Wahlman M, Hakkinen A, Dekker J, Marttinen I, Vihtonen K, Neva MH. The prevalence of depressive symptoms before and after surgery and its association with disability in patients undergoing lumbar spinal fusion. *European spine journal*. 2014;23:129-134.
240. Wardenaar KJ, van Veen T, Giltay EJ, Zitman FG, Penninx BWJH. The use of symptom dimensions to investigate the longitudinal effects of life events on depressive and anxiety symptomatology. *Journal of affective disorders*. 2014;156:126-133.
241. Wassink-Vossen S, Collard RM, Oude Voshaar RC, Comijs HC, de Vocht HM, Naarding P. Physical (in)activity and depression in older people. *Journal of affective disorders*. 2014;161:65-72.
242. Wernand JJ, Kunseler FC, Oosterman M, Beekman ATF, Schuengel C. Prenatal changes in parenting self-efficacy: linkages with anxiety and depressive symptoms in primiparous women. *Infant mental health journal*. 2014;35:42-50.
243. Wiencke C, Lehr D, Ebert DD, Sieland B, Riper H, Berking M. Internet-based approaches in prevention and treatment of depressive symptoms in adolescents and young adults. *Praxis der kinderpsychologie und kinderpsychiatrie*. 2014;63:395-415.
244. Wiersma JE, van Schaik DJF, Hoogendorn AW, Dekker JJ, Van HL, Schoevers RA, Blom MBJ, Maas K, Smit JH, McCullough JP, Beekman ATF, van Oppen P. The effectiveness of the cognitive behavioral analysis system of psychotherapy for chronic depression: A randomized controlled trial. *Psychotherapy and psychosomatics*. 2014;83:263-269.
245. Wildschut M, Langeland W, Smit JH, Draijer N. Survivors of early childhood trauma: evaluating a two-dimensional diagnostic model of the impact of trauma and neglect. *European journal of psychotraumatology*. 2014;5.
246. Winthorst WH, Roest AM, Bos EH, Meesters Y, Penninx BWJH, Nolen WA, et al. Self-attributed seasonality of mood and behavior: A report from the Netherlands Study of Depression and Anxiety. *Depression and anxiety*. 2014;31:517-523.
247. Wirtz CM, Hofmann SG, Riper H, Berking M. Emotion regulation predicts anxiety over a five-year interval: A cross-lagged panel analysis. *Depression and anxiety*. 2014;31:87-95.
248. Wiste A, Robinson EB, Milaneschi Y, Meier S, Ripke S, Clements CC, Fitzmaurice GM, Rietschel M, Penninx BW, Smoller JW, Perlis RH. Bipolar polygenic loading and bipolar spectrum features in major depressive disorder. *Bipolar disorders*. 2014;16:608-616.
249. Wittchen HU, Knappe S, Andersson G, Araya R, Rivera RMB, Barkham M, et al (including Riper H). The need for a behavioural science focus in research on mental health and mental disorders. *International journal of methods in psychiatric research*. 2014;23:28-40.
250. Wood AR, Esko T, Yang J, Vedantam S, Pers TH, Gustafsson S, et al (including Smit JH). Defining the role of common variation in the genomic and biological architecture of adult human height. *Nature genetics*. 2014;46:1173-1186.

251. Wright FA, Sullivan PF, Brooks AI, Zou F, Sun W, Xia K, et al (including van Grootheest G, Smit JH, Penninx BWJH). Heritability and genomics of gene expression in peripheral blood. *Nature genetics*. 2014;46:430-437.

* Papers with co-authors as part of large consortium are excluded (n=4)

Publications in Dutch

1. Batelaan NM, Middeldorp CM. De meerwaarde van de familiepoli. *Psychopraktijk*. 2014;6:14-17.
2. Beekman AT, Schoevers RA. [Are psychiatric patients likely to benefit from DSM-5?] Wat betekent DSM-5 voor de positie van psychiatrische patiënten? *Tijdschrift voor psychiatrie*. 2014;56:217-221.
3. Beekman AT, Hengeveld MW. [Diagnosis should not be confused with classification in psychiatry] Classificatie en diagnose scheiden in de psychiatrie. *Tijdschrift voor psychiatrie*. 2014;56:531-532.
4. Bruning AHL, Honig A. Risico op neonatale hypertensie bij SSRI-gebruik door moeder beperkt. *Nederlands tijdschrift voor geneeskunde*. 2014;158:A7634.
5. Dekker J, Beunderman R, Kaptein A, Prins J, Sanderman R, van Wilgen P. Netherlands Behavioral Medicine Federation - 25th anniversary. *Nederlands tijdschrift voor behavioral medicine*. 2014;August.
6. Distel MA. Borderline persoonlijkheidsstoornis vanuit een genetisch perspectief. *Kinder- & jeugdpsychotherapie*. 2014;2:48-59.
7. Dols A, Stek ML. ECT bij psychotische depressie? *Tijdschrift voor gezondheidszorg en ethiek*. 2014;2.
8. Draijer N, van Zon P. Transference-Focused Psychotherapy bij voormalige kindsoldaten. *Tijdschrift voor psychotherapie*. 2014;40:197-212.
9. Draisma S, van Kemmeren L, Theunissen JR. Anonimiteit garanderen in vragenlijstonderzoek: een gepasseerd station? *Maandblad geestelijke volksgezondheid*. 2014;69:32-38.
10. Heller H, van Straten A, de Groot C, Honig A. Online-hulp voor zwangeren met stress, depressie en angst: "mamakits". *Nederlands tijdschrift voor obstetrie en gynaecologie*. 2014;127:534.
11. Honig A. [Feasible somatic screening in the ambulatory psychiatric practice] Haalbare somatische screening in de ambulante psychiatrische praktijk. *Tijdschrift voor psychiatrie*. 2014;56:307-308.
12. Honig A, Visser IJ, Heller HM, Kieviet N, Boenink AD. Levert een Medisch Psychiatrische Unit in een algemeen ziekenhuis effectieve gecombineerde somatische en psychiatrische zorg? *Nederlands tijdschrift voor geneeskunde*. 2014;158:A6520.
13. Huijbregts KM, Reinders M. Depressie maar ook lichamelijke klachten, wat dan? *Gedragstherapie*. 2014;47:100-117.

14. Middeldorp CM, Batelaan NM. Trangenerationele overdracht van psychische stoornissen. Een overzicht van de huidige kennis en een blik op de toekomst. *Tijdschrift voor kinder- en jeugdpsychotherapie*. 2014;2:6-16.
15. Raes F, Seldenrijk A, Van Oppen P. Depressie aanpakken door het specifieker maken van persoonlijke herinneringen. *Psychopraktijk*. 2014.
16. Rutten S, Vriend C, van der Werf YD, van den Heuvel OA, Berendse HW. Depressie bij de ziekte van Parkinson: diagnostiek en behandeling. *Neurologie & Neurochirurgie*. 2014;121:128.
17. Schuurhuizen C, Verheul H, Braamse A, van der Linden M, Dekker J, Koning I. Nieuwe ASCO-richtlijn voor het signaleren en behandelen van angst- en depressieve klachten bij volwassenen met kanker. *Nederlands tijdschrift voor oncologie*. 2014;278-288.
18. Seldenrijk A, Eigenhuis E, van Schaik A, Raes F, Van Oppen P. Het trainen van geheugenspecificiteit bij depressieve patiënten. *Gedragstherapie*. 2014;3:190-205.
19. Stringer B, van Meijel B, Koekkoek A, Beekman A. Collaborative Care voor patiënten met ernstige persoonlijkheidsstoornissen: een vergelijkende multiple case studie. *Maandblad geestelijke volksgezondheid*. 2014;69:20-30.
20. Theunissen JR. De DSM voor de grote categorieën. Congresverslag "De DSM voorbij". *Tijdschrift voor rehabilitatie*. 2014.
21. van Amelsvoort TA, Van Den Eede F, Goethals K, van Marle HJ, Beekman AJ. [Structural changes in DSM-5: the beginning of a transformation?] Structurele wijzigingen in de DSM-5: begin van een hervorming? *Tijdschrift voor psychiatrie*. 2014;56:152-156.
22. van Amelsvoort TA, Van Den Eede F, Goethals K, van Marle HJ, Beekman AJ. [DSM-5; a positive sound] DSM-5; ook eens een positief geluid. *Tijdschrift voor psychiatrie*. 2014;56:150-151.
23. van Balkom AJ, Gabriels L, van den Heuvel OA. [Anxiety, obsessive-compulsive disorder and trauma in the DSM-5] Angst, obsessieve-compulsieve stoornis en trauma in DSM-V. *Tijdschrift voor psychiatrie*. 2014;56:177-181.
24. van der Stel J. Precisiepsychiatrie. *Psychopraktijk*. 2014;6:14-17.
25. van Hout HPJ, MacNeil Vroomen J, Van Mierlo LD, Meiland FJM, Charante EP, van Moll, et al. Implementatie, effecten en kosten van casemanagement voor mensen met dementie en hun mantelzorgers: beschrijving van de COMPAS studie [Comparing case management care models for people with dementia and their caregivers: the design of the COMPAS study]. *Tijdschrift gerontologie & geriatrie*. 2014;45:105-116.
26. van Straten A, Dozeman E. Een begeleide internetcursus voor de behandeling van slaapproblemen. *Nederlands tijdschrift voor evidence based practice*. 2014;12.

Reports

1. Adelaide A, Bakker B, de Groot M, van Grootenhuis G, van der Laan J, Smit JH, et al. Record linkage in health data. Report, 61 pages. Den Haag: CBS; 2014.
2. Brosschot J, Dekker J, van Dixhoorn J, van Doornen L, de Jonge P, Kop W, et al. Stress en hart- en vaatziekten - Verbanden in kaart gebracht. Hart en Vaatgroep / Hartstichting; 2014.
3. de Wit J, Dozeman E, Ruwaard J, Riper H. Mijn Pamijerconnect, Online ondersteuning in het dagelijks functioneren van cliënten met chronisch psychiatrische problematiek of een verstandelijke beperking: een haalbaarheidsstudie in de dagelijkse praktijk. Rotterdam: Pameijer; 2014.
4. Dijk AM, Droës RM, van Hoek L, Meiland FJM. Draaiboek laagdrempelige psychogeriatrische dagbehandeling met mantelzorgondersteuning. Amsterdam: VU Medisch Centrum; 2014.
5. Mooij N, Theunissen JR. Voorspellers van uitkomsten van ouderenpsychiatrie. Verslag databewerking ROM-Synquest. Amsterdam: GGZ inGeest; 2014.
6. Schalkwijk R, heunissen JR. Somatiek in het dossier, intern rapport GGZ inGeest. Amsterdam: GGZ inGeest; 2014.
7. Theunissen JR, Kikkert MJ, Duurkoop WRA, Lommerse NA, de Mooij LD, Boesveld NF, et al. Een karig en sober leven maar niet ontevreden. Vermaatschappelijking van de chronische patiënt in de stad deel II. Amsterdam: Arkin, GGZ inGeest, HVO Querido; 2014.

Books / book chapters

1. Comijs HC. De diagnostiek van depressie bij ouderen. In: Pot AM, Visser S, editors. Ouderen in de geestelijke gezondheidszorg. Houten: Bohn, Stafleu, van Loghum; 2014.
2. Comijs HC. Psychische klachten bij ouderen. In: van Vliet J, Jukema J, editors. Perspectieven op ouder worden en de sociaal professional. Den Haag: Boon Lemma; 2014. 153-162.
3. van Balkom AJLM, Batelaan NM, Veen G. Combination treatment of psychological treatment and pharmacotherapy. In: Emmelkamp PMG, Ehring Th, editors. Anxiety disorders. Volume II: Clinical assessment and treatment. Chichester: Wiley; 2014. 883-894.
4. van Dyck R, van Balkom AJLM, van den Heuvel OA, Middeldorp CM. Agenda for future research. Psychiatric perspective. In: Emmelkamp PMG, Ehring Th, editors. Anxiety disorders. Volume II: Clinical assessment and treatment. Chichester: Wiley; 2014. 1371-1381.