

Publications 2015

Department of PsychiatryVUmc

Research Department GGZ inGeest

International publications (refereed)

*Authors of our department as part of consortium

1. Abdellaoui A, Hottenga JJ, Willemsen G, Bartels M, van Beijsterveldt T, Ehli EA, Davies GE, Brooks A, Sullivan PF, Penninx BW, de Geus EJ, Boomsma DI. Educational attainment influences levels of homozygosity through migration and assortative mating. *Plos one* 2015; 10:e0118935.
2. Ai H, Opmeer EM, Veltman DJ, van der Wee NJ, van Buchem MA, Aleman A, van Tol MJ. Brain activation during emotional memory processing associated with subsequent course of depression. *Neuropsychopharmacology* 2015; 40:2454-2463.
3. *Arloth J, Bogdan R, Weber P, Frishman G, Menke A, Wagner KV et al. (including Penninx BW, Smit JH for the PGC consortium). Genetic differences in the immediate transcriptome response to stress predict risk-related brain function and psychiatric disorders. *Neuron* 2015; 86:1189-1202.
4. Arts MH, Collard RM, Comijs HC, Naude PJ, Risselada R, Naarding P, Voshaar RC. Relationship between physical frailty and low-grade inflammation in late-life depression. *Journal of the american geriatrics society* 2015; 63:1652-1657.
5. Aten JJ, Oudega M, van Exel E, Stek ML, van Waarde JA. Repeated dose titration versus age-based method in electroconvulsive therapy: a pilot study. *European archives of psychiatry and clinical neuroscience* 2015; 265:351-356.
6. Becking K, Spijker AT, Hoencamp E, Penninx BW, Schoevers RA, Boschloo L. Disturbances in Hypothalamic-Pituitary-Adrenal axis and immunological activity differentiating between unipolar and bipolar depressive episodes. *Plos one* 2015; 10:e0133898.
7. Beekman AT, Oude Voshaar R, Pachana NA. Late-life anxiety is coming of age. *International psychogeriatrics* 2015; 27:1053-1056.
8. Berm EJ, Hak E, Postma M, Boshuisen M, Breuning L, Brouwers JR, Dhondt T, Jansen PA, Kok RM, Maring JG, van Marum R, Mulder H, Oude Voshaar RC, Risselada AJ, Venema H, Vleugel L, Wilffert B. Effects and cost-effectiveness of pharmacogenetic screening for CYP2D6 among older adults starting therapy with nortriptyline or venlafaxine: study protocol for a pragmatic randomized controlled trial (CYSCETrial). *Trials* 2015; 16:37.
9. Bersani FS, Lindqvist D, Mellon SH, Penninx BWJH, Verhoeven JE, Revesz D, Reus VI, Wolkowitz OM. Telomerase activation as a possible mechanism of action for psychopharmacological interventions. *Drug discovery today* 2015; 20:1305-1309.
10. Bet PM, Penninx BWJH, van Laer SD, Hoogendijk WJG, Hugtenburg JG. Current and remitted depression and anxiety disorders as risk factors for medication nonadherence. *Journal of clinical psychiatry* 2015; 76:e1114-e1121.
11. Beukers L, Berends T, de Man-van Ginkel J, van Elburg AA, van Meijel B. Restoring normal eating behaviour in adolescents with anorexia nervosa: A video analysis of nursing interventions. *International journal of mental health nursing* 2015; 24:519-526.
12. Bijlenga D, Jasperse M, Gehlhaar S, Kooij J. Objective QbTest and subjective evaluation of stimulant treatment in adult attention deficit-hyperactivity disorder. *European psychiatry* 2015; 30.
13. Black CN, Bot M, Scheffer PG, Cuijpers P, Penninx BW. Is depression associated with increased oxidative stress? A systematic review and meta-analysis. *Psychoneuroendocrinology* 2015; 51:164-175.
14. Blank M, Zhang J, Lamers F, Taylor AD, Hickie IB, Merikangas KR. Health correlates of insomnia symptoms and comorbid mental disorders in a nationally representative sample of US adolescents. *Sleep* 2015; 38:197-204.

15. Boccardi M, Bocchetta M, Apostolova LG, Barnes J, Bartzokis G, Corbetta G et al. (including Gerritsen L). Delphi definition of the EADC-ADNI Harmonized Protocol for hippocampal segmentation on magnetic resonance. *Alzheimers & dementia* 2015; 11:126-138.
16. *Bocchetta M, Boccardi M, Ganzola R, Apostolova LG, Preboske G, Wolf D et al. (including Gerritsen L for the EADC-ADNI Working Group on The Harmonized Protocol for Manual Hippocampal Segmentation and for the Alzheimer's Disease Neuroimaging Initiative). Harmonized benchmark labels of the hippocampus on magnetic resonance: The EADC-ADNI project. *Alzheimers & dementia* 2015; 11:151-160.
17. Boersma P, van Weert JC, Lakerveld J, Droes RM. The art of successful implementation of psychosocial interventions in residential dementia care: a systematic review of the literature based on the RE-AIM framework. *International psychogeriatrics* 2015; 27:19-35.
18. Bokma WA, Batelaan NM, Beek AM, Boenink AD, Smit JH, van Balkom AJ. Feasibility and outcome of the implementation of a screening program for panic disorder in noncardiac chest pain patients in cardiac emergency department routine care. *General hospital psychiatry* 2015; 37:485-487.
19. Bomhof-Roordink H, Seldenrijk A, van Hout HP, van Marwijk HW, Diamant M, Penninx BW. Associations between life stress and subclinical cardiovascular disease are partly mediated by depressive and anxiety symptoms. *Journal of psychosomatic research* 2015; 78:332-339.
20. BoSS L, Lehr D, Berking M, Riper H, Schaub MP, Ebert DD. Evaluating the (cost-)effectiveness of guided and unguided Internet-based self-help for problematic alcohol use in employees - a three arm randomized controlled trial. *BMC public health* 2015; 15:1043.
21. Bot M, Chan MK, Jansen R, Lamers F, Vogelzangs N, Steiner J, Leweke FM, Rothermundt M, Cooper J, Bahn S, Penninx BWJH. Serum proteomic profiling of major depressive disorder. *Translational psychiatry* 2015; 5:e599.
22. Bouwens T, Trouw L, Veerhuis R, Dirven C, Lamfers M, Al-Khawaja H. Complement activation in Glioblastoma Multiforme pathophysiology: Evidence from serum levels and presence of complement activation products in tumor tissue. *Journal of neuroimmunology* 2015; 278:271-276.
23. Broekhof R, Rius-Ottenheim N, Spinhoven P, van der Mast RC, Penninx BW, Zitman FG, Giltay EJ. Long-lasting effects of affective disorders and childhood trauma on dispositional optimism. *Journal of affective disorders* 2015; 175:351-358.
24. Brouwer A, van Raalte DH, Diamant M, Rutters F, van Someren EJ, Snoek FJ, Beekman AT, Bremmer MA. Light therapy for better mood and insulin sensitivity in patients with major depression and type 2 diabetes: a randomised, double-blind, parallel-arm trial. *Bmc psychiatry* 2015; 15:169.
25. Bruijniks SJ, Bosmans J, Peeters FP, Hollon SD, van Oppen P, van den Boogaard M et al. Frequency and change mechanisms of psychotherapy among depressed patients: study protocol for a multicenter randomized trial comparing twice-weekly versus once-weekly sessions of CBT and IPT. *Bmc psychiatry* 2015; 15:137.
26. Bruning AH, Heller HM, Kieviet N, Bakker PC, de Groot CJ, Dolman KM, Honig A. Antidepressants during pregnancy and postpartum hemorrhage: a systematic review. *European journal of obstetrics & gynecology and reproductive biology* 2015; 189:38-47.
27. Buntrock C, Ebert D, Lehr D, Riper H, Smit F, Cuijpers P, Berking M. Effectiveness of a web-based cognitive behavioural intervention for subthreshold depression: pragmatic randomised controlled trial. *Psychotherapy and psychosomatics* 2015; 84:348-358.
28. Bus B, Molendijk M, Tendolkar I, Penninx B, Prickaerts J, Elzinga B, Oude Voshaar RC. Chronic depression is associated with a pronounced decrease in serum brain-derived neurotrophic factor over time. *Molecular psychiatry* 2015; 20:602-608.
29. *Byrne EM, Raheja UK, Stephens SH, Heath AC, Madden PA, Vaswani D et al. (including Penninx BW, Smit JH for the Psychiatric Genetics Consortium Major Depressive Disorder Working Group). Seasonality shows evidence for polygenic architecture and genetic correlation with schizophrenia and bipolar disorder. *Journal of clinical psychiatry* 2015; 76:128-134.
30. Chalavi S, Vissia EM, Giesen ME, Nijenhuis ER, Draijer N, Cole JH et al. Abnormal hippocampal morphology in Dissociative Identity Disorder and Post-Traumatic Stress Disorder correlates with childhood trauma and dissociative symptoms. *Human brain mapping* 2015; 36:1692-1704.

31. Chalavi S, Vissia EM, Giesen ME, Nijenhuis ER, Draijer N, Barker GJ, Veltman DJ, Reinders AA. Similar cortical but not subcortical gray matter abnormalities in women with posttraumatic stress disorder with versus without dissociative identity disorder. *Psychiatry research- neuroimaging* 2015; 231:308-319.
32. Cohen CI, Meesters PD, Zhao J. New perspectives on schizophrenia in later life: implications for treatment, policy, and research. *Lancet psychiatry* 2015; 2:340-350.
33. Cohn MD, Veltman DJ, Pape LE, van Lith K, Vermeiren RR, van den Brink W, Doreleijers TA, Popma A. Incentive processing in persistent disruptive behavior and psychopathic traits: a functional magnetic resonance imaging study in adolescents. *Biological psychiatry* 2015; 78:615-624.
34. Cohn MD, Pape LE, Schmaal L, van den Brink W, van Wingen G, Vermeiren RR, Doreleijers TA, Veltman DJ, Popma A. Differential relations between juvenile psychopathic traits and resting state network connectivity. *Human brain mapping* 2015; 36:2396-2405.
35. Collard RM, Comijs HC, Naarding P, Penninx BW, Milaneschi Y, Ferrucci L, Oude Voshaar RC. Frailty as a predictor of the incidence and course of depressed mood. *Journal of the american medical directors association* 2015; 16:509-514.
36. Collard RM, Arts M, Comijs HC, Naarding P, Verhaak PF, de Waal MW, Oude Voshaar RC. The role of frailty in the association between depression and somatic comorbidity: Results from baseline data of an ongoing prospective cohort study. *International journal of nursing studies* 2015; 52:188-196.
37. Comijs HC, Nieuwesteeg J, Kok R, van Marwijk HW, van der Mast RC, Naarding P, Oude Voshaar RC, Verhaak P, de Waal MW, Stek ML. The two-year course of late-life depression; results from the Netherlands study of depression in older persons. *Bmc psychiatry* 2015; 15:20.
38. Crins MH, Roorda LD, Smits N, de Vet HC, Westhovens R, Cella D, et al (including Dekker J). Calibration and validation of the Dutch-Flemish PROMIS pain interference item bank in patients with chronic pain. *Plos one* 2015; 10:e0134094.
39. Cuijpers P, Riper H, Andersson G. Internet-based treatment of depression. *Current opinion in psychology* 2015; 4:131-135.
40. Davies MN, Verdi S, Burri A, Trzaskowski M, Lee M, Hettema JM, Jansen R, Boomsma DI, Spector TD. Generalised Anxiety Disorder - a twin study of genetic architecture, genome-wide association and differential gene expression. *Plos one* 2015; 10:e0134865.
41. de Beurs DP, de Groot MH, de Keijser J, Mokkenstorm J, van Duijn E, de Winter RF, Kerkhof AJ. The effect of an e-learning supported Train-the-Trainer programme on implementation of suicide guidelines in mental health care. *Journal of affective disorders* 2015; 175:446-53.
42. de Bie HM, de Ruiter MB, Ouwendijk M, Oostrom KJ, Wilke M, Boersma M, Veltman DJ, Delemarre-van de Waal H. Using fMRI to investigate memory in young children born small for gestational age. *Plos one* 2015; 10:e0129721.
43. *de Boer AW, de Mutsert R, den Heijer M, Jukema JW, Rosendaal FR, Blom JW, Assendelft WJ; NEO study group (including Penninx BW for the NEO study group). Overweight can be used as a tool to guide case-finding for cardiovascular risk assessment. *Family practice* 2015; 32(6):646-51.
44. de Koning EJ, van Schoor NM, Penninx BWJH, Elders PJM, Heijboer AC, Smit JH et al. Vitamin D supplementation to prevent depression and poor physical function in older adults: Study protocol of the D-Vitaal study, a randomized placebo-controlled clinical trial. *Bmc geriatrics* 2015; 15:151.
45. de Kwaasteniet BP, Rive MM, Ruhe HG, Schene AH, Veltman DJ, Fellingner L et al. Decreased resting-state connectivity between neurocognitive networks in treatment resistant depression. *Frontiers in psychiatry* 2015; 6:28.
46. *de Leeuw C, Goudriaan A, Smit AB, Yu D, Mathews CA, Scharf JM et al. (including Smit JH for the Tourette Syndrome Association International Consortium for Genetics). Involvement of astrocyte metabolic coupling in Tourette syndrome pathogenesis. *European journal of human genetics : EJHG* 2015; 23:1519-1522.
47. de Mooij LD, Kikkert M, Lommerse NM, Peen J, Meijwaard SC, Theunissen J, Duurkoop PWRA, Goudriaan AE, Van HL, Beekman ATF, Dekker JJM. Victimization in adults with severe mental illness: prevalence and risk factors. *British journal of psychiatry* 2015; 207:515-522.

48. de Rooij A, van der Leeden M, de Boer MR, Steultjens MP, Dekker J, Roorda LD. Fatigue in patients with chronic widespread pain participating in multidisciplinary rehabilitation treatment: a prospective cohort study. *Disability and rehabilitation* 2015; 37:490-498.
49. de Wit J, Dozeman E, Ruwaard J, Alblas J, Riper H. Web-based support for daily functioning of people with mild intellectual disabilities or chronic psychiatric disorders: A feasibility study in routine practice. *Internet interventions* 2015; 2:161-168.
50. de Wit LM, van Straten A, Lamers F, Cuijpers P, Penninx BW. Depressive and anxiety disorders: Associated with losing or gaining weight over 2 years? *Psychiatry research* 2015; 227:230-237.
51. de Wit SJ, van der Werf YD, Mataix-Cols D, Trujillo JP, van Oppen P, Veltman DJ, van den Heuvel OA. Emotion regulation before and after transcranial magnetic stimulation in obsessive compulsive disorder. *Psychological medicine* 2015; 45:3059-3073.
52. Dekker J, Braamse A, van Linde ME, Voogd AC, Beekman A, Verheul HM. One in three patients with cancer meets the criteria for mental disorders: what does that mean? *Journal of clinical oncology* 2015; 33:2826-2828.
53. Del Campo M, Jongbloed W, Twaalfhoven HA, Veerhuis R, Blankenstein MA, Teunissen CE. Facilitating the validation of novel protein biomarkers for dementia: an optimal workflow for the development of sandwich immunoassays. *Frontiers in neurology* 2015; 6:202.
54. Del Campo M, Stargardt A, Veerhuis R, Reits E, Teunissen C. Accumulation of BRI2-BRICHOS ectodomain correlates with a decreased clearance of A beta by insulin degrading enzyme (IDE) in Alzheimer's disease. *Neuroscience letters* 2015; 589:47-51.
55. Dijkstra-Kersten SM, Biesheuvel-Leliefeld KE, van der Wouden JC, Penninx BW, van Marwijk HW. Associations of financial strain and income with depressive and anxiety disorders. *Journal of epidemiology and community health* 2015; 69:660-665.
56. Dijkstra-Kersten SM, Sitnikova K, van Marwijk HW, Gerrits MM, van der Wouden JC, Penninx BW, van der Horst HE, Leone SS. Somatisation as a risk factor for incident depression and anxiety. *Journal of psychosomatic research* 2015; 79:614-619.
57. Dobber J, van Meijel B, Barkhof E, op Reimer WS, Latour C, Peters R, Linszen D. Selecting an optimal instrument to identify active ingredients of the motivational interviewing-process. *Journal of psychosomatic research* 2015; 78:268-276.
58. Dols A, Thesing CS, Bouckaert F, Oude Voshaar RC, Comijs HC, Stek M. BDNF serum levels are not related to cognitive functioning in older depressed patients and controls. *International psychogeriatrics* 2015; 27:649-656.
59. Draisma HH, Pool R, Kobl M, Jansen R, Petersen AK, Vaarhorst AA et al (including Penninx BW). Genome-wide association study identifies novel genetic variants contributing to variation in blood metabolite levels. *Nature communications* 2015; 6:7208.
60. Draisma S, van Zaane J, Smit JH. Data quality indicators for daily life chart methodology: prospective self-ratings of bipolar disorder and alcohol use. *Bmc research notes* 2015; 8:473.
61. Duvis HE, Kupper N, Vermunt JK, Penninx BW, Bosch NM, Riese H, Oldehinkel AJ, de Jonge P. Depression trajectories, inflammation, and lifestyle factors in adolescence: the TRacking Adolescents' Individual Lives Survey. *Health psychology* 2015; 34:1047-1057.
62. Ebert DD, Zarski AC, Christensen H, Stikkelbroek Y, Cuijpers P, Berking M, Riper H. Internet and computer-based cognitive behavioral therapy for anxiety and depression in youth: a meta-analysis of randomized controlled outcome trials. *Plos one* 2015; 10:e0119895.
63. Ebert DD, Berking M, Thiart H, Riper H, Laferton JA, Cuijpers P, Sieland B, Lehr D. Restoring depleted resources: efficacy and mechanisms of change of an internet-based unguided recovery training for better sleep and psychological detachment from work. *Health psychology* 2015; 34:1240-1251.
64. Elgersma HJ, de Jong PJ, van Rijsbergen GD, Kok GD, Burger H, van der Does W, Penninx BW, Bockting CL. Cognitive reactivity, self-depressed associations, and the recurrence of depression. *Journal of affective disorders* 2015; 183:300-309.
65. Fall T, Hagg S, Ploner A, Maegi R, Fischer K, Draisma HH et al (including Penninx BW). Age- and sex-specific causal effects of adiposity on cardiovascular risk factors. *Diabetes* 2015; 64:1841-1852.
66. Ferencz B, Gerritsen L. Genetics and underlying pathology of dementia. *Neuropsychology review* 2015; 25:113-124.
67. Fernandes L, Mateos R, Engedal K, von Gunten A, Stek ML, Ramakrishnan A et al. The state of psychogeriatrics in Europe: challenges and opportunities in six European countries. *International psychogeriatrics* 2015; 27(8):1243-1246.

68. Fokkema M, Smits N, Kelderman H, Penninx BW. Connecting clinical and actuarial prediction with rule-based methods. *Psychological assessment* 2015; 27:636-644.
69. Frijling JL, van Zuiden M, Nawijn L, Koch SBJ, Neumann ID, Veltman DJ, Olff M. Salivary oxytocin and vasopressin levels in police officers with and without post-traumatic stress disorder. *Journal of neuroendocrinology* 2015; 27:743-751.
70. Frisoni GB, Jack CR, Bocchetta M, Bauer C, Frederiksen KS, Liu Y et al (including Gerritsen L). The EADC-ADNI Harmonized Protocol for manual hippocampal segmentation on magnetic resonance: Evidence of validity. *Alzheimers & dementia* 2015; 11:111-125.
71. Genetics of Personality Consortium, de Moor MH, van den Berg SM, Verweij KJH, Krueger RF, Luciano M et al (including Penninx BW). Meta-analysis of genome-wide association studies for neuroticism, and the polygenic association with Major Depressive Disorder. *JAMA psychiatry* 2015; 72:642-650.
72. Gerrits MM, van Marwijk HW, van Oppen P, van der Horst H, Penninx BW. Longitudinal association between pain, and depression and anxiety over four years. *Journal of psychosomatic research* 2015; 78:64-70.
73. Gerrits NJ, van den Heuvel OA, van der Werf YD. Decreased neural activity and neural connectivity while performing a set-shifting task after inhibiting repetitive transcranial magnetic stimulation on the left dorsal prefrontal cortex. *Bmc neuroscience* 2015; 16:45.
74. Gerrits NJ, van der Werf YD, Verhoef KM, Veltman DJ, Groenewegen HJ, Berendse HW, van den Heuvel OA. Compensatory fronto-parietal hyperactivation during set-shifting in unmedicated patients with Parkinson's disease. *Neuropsychologia* 2015; 68:107-116.
75. Gerritsen L, Kalpouzos G, Westman E, Simmons A, Wahlund LO, Backman L, Fratiglioni L, Wang HX. The influence of negative life events on hippocampal and amygdala volumes in old age: a life-course perspective. *Psychological medicine* 2015; 45:1219-1228.
76. Gerritsen L, van Velzen L, Schmaal L, van der Graaf Y, van der Wee N, van Tol MJ, Penninx BW, Geerlings M. Childhood maltreatment modifies the relationship of depression with hippocampal volume. *Psychological medicine* 2015; 45:3517-3526.
77. Ghielen I, van den Heuvel OA, de Goede CJ, Houniet-de Gier M, Collette EH, Burgers-Bots IA et al. BEWARE: Body awareness training in the treatment of wearing-off related anxiety in patients with Parkinson's disease: study protocol for a randomized controlled trial. *Trials* 2015; 16:283.
78. Goorden M, Huijbregts KML, van Marwijk HWJ, Beekman ATF, van der Feltz-Cornelis C, Hakkaart-Van Roijen L. Cost-utility of collaborative care for major depressive disorder in primary care in the Netherlands. *Journal of psychosomatic research* 2015; 79:316-323.
79. Gorski M, Tin A, Garnaas M, McMahon GM, Chu AY, Tayo BO et al (including Penninx BW). Genome-wide association study of kidney function decline in individuals of European descent. *Kidney international* 2015; 87:1017-1029.
80. Gottschalk M, Cooper J, Chan M, Bot M, Penninx B, Bann S. Discovery of serum biomarkers predicting development of a subsequent depressive episode in social anxiety disorder. *Brain behavior and immunity* 2015; 48:123-131.
81. Groeneweg-Koolhoven I, Comijs HC, Naarding P, de Waal MW, van der Mast RC. Presence and correlates of apathy in non-demented depressed and non-depressed older persons. *European journal of psychiatry* 2015; 29:119-130.
82. Groenewold NA, Roest AM, Renken RJ, Opmeer EM, Veltman DJ, van der Wee NJ, de Jonge P, Aleman A, Harmer CJ. Cognitive vulnerability and implicit emotional processing: imbalance in frontolimbic brain areas? *Cognitive affective & behavioral neuroscience* 2015; 15:69-79.
83. Groffen DAI, Bosma H, Koster A, von Bonsdorff MB, Aspelund T, Eiriksdottir G, Penninx BW, et al. A blunted diurnal cortisol response in the lower educated does not explain educational differences in coronary heart disease: Findings from the AGES-Reykjavik Study. *Social science & medicine* 2015; 127:143-149.
84. Haanstra TM, Tilbury C, Kamper SJ, Tordoir RL, Vlieland TP, Nelissen RG et al (including Dekker J). Can optimism, pessimism, hope, treatment credibility and treatment expectancy be distinguished in patients undergoing total hip and total knee arthroplasty? *Plos one* 2015; 10:e0133730.
85. Hardeveld F, Spijker J, Peyrot WJ, de Graaf R, Hendriks SM, Nolen WA, Penninx BW, Beekman AT. Glucocorticoid and mineralocorticoid receptor polymorphisms and recurrence of major depressive disorder. *Psychoneuroendocrinology* 2015; 55:154-163.

86. Hartmans C, Comijs H, Jonker C. The perception of sexuality in older adults and its relationship with cognitive functioning. *American journal of geriatric psychiatry* 2015; 23:243-252.
87. Hattink B, Meiland F, van der Roest H, Kevern P, Abiuso F, Bengtsson J et al (including Dröes RM). Web-based STAR E-learning course increases empathy and understanding in dementia caregivers: results from a randomized controlled trial in the Netherlands and the United Kingdom. *Journal of medical internet research* 2015; 17:e241.
88. Haverkamp GL, Torensma B, Vergouwen AC, Honig A. Psychological distress in the hospital setting: a comparison between native Dutch and immigrant patients. *Plos one* 2015; 10:e0130961.
89. Heering HD, Koevoets GJ, Koenders L, Machielsen MW, Meijer CJ, Kubota M, de Nijs J, et al. Structural MRI differences between patients with and without first rank symptoms: a delusion? *Frontiers in psychiatry* 2015; 6:107.
90. Heering HD, Janssens M, Boyette LL, van Haren NE; G.R.O.U.P investigators. Remission criteria and functional outcome in patients with schizophrenia, a longitudinal study. *Australian and New Zealand journal of psychiatry* 2015 Mar;49(3):266-74.
91. Hegeman J, de Waal M, Comijs H, Kok R, van der Mast R. Depression in later life: A more somatic presentation? *Journal of affective disorders* 2015; 170:196-202.
92. *Heine M, van den Akker LE, Verschuren O, Visser-Meily A, Kwakkel G, et al. (including Dekker J for the TREFAMS-ACE Study Group). Reliability and responsiveness of cardiopulmonary exercise testing in fatigued persons with Multiple Sclerosis and low to mild disability. *Plos one* 2015; 10:e0122260.
93. Hendriks SM, Spijker J, Licht CM, Hardevel F, de Graaf R, Batelaan NM, Penninx BW, Beekman AT. Long-term work disability and absenteeism in anxiety and depressive disorders. *Journal of affective disorders* 2015; 178:121-130.
94. Hibar DP, Stein JL, Renteria ME, Arias-Vasquez A, Desrivieres S, Jahanshad N et al (including Milaneschi Y, Penninx BW, Veltman DJ). Common genetic variants influence human subcortical brain structures. *Nature* 2015; 520:224-U216.
95. Hiles S, Bergen H, Hawton K, Lewin T, Whyte I, Carter G. General hospital-treated self-poisoning in England and Australia: Comparison of presentation rates, clinical characteristics and aftercare based on sentinel unit data. *Journal of psychosomatic research* 2015; 78:356-362.
96. Hiles SA, Baker AL, de Malmanche T, McEvoy M, Boyle M, Attia J. The role of inflammatory markers in explaining the association between depression and cardiovascular hospitalisations. *Journal of behavioral medicine* 2015; 38:609-619.
97. Hiles SA, Baker AL, de Malmanche T, McEvoy M, Boyle M, Attia J. Unhealthy lifestyle may increase later depression via inflammation in older women but not men. *Journal of psychiatric research* 2015; 63:65-74.
98. Hoekzema E, Schagen SE, Kreukels BP, Veltman DJ, Cohen-Kettenis PT, Delemarre-van de Waal H, Bakker J. Regional volumes and spatial volumetric distribution of gray matter in the gender dysphoric brain. *Psychoneuroendocrinology* 2015; 55:59-71.
99. Holla JF, van der Leeden M, Knol DL, Roorda LD, Hilberdink WK, Lems WF, Steultjens MP, Dekker J. Predictors and outcome of pain-related avoidance of activities in persons with early symptomatic knee osteoarthritis: a five-year followup study. *Arthritis care & research* 2015; 67:48-57.
100. Holvast F, Burger H, de Waal MM, van Marwijk HW, Comijs HC, Verhaak PF. Loneliness is associated with poor prognosis in late-life depression: Longitudinal analysis of the Netherlands study of depression in older persons. *Journal of affective disorders* 2015; 185:1-7.
101. Horikoshi M, Maegi R, van de Bunt M, Surakka I, Sarin AP, Mahajan A et al (including Milaneschi Y, Penninx BW, Smit JH). Discovery and fine-mapping of glycaemic and obesity-related trait loci using high-density imputation. *Plos genetics* 2015; 11:e1005230.
102. Hovens JG, Giltay EJ, Spinhoven P, van Hemert AM, Penninx BW. Impact of childhood life events and childhood trauma on the onset and recurrence of depressive and anxiety disorders. *Journal of clinical psychiatry* 2015; 76:931-938.
103. Huffman JE, Albrecht E, Teumer A, Mangino M, Kapur K, et al (including Penninx BW, Smit JH). Modulation of genetic associations with serum urate levels by Body-Mass-Index in humans. *Plos one* 2015; 10:e0119752.

104. Huijbers MJ, Spinhoven P, Spijker J, Ruhe HG, van Schaik DJ, van Oppen P et al. Adding mindfulness-based cognitive therapy to maintenance antidepressant medication for prevention of relapse/recurrence in major depressive disorder: Randomised controlled trial. *Journal of affective disorders* 2015; 187:54-61.
105. Huijbregts KM, Batelaan NM, Schonenberg J, Veen G, van Balkom AJ. Agomelatine as a novel treatment option in panic disorder, results from an 8-week open-label trial. *Journal of clinical psychopharmacology* 2015; 35:336-338.
106. Iancu SC, Zweekesthorst MB, Veltman DJ, van Balkom AJ, Bunders JF. Outsourcing Mental Health Care services? The practice and potential of community-based farms in psychiatric rehabilitation. *Community mental health journal* 2015; 51:175-184.
107. Iancu SC, Hoogendoorn AW, Zweekesthorst MB, Veltman DJ, Bunders JF, van Balkom AJ. Farm-based interventions for people with mental disorders: a systematic review of literature. *Disability and rehabilitation* 2015; 37:379-388.
108. Jamal M, van der Does W, Elzinga BM, Molendijk ML, Penninx BW. Association between smoking, nicotine dependence, and BDNF Val(66)Met polymorphism with BDNF concentrations in serum. *Nicotine & tobacco research* 2015; 17:323-329.
109. Jamal M, van der Does W, Penninx BW. Effect of variation in BDNF Val(66)Met polymorphism, smoking, and nicotine dependence on symptom severity of depressive and anxiety disorders. *Drug and alcohol dependence* 2015; 148:150-157.
110. Jansen JM, van Holst RJ, van den Brink W, Veltman DJ, Caan MW, Goudriaan AE. Brain function during cognitive flexibility and white matter integrity in alcohol-dependent patients, problematic drinkers and healthy controls. *Addiction biology* 2015; 20:979-989
111. Jones M, Ebert DD, Jacobi C, Beitner I, Berger T, Görlich D et al (including Riper H). Why didn't patients use it? Engagement is the real story in Gilbody et al. (2015), not effectiveness. Response to: Computerised cognitive behaviour therapy (cCBT) as treatment for depression in primary care (REEACT trial): large scale pragmatic randomised controlled trial. *BMJ online* 2015; 351:h5627.
112. Jongbloed W, van Dijk KD, Mulder SD, van de Berg WD, Blankenstein MA, van der Flier W, Veerhuis R. Clusterin levels in plasma predict cognitive decline and progression to Alzheimer's disease. *Journal of alzheimers disease* 2015; 46:1103-1110.
113. Jongbloed W, Bruggink KA, Kester MI, Visser PJ, Scheltens P, Blankenstein MA, Verbeek MM, Teunissen CE, Veerhuis R. Amyloid-beta oligomers relate to cognitive decline in Alzheimer's disease. *Journal of alzheimers disease* 2015; 45:35-43.
114. Jonker AA, Comijs HC, Knipscheer KC, Deeg DJ. Benefits for elders with vulnerable health from the Chronic Disease Self-management Program (CDSMP) at short and longer term. *Bmc geriatrics* 2015; 15:101.
115. Karman P, Kool N, Gamel C, van Meijel B. From judgment to understanding mental health nurses' perceptions of changed professional behaviors following positively changed attitudes toward self-harm. *Archives of psychiatric nursing* 2015; 29:401-406.
116. Karman P, Kool N, Poslawsky IE, van Meijel B. Nurses' attitudes towards self-harm: a literature review. *Journal of psychiatric and mental health nursing* 2015; 22:65-75.
117. Karyotaki E, Kleiboer A, Smit F, Turner D, Pastor A, Andersson G et al (including Riper H). Predictors of treatment dropout in self-guided web-based interventions for depression: an 'individual patient data' meta-analysis. *Psychological medicine* 2015; 45:2717-2726.
118. Kendler K, Aggen S, Li Y, Lewis C, Breen G, Boomsma DI, Bot M, Penninx BW, Flint J. The similarity of the structure of DSM-IV criteria for major depression in depressed women from China, the United States and Europe. *Psychological medicine* 2015; 45:1945-1954.
119. Kieviet N, van Ravenhorst M, Dolman KM, van de Ven PM, Heres M, Wennink H, Honig A. Adapted Finnegan scoring list for observation of anti-depressant exposed infants. *Journal of maternal-fetal & neonatal medicine* 2015; 28:2010-2014.
120. Kieviet N, Hoppenbrouwers C, Dolman KM, Berkhof J, Wennink H, Honig A. Risk factors for poor neonatal adaptation after exposure to antidepressants in utero. *Acta paediatrica* 2015; 104:384-391.
121. Kieviet N, Duijn M, Dolman K, Honig A. Poor neonatal adaptation after in utero exposure to fluvoxamine. *Journal of obstetrics and gynaecology* 2015; 35:201-202.
122. Kleiboer A, Donker T, Seekles W, van Straten A, Riper H, Cuijpers P. A randomized controlled trial on the role of support in Internet-based problem solving therapy for depression and anxiety. *Behaviour research and therapy* 2015; 72:63-71.

123. Klumpers UM, Veltman DJ, van Tol MJ, Kloet RW, Boellaard R, Lammertsma AA, Hoogendijk WJ. Neurophysiological effects of sleep deprivation in healthy adults, a pilot study. *Plos one* 2015; 10:e0116906.
124. Koenders L, Machielsen MW, van der Meer FJ, van Gasselt AC, Meijer CJ, van den Brink W et al (including Veltman DJ). Brain volume in male patients with recent onset schizophrenia with and without cannabis use disorders. *Journal of psychiatry & neuroscience* 2015; 40:197-206.
125. Kok G, Burger H, Riper H, Cuijpers P, Dekker J, van Marwijk H et al. The three-month effect of mobile internet-based cognitive therapy on the course of depressive symptoms in remitted recurrently depressed patients: results of a randomized controlled trial. *Psychotherapy and psychosomatics* 2015; 84:90-99.
126. Kool N, van Meijel B, van der Bijl J, Koekkoek B, Kerkhof A. Psychometric properties of the Dutch version of the Attitude Towards Deliberate Self-Harm Questionnaire. *International journal of mental health nursing* 2015; 24:334-341.
127. Koopman JJ, Wensink MJ, Rozing MP, van Bodegom D, Westendorp RG. Intrinsic and extrinsic mortality reunited. *Experimental gerontology* 2015; 67:48-53.
128. Krabbendam AA, Colins OF, Doreleijers TA, van der Molen E, Beekman AT, Vermeiren RR. Personality disorders in previously detained adolescent females: a prospective study. *American journal of orthopsychiatry* 2015; 85:63-71.
129. Kramer J, Boon B, Schotanus-Dijkstra M, van Ballegooijen W, Kerkhof A, van der Poel A. The mental health of visitors of web-based support forums for bereaved by suicide. *Crisis* 2015; 36:38-45.
130. Krudop WA, Kerssens CJ, Dols A, Prins ND, Moller C, Schouws S, et al (including Stek ML). Identifying bvFTD within the wide spectrum of late onset frontal lobe syndrome: a clinical approach. *American journal of geriatric psychiatry* 2015; 23:1056-1066.
131. Krudop WA, Bosman S, Geurts JJ, Sikkes SA, Verwey NA, Stek ML, Scheltens P, Rozemuller AJ, Pijnenburg YA. Clinico-pathological correlations of the frontal lobe syndrome: results of a large brain bank study. *Dementia and geriatric cognitive disorders* 2015; 40:121-129.
132. Lamberts R, Blom M, Novy J, Belluzzo M, Seldenrijk A, Penninx B, Sander J, Tan H, Thijs R. Increased prevalence of ECG markers for sudden cardiac arrest in refractory epilepsy. *Journal of neurology neurosurgery and psychiatry* 2015; 86:309-313.
133. Landsheer JA, Smit JH, van Oppen P, van Balkom AJ. Assignment refusal and its relation to outcome in a randomized controlled trial comparing Cognitive Therapy and Fluvoxamine in treatment-resistant patients with obsessive compulsive disorder. *Psychiatry research* 2015; 226:198-203.
134. Langeland W, Hoogendoorn AW, Mager D, Smit JH, Draijer N. Childhood sexual abuse by representatives of the Roman Catholic Church: A prevalence estimate among the Dutch population. *Child abuse & neglect* 2015; 46:67-77.
135. Langeland W, Smit JH, Merckelbach H, de Vries G, Hoogendoorn AW, Draijer N. Inconsistent retrospective self-reports of childhood sexual abuse and their correlates in the general population. *Social psychiatry and psychiatric epidemiology* 2015; 50:603-612.
136. Licht CM, Naarding P, Penninx BW, van der Mast RC, de Geus EJ, Comijs HC. The association between depressive disorder and cardiac autonomic control in adults 60 years and older. *Psychosomatic medicine* 2015; 77:279-291.
137. Lindqvist D, Epel ES, Mellon SH, Penninx BW, Revesz D, Verhoeven JE et al. Psychiatric disorders and leukocyte telomere length: Underlying mechanisms linking mental illness with cellular aging. *Neuroscience and biobehavioral reviews* 2015; 55:333-364.
138. *Locke AE, Kahali B, Berndt SI, Justice AE, Pers TH, Day FR et al. (including Milaneschi Y, Penninx BW, Smit JH for the GIANT Consortium). Genetic studies of body mass index yield new insights for obesity biology. *Nature* 2015; 518:197-U401.
139. Loosman WL, Rottier MA, Honig A, Siegert CE. Association of depressive and anxiety symptoms with adverse events in Dutch chronic kidney disease patients: a prospective cohort study. *Bmc nephrology* 2015; 16:155.
140. Loosman WL, Hoekstra T, van Dijk S, Terwee CB, Honig A, Siegert CE, Dekker FW. Short-Form 12 or Short-Form 36 to measure quality-of-life changes in dialysis patients? *Nephrology dialysis transplantation* 2015; 30:1170-1176.

141. Louter MA, Pijpers JA, Wardenaar KJ, van Zwet EW, van Hemert AM, Zitman FG, Ferrari MD, Penninx BW, Terwindt GM. Symptom dimensions of affective disorders in migraine patients. *Journal of psychosomatic research* 2015; 79:458-463.
142. *Maier R, Moser G, Chen GB, Ripke S, Coryell W, Potash JB et al. (including Penninx BW, Smit JH for the Cross-Disorder Working Group of the Psychiatric Genomics Consortium). Joint analysis of psychiatric disorders increases accuracy of risk prediction for schizophrenia, bipolar disorder, and major depressive disorder. *American journal of human genetics* 2015; 96:283-294.
143. Mbarek H, Milaneschi Y, Fedko IO, Hottenga JJ, de Moor MHM, Jansen R et al (including Penninx BW). The genetics of alcohol dependence: Twin and SNP-based heritability, and genome-wide association study based on AUDIT scores. *American journal of medical genetics.Part B, Neuropsychiatric genetics* 2015; 168:739-748.
144. Menning S, de Ruiter MB, Veltman DJ, Koppelmans V, Kirschbaum C, Boogerd W et al. Multimodal MRI and cognitive function in patients with breast cancer prior to adjuvant treatment--the role of fatigue. *NeuroImage.Clinical* 2015; 7:547-554.
145. Metz MJ, Franx GC, Veerbeek MA, de Beurs E, van der Feltz-Cornelis C, Beekman AT. Shared decision making in mental health care using Routine Outcome Monitoring as a source of information: a cluster randomised controlled trial. *Bmc psychiatry* 2015; 15:313.
146. Meurs M, Groenewold NA, Roest AM, van der Wee NJA, Veltman DJ, van Tol MJ, de Jonge P. The associations of depression and hypertension with brain volumes: Independent or interactive? *NeuroImage.Clinical* 2015; 8:79-86.
147. Michielsen M, Comijs HC, Aartsen MJ, Semeijn EJ, Beekman AT, Deeg DJ, Kooij J. The relationships between ADHD and social functioning and participation in older adults in a population-based study. *Journal of attention disorders* 2015; 19:368-379.
148. Moonen J, de Craen A, Comijs H, Naarding P, de Ruijter W, van der Mast R. In depressed older persons higher blood pressure is associated with symptoms of apathy. The NESDO study. *International psychogeriatrics* 2015; 27:1485-1493.
149. Murck H, Laughren T, Lamers F, Picard R, Walther S, Goff D, Sainati S. Taking personalized medicine seriously: biomarker approaches in phase IIb/III studies in major depression and schizophrenia. *Innovations in clinical neuroscience* 2015; 12:265-40S.
150. Nap A, van Loon A, Peen J, van Schaik DJ, Beekman AT, Dekker JJ. The influence of acculturation on mental health and specialized mental healthcare for non-western migrants. *International journal of social psychiatry* 2015; 61:530-538.
151. Nawijn L, van Zuiden M, Frijling JL, Koch SB, Veltman DJ, Olf M. Reward functioning in PTSD: A systematic review exploring the mechanisms underlying anhedonia. *Neuroscience and biobehavioral reviews* 2015; 51:189-204.
152. Nefs G, Bevelander S, Hendrieckx C, Bot M, Ruige J, Speight J, Pouwer F. Fear of hypoglycaemia in adults with Type1 diabetes: results from Diabetes MILES - The Netherlands. *Diabetic medicine* 2015; 32:1289-1296.
153. Nefs G, Donga E, van Someren E, Bot M, Speight J, Pouwer F. Subjective sleep impairment in adults with type 1 or type 2 diabetes: Results from Diabetes MILES-The Netherlands. *Diabetes research and clinical practice* 2015; 109:466-475.
154. Nefs G, Speight J, Pouwer F, Pop V, Bot M, Denollet J. Type D personality, suboptimal health behaviors and emotional distress in adults with diabetes: Results from Diabetes MILES-The Netherlands. *Diabetes research and clinical practice* 2015; 108:94-105.
155. *Network and Pathway Analysis Subgroup of Psychiatric Genomics Consortium, (including Penninx BW). Psychiatric genome-wide association study analyses implicate neuronal, immune and histone pathways. *Nature neuroscience* 2015; 18:199-209.
156. Nigatu YT, Reijneveld SA, Penninx BW, Schoevers RA, Bultmann U. The longitudinal joint effect of obesity and major depression on work performance impairment. *American journal of public health* 2015; 105:E80-E86.
157. Nobis S, Lehr D, Ebert DD, Baumeister H, Snoek F, Riper H, Berking M. Efficacy of a web-based intervention with mobile phone support in treating depressive symptoms in adults with Type 1 and Type 2 Diabetes: A randomized controlled trial. *Diabetes care* 2015; 38:776-783.
158. Nobis S, Ebert DD, Lehr D, Riper H, Snoek F, Baumeister H, Berking M. Langzeit-Effektivitäts-Analyse eines internetbasierten Programmes für Personen mit Diabetes mellitus Typ 1 und Typ 2 zur Reduktion von depressiven Beschwerden - Ergebnisse anhand einer randomisierten klinischen Studie. *Diabetologie und Stoffwechsel* 2015; 10:S01.

159. Noorthoorn E, Lepping P, Janssen W, Hoogendoorn A, Nijman H, Widdershoven G, Steinert T. One-year incidence and prevalence of seclusion: Dutch findings in an international perspective. *Social psychiatry and psychiatric epidemiology* 2015; 50:1857-1869.
160. Olff M, van Zuiden M, Koch SB, Nawijn L, Frijling JL, Veltman DJ. Intranasal oxytocin: miracle cure after trauma? *European journal of psychotraumatology* 2015; 6:27631.
161. Opmeer EM, van Tol MJ, Kortekaas R, van der Wee NJ, Woudstra S, van Buchem MA, Penninx BW, Veltman DJ, Aleman A. DISC1 gene and affective psychopathology: A combined structural and functional MRI study. *Journal of psychiatric research* 2015; 61:150-157.
162. Oude Voshaar RC, Beekman AT, Pachana N. Clinical staging and profiling of late-life anxiety disorders; the need for collaboration and a life-span perspective. *International psychogeriatrics* 2015; 27:1057-1059.
163. Oudega ML, Dols A, Adelerhof I, Rozing M, Wattjes MP, Comijs HC, Barkhof F, Eikelenboom P, Stek ML, van Exel E. Contribution of white matter hyperintensities, medial temporal lobe atrophy and cortical atrophy on outcome, seven to twelve years after ECT in severely depressed geriatric patients. *Journal of affective disorders* 2015; 185:144-148.
164. Pannekoek JN, van der Werff SJA, van Tol MJ, Veltman DJ, Aleman A, Zitman FG, Rombouts SARB, van der Wee NJA. Investigating distinct and common abnormalities of resting-state functional connectivity in depression, anxiety, and their comorbid states. *European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology* 2015; 25:1933-1942.
165. Pape LE, Cohn MD, Caan MW, van Wingen G, van den Brink W, Veltman DJ, Popma A. Psychopathic traits in adolescents are associated with higher structural connectivity. *Psychiatry research* 2015; 233:474-480.
166. Park M, Verhoeven JE, Cuijpers P, Reynolds CF, Penninx BW. Where you live may make you old: the association between perceived poor neighborhood quality and leukocyte telomere length. *Plos one* 2015; 10:e0128460.
167. Passtoors WM, van den Akker EB, Deelen J, Maier AB, van der Breggen R, Jansen R et al. IL7R gene expression network associates with human healthy ageing. *Immunity & ageing* 2015; 12:21.
168. Pattyn T, Van Den Eede F, Lamers F, Veltman D, Sabbe BG, Penninx BW. Identifying panic disorder subtypes using factor mixture modeling. *Depression and anxiety* 2015; 32:509-517.
169. Peerenboom L, Collard R, Naarding P, Comijs H. The association between depression and emotional and social loneliness in older persons and the influence of social support, cognitive functioning and personality: A cross-sectional study. *Journal of affective disorders* 2015; 182:26-31.
170. Penninx BW. Depression and anxiety: their insidious dance. *Lancet psychiatry* 2015; 2:479-480.
171. *Pers TH, Karjalainen JM, Chan Y, Westra HJ, Wood AR, Yang J et al. (including Smit JH for the Genetic Investigation of ANthropometric Traits (GIANT) Consortium). Biological interpretation of genome-wide association studies using predicted gene functions. *Nature communications* 2015; 6:5890.
172. Peter W, Dekker J, Tilbury C, Tordoir R, Verdegaal S, Onstenk R et al. The association between comorbidities and pain, physical function and quality of life following hip and knee arthroplasty. *Rheumatology international* 2015; 35:1233-1241.
173. Peyrot W, Lee S, Milaneschi Y, Abdellaoui A, Byrne E, Esko T et al (including Penninx BW). The association between lower educational attainment and depression owing to shared genetic effects? Results in similar to 25 000 subjects. *Molecular psychiatry* 2015; 20:735-743.
174. Post RM, Leverich GS, Kupka R, Keck PE, McElroy SL, Altshuler LL et al. Increases in multiple psychiatric disorders in parents and grandparents of patients with bipolar disorder from the USA compared with The Netherlands and Germany. *Psychiatric genetics* 2015; 25:194-200.
175. Post RM, Altshuler LL, Kupka R, McElroy SL, Frye MA, Rowe M et al. Verbal abuse, like physical and sexual abuse, in childhood is associated with an earlier onset and more difficult course of bipolar disorder. *Bipolar disorders* 2015; 17:323-330.
176. Post RM, Altshuler L, Leverich GS, Frye MA, Suppes T, McElroy SL et al (including Kuoka RW). Relationship of clinical course of illness variables to medical comorbidities in 900 adult outpatients with bipolar disorder. *Comprehensive psychiatry* 2015; 56:21-28.

177. Post RM, Altshuler L, Kupka R, McElroy SL, Frye MA, Rowe M et al. Multigenerational positive family history of psychiatric disorders is associated with a poor prognosis in bipolar disorder. *The Journal of neuropsychiatry and clinical neurosciences* 2015; 27:304-310.
178. Prather AA, Vogelzangs N, Penninx BW. Sleep duration, insomnia, and markers of systemic inflammation: Results from the Netherlands Study of Depression and Anxiety (NESDA). *Journal of psychiatric research* 2015; 60:95-102.
179. Prina A, Cosco TD, Denning T, Beekman A, Brayne C, Huisman M. The association between depressive symptoms in the community, non-psychiatric hospital admission and hospital outcomes: A systematic review. *Journal of psychosomatic research* 2015; 78:25-33.
180. Puijssers A, van Meijel B, Maaskant M, Keeman N, Teerenstra S, van Achterberg T. The role of nurses/social workers in using a multidimensional guideline for diagnosis of anxiety and challenging behaviour in people with intellectual disabilities. *Journal of clinical nursing* 2015; 24:1955-1965.
181. *Putnam K, Robertson-Blackmore E, Sharkey K, Payne J, Bergink V, Munk-Olsen T et al (including Penninx BW for the Postpartum Depression: Action Towards Causes and Treatment (PACT) Consortium). Heterogeneity of postpartum depression: a latent class analysis. *Lancet psychiatry* 2015; 2:59-67.
182. Raaphorst J, van Tol M, de Visser M, van der Kooi A, Majoie C, van den Berg L, Schmand B, Veltman DJ. Prose memory impairment in amyotrophic lateral sclerosis patients is related to hippocampus volume. *European journal of neurology* 2015; 22:547-554.
183. Regeer EJ, Kupka RW, ten Have M, Vollebergh W, Nolen WA. Low self-recognition and awareness of past hypomanic and manic episodes in the general population. *International journal of bipolar disorders* 2015; 3:22.
184. Revesz D, Milaneschi Y, Verhoeven JE, Lin J, Penninx BWJH. Longitudinal associations between metabolic syndrome components and telomere shortening. *Journal of clinical endocrinology and metabolism* 2015; 100:3050-3059.
185. Revesz D, Milaneschi Y, Verhoeven JE, Penninx BW. Telomere length as a marker of cellular aging is associated with prevalence and progression of metabolic syndrome. *Obstetrical & gynecological survey* 2015; 70:181-182.
186. Rhebergen D, Huisman A, Bouckaert F, Kho K, Kok R, Sienaert P, Spaans HP, Stek ML. Older age is associated with rapid remission of depression after electroconvulsive therapy: A latent class growth analysis. *American journal of geriatric psychiatry* 2015; 23:274-282.
187. Rhebergen D, Korten N, Penninx B, Stek M, van der Mast R, Oude Voshaar RC, Comijs H. Hypothalamic-pituitary-adrenal axis activity in older persons with and without a depressive disorder. *Psychoneuroendocrinology* 2015; 51:341-350.
188. Rijs KJ, van den Kommer TN, Comijs HC, Deeg DJ. Prevalence and incidence of memory complaints in employed compared to non-employed aged 55-64 years and the role of employment characteristics. *Plos one* 2015; 10:e0119192.
189. Rive MM, Mocking RJT, Koeter MWJ, van Wingen G, de Wit SJ, van den Heuvel OA, Veltman DJ, Ruhe HG, Schene AJ. State-dependent differences in emotion regulation between unmedicated bipolar disorder and major depressive disorder. *JAMA psychiatry* 2015; 72:687-696.
190. Romijn G, Riper H, Kok R, Donker T, Goorden M, Hakkart-van Roijen L, Kooistra L, van Balkom AJ, Koning J. Cost-effectiveness of blended vs. face-to-face cognitive behavioural therapy for severe anxiety disorders: study protocol of a randomized controlled trial. *Bmc psychiatry* 2015; 15:311.
191. Ruhe H, Rive M, Mocking R, Koeter M, van Wingen G, de Wit S, van den Heuvel OA, Veltman DJ, Schene AJ. Differences in emotion regulation between unmedicated bipolar and major depressive disorder interact with mood state. *Bipolar disorders* 2015; 17:127-128.
192. Runhaar J, Luijsterburg P, Dekker J, Bierma-Zeinstra S. Identifying potential working mechanisms behind the positive effects of exercise therapy on pain and function in osteoarthritis: a systematic review. *Osteoarthritis and cartilage* 2015; 23:1071-1082.
193. Rutte A, van Oppen P, Nijpels G, Snoek FJ, Enzlin P, Leusink P, Elders PJ. Effectiveness of a PLISSIT model intervention in patients with type 2 diabetes mellitus in primary care: design of a cluster-randomised controlled trial. *Bmc family practice* 2015; 16:69.
194. Rutte A, van Oppen P, Nijpels G, Elders P. A letter to the editor on the article by Farnam et al. *Sexual medicine* 2015; 3:128.

195. Rutten S, Ghielen I, Vriend C, Hoogendoorn AW, Berendse HW, Leentjens AF, van der Werf YD, Smit JH, van den Heuvel OA. Anxiety in Parkinson's disease: Symptom dimensions and overlap with depression and autonomic failure. *Parkinsonism & related disorders* 2015; 21:189-193.
196. Sajatovic M, Strojiljevic SA, Gildengers AG, Dols A, Al Jurdi RK, Forester BP et al (including Schouws SN). A report on older-age bipolar disorder from the International Society for Bipolar Disorders Task Force. *Bipolar disorders* 2015; 17:689-704.
197. Sanders JB, Comijs HC, Bremmer MA, Deeg DJ, Beekman AT. A 13-year prospective cohort study on the effects of aging and frailty on the depression-pain relationship in older adults. *International journal of geriatric psychiatry* 2015; 30:751-757.
198. Schaakxs R, Verhoeven JE, Voshaar RC, Comijs HC, Penninx BW. Leukocyte telomere length and late-life depression. *American journal of geriatric psychiatry* 2015; 23:423-432.
199. Schmaal L, Marquand AF, Rhebergen D, van Tol MJ, Ruhe HG, van der Wee NJ, Veltman DJ, Penninx BW. Predicting the naturalistic course of major depressive disorder using clinical and multimodal neuroimaging information: A multivariate pattern recognition study. *Biological psychiatry* 2015; 78:278-286.
200. Schneiders FL, Huijts CM, Mantici A, Menks MA, Scotet E, Veerhuis R et al. Aminobisphosphonates inhibit dendritic cell-mediated antigen-specific activation of CD1d-restricted iNKT cells. *Clinical immunology* 2015; 158:92-99.
201. Schouws SN, Paans NP, Comijs HC, Dols A, Stek ML. Coping and personality in older patients with bipolar disorder. *Journal of affective disorders* 2015; 184:67-71.
202. Schuurhuizen CS, Braamse AM, Beekman AT, Bomhof-Roordink H, Bosmans JE, Cuijpers P et al (including Dekker J). Screening and treatment of psychological distress in patients with metastatic colorectal cancer: study protocol of the TES trial. *Bmc cancer* 2015; 15:302.
203. Seldenrijk A, Vogelzangs N, Batelaan NM, Wieman I, van Schaik DJ, Penninx BWJH. Depression, anxiety and 6-year risk of cardiovascular disease. *Journal of psychosomatic research* 2015; 78:123-129.
204. Selten J, Laan W, Kupka R, Smeets H, van Os J. Erratum to: Risk of psychiatric treatment for mood disorders and psychotic disorders among migrants and Dutch nationals in Utrecht, The Netherlands (vol 47, pg 271, 2012). *Social psychiatry and psychiatric epidemiology* 2015; 50:167-169.
205. Semeijn E, Korten N, Comijs H, Michielsen M, Deeg D, Beekman A, Kooij J. No lower cognitive functioning in older adults with attention-deficit/hyperactivity disorder. *International psychogeriatrics* 2015; 27:1467-1476.
206. Semeijn E, Comijs H, Kooij J, Michielsen M, Beekman A, Deeg D. The role of adverse life events on depression in older adults with ADHD. *Journal of affective disorders* 2015; 174:574-579.
207. *Shah S, Bonder MJ, Marioni RE, Zhu Z, McRae AF, Zernakova A et al.(including Jansen R for the BIOS Consortium). Improving phenotypic prediction by combining genetic and epigenetic associations. *American journal of human genetics* 2015; 97:75-85.
208. Shungin D, Winkler TW, Croteau-Chonka DC, Ferreira T, Lockes AE, et al (including Penninx BW). New genetic loci link adipose and insulin biology to body fat distribution. *Nature* 2015; 518:187-U378.
209. Silarova B, Giltay EJ, van Reedt-Dortland A, van Rossum EF, Hoencamp E, Penninx BW, Spijker AT. Metabolic syndrome in patients with bipolar disorder: Comparison with major depressive disorder and non-psychiatric controls. *Journal of psychosomatic research* 2015; 78:391-398.
210. Sinnema H, Majo MC, Volker D, Hoogendoorn A, Terluin B, Wensing M, van Balkom AJ. Effectiveness of a tailored implementation programme to improve recognition, diagnosis and treatment of anxiety and depression in general practice: a cluster randomised controlled trial. *Implementation science* 2015; 10:33.
211. Sinnema H, Oosterbaan D, Terluin B, van Wetten H, Franx G, van Balkom AJLM. How to improve recognition, diagnosis and treatment of anxiety disorders in primary care: Results of the Dutch Breakthrough Collaborative. *Methodological review of applied research* 2015; 2:7-26.
212. Smeets-Janssen MM, Roelofs K, van Pelt J, Spinhoven P, Zitman FG, Penninx BW, Giltay EJ. Salivary testosterone is consistently and positively associated with extraversion: results from the Netherlands Study of Depression and Anxiety. *Neuropsychobiology* 2015; 71:76-84.
213. Smit M, Wennink HJ, Heres MM, Dolman KK, Honig A. Mirtazapine in pregnancy and lactation data from a case series. *Journal of clinical psychopharmacology* 2015; 35:163-167.

214. Snoek FJ, Bremmer MA, Hermanns N. Constructs of depression and distress in diabetes: time for an appraisal. *Lancet diabetes & endocrinology* 2015; 3:450-460.
215. Spaans HP, Sienaert P, Bouckaert F, van den Berg JF, Verwijk E, Kho KH, Stek ML, Kok RM. More data on speed of remission with ECT in geriatric depression. Reply. *British journal of psychiatry* 2015; 206:167-168.
216. Spaans HP, Sienaert P, Bouckaert F, van den Berg JF, Verwijk E, Kho KH, Stek ML, Kok RM. Speed of remission in elderly patients with depression: electroconvulsive therapy v. medication. *British journal of psychiatry* 2015; 206:67-71.
217. Spinhoven P, Penninx BW, Krempeinou A, van Hemert AM, Elzinga B. Trait rumination predicts onset of Post-Traumatic Stress Disorder through trauma-related cognitive appraisals: A 4-year longitudinal study. *Behaviour research and therapy* 2015; 71:101-109.
218. Spinhoven P, Drost J, van Hemert B, Penninx BW. Common rather than unique aspects of repetitive negative thinking are related to depressive and anxiety disorders and symptoms. *Journal of anxiety disorders* 2015; 33:45-52.
219. Spinhoven P, Elzinga BM, Giltay E, Penninx BWJH. Anxious or depressed and still happy? *Plos one* 2015; 10:e0139912.
220. Staphorsius AS, Kreukels BP, Cohen-Kettenis PT, Veltman DJ, Burke SM, Schagen SE et al. Puberty suppression and executive functioning: An fMRI-study in adolescents with gender dysphoria. *Psychoneuroendocrinology* 2015; 56:190-199.
221. Staufenbiel SM, Penninx BW, de Rijke YB, van den Akker EL, van Rossum EF. Determinants of hair cortisol and hair cortisone concentrations in adults. *Psychoneuroendocrinology* 2015; 60:182-194.
222. Stegink EE, van der Voort TY, van der Hoof T, Kupka RW, Goossens PJ, Beekman AT, van Meijel B. The working alliance between patients with bipolar disorder and the nurse: helpful and obstructive elements during a depressive episode from the patients' perspective. *Archives of psychiatric nursing* 2015; 29:290-296.
223. *Stomp W, Reijniere M, Kloppenburg M, de Mutsert R, Bovée JV, den Heijer M, Bloem JL; NEO study group (including Penninx BW for the NEO study group). Prevalence of cartilaginous tumours as an incidental finding on MRI of the knee. *European radiology* 2015; 25(12):3480-7.
224. Stouten-Kemperman MM, de Ruiter MB, Boogerd W, Veltman DJ, Reneman L, Schagen SB. Very late treatment-related alterations in brain function of breast cancer survivors. *Journal of the international neuropsychological society* 2015; 21:50-61.
225. Stringer B, van Meijel B, Karman P, Koekkoek B, Hoogendoorn AW, Kerkhof AJ, Beekman AT. Collaborative care for patients with severe personality disorders: preliminary results and active ingredients from a pilot study (Part I). *Perspectives in psychiatric care* 2015; 51:180-189.
226. Stringer B, van Meijel B, Karman P, Koekkoek B, Kerkhof AJ, Beekman AT. Collaborative care for patients with severe personality disorders: analyzing the execution process in a pilot study (Part II). *Perspectives in psychiatric care* 2015; 51:220-227.
227. Surakka I, Horikoshi M, Magi R, Sarin AP, Mahajan A, Lagou V et al (including Penninx BW, Smit JH). The impact of low-frequency and rare variants on lipid levels. *Nature genetics* 2015; 47:589-597.
228. ten Kulve JS, Veltman DJ, van Bloemendaal L, Barkhof F, Deacon CF, Holst JJ et al. Endogenous GLP-1 mediates postprandial reductions in activation in central reward and satiety areas in patients with type 2 diabetes. *Diabetologia* 2015; 58:2688-2698.
229. Thesing C, Stek M, van Grootheest D, van de Ven P, Beekman A, Kupka R, Comijs H, Dols A. Childhood abuse, family history and stressors in older patients with bipolar disorder in relation to age at onset. *Journal of affective disorders* 2015; 184:249-255.
230. Thiart H, Lehr D, Ebert DD, Berking M, Riper H. Log in and breathe out: internet-based recovery training for sleepless employees with work-related strain - results of a randomized controlled trial. *Scandinavian journal of work environment & health* 2015; 41:164-174.
231. Thorsen AL, van den Heuvel OA, Hansen B, Kvale G. Neuroimaging of psychotherapy for obsessive-compulsive disorder: A systematic review. *Psychiatry research-neuroimaging* 2015; 233:306-313.
232. Tibi L, van Oppen P, Aderka IM, van Balkom AJ, Batelaan N, Spinhoven P, Penninx BW, Anholt GE. An admixture analysis of age of onset in agoraphobia. *Journal of affective disorders* 2015; 180:112-115.
233. Treur JL, Vink JM, Boomsma DI, Middeldorp CM. Spousal resemblance for smoking: Underlying mechanisms and effects of cohort and age. *Drug and alcohol dependence* 2015; 153:221-8.

234. Trujillo JP, Gerrits NJ, Vriend C, Berendse HW, van den Heuvel OA, van der Werf YD. Impaired planning in Parkinson's disease is reflected by reduced brain activation and connectivity. *Human brain mapping* 2015; 36:3703-3715.
235. Trujillo JP, Gerrits NJ, Veltman DJ, Berendse HW, van der Werf YD, van den Heuvel OA. Reduced neural connectivity but increased task-related activity during working memory in de novo Parkinson patients. *Human brain mapping* 2015; 36:1554-1566.
236. Tully PJ, Wardenaar KJ, Penninx BW. Operating characteristics of depression and anxiety disorder phenotype dimensions and trait neuroticism: A theoretical examination of the fear and distress disorders from the Netherlands study of depression and anxiety. *Journal of affective disorders* 2015; 174:611-618.
237. Vaez A, Jansen R, Prins BP, Hottenga JJ, de Geus EJ, Boomsma DI, Penninx BW et al. In silico post genome-wide association studies analysis of C-Reactive protein loci suggests an important role for interferons. *Circulation-cardiovascular genetics* 2015; 8:487-497.
238. van Beek JH, Lubke GH, de Moor MH, Willemsen G, de Geus EJ, Hottenga JJ, Walters RK, Smit JH, Penninx BW, Boomsma DI. Heritability of liver enzyme levels estimated from genome-wide SNP data. *European journal of human genetics* 2015; 23:1223-1228.
239. van Beljouw IM, van Exel E, van de Ven PM, Joling KJ, Dhondt TD, Stek ML, van Marwijk HW. Does an outreaching stepped care program reduce depressive symptoms in community-dwelling older adults? A randomized implementation trial. *American journal of geriatric psychiatry* 2015; 23:807-817.
240. van Beljouw IM, Heerings M, Abma TA, Laurant MG, Veer-Tazelaar PJ, Baur VE, Stek ML, van Marwijk ML, van Exel E. Pulling out all the stops: what motivates 65+ year olds with depressive symptoms to participate in an outreaching preference-led intervention programme? *Aging & mental health* 2015; 19:453-463.
241. van Bloemendaal L, Veltman DJ, ten Kulve JS, Drent ML, Barkhof F, Diamant M, Ijzerman RG. Emotional eating is associated with increased brain responses to food-cues and reduced sensitivity to GLP-1 receptor activation. *Obesity (Silver Spring, Md.)* 2015; 23:2075-2082.
242. van Bloemendaal L, Veltman D, ten Kulve J, Groot P, Ruhe H, Barkhof F et al. Brain reward-system activation in response to anticipation and consumption of palatable food is altered by glucagon-like peptide-1 receptor activation in humans. *Diabetes obesity & metabolism* 2015; 17:878-886.
243. van Borkulo C, Boschloo L, Borsboom D, Penninx BWJH, Waldorp LJ, Schoevers RA. Association of symptom network structure with the course of longitudinal depression. *JAMA psychiatry* 2015; 72:1219-1226.
244. van de Ven RM, Schmand B, Groet E, Veltman DJ, Murre JM. The effect of computer-based cognitive flexibility training on recovery of executive function after stroke: rationale, design and methods of the TAPASS study. *Bmc neurology* 2015; 15:144.
245. van den Heuvel E, van Schoor N, Vermeer C, Zwijsen R, den Heijer M, Comijs H. Vitamin K status is not associated with cognitive decline in middle aged adults. *Journal of nutrition health & aging* 2015; 19:908-912.
246. van den Heuvel OA. Toward brain-based guidance of clinical practice. *JAMA psychiatry* 2015; 72:108-109.
247. van der Aa HP, Comijs HC, Penninx BW, van Rens GH, van Nispen RM. Major depressive and anxiety disorders in visually impaired older adults. *Investigative ophthalmology & visual science* 2015; 56:849-854.
248. van der Aa HP, van Rens GH, Comijs HC, Margrain TH, Gallindo-Garre F, Twisk JW, van Nispen RM. Stepped care for depression and anxiety in visually impaired older adults: multicentre randomised controlled trial. *Bmj* 2015; 351:h6127.
249. van der Geugten J, Dijkstra M, van Meijel B, den Uyl MHG, de Vries NK. Sexual and reproductive health education: opinions of students and educators in Bolgatanga municipality, northern Ghana. *Sex education-sexuality society and learning* 2015; 15:113-128.
250. van der Geugten J, van Meijel B, den Uyl MH, de Vries NK. Evaluation of a sexual and reproductive health education programme: students' knowledge, attitude and behaviour in Bolgatanga municipality, northern Ghana. *African journal of reproductive health* 2015; 19(3):126-36.
251. van der Leeuw G, Gerrits M, Terluin B, Numans M, Feltz-Cornelis C, van der Horst H, Penninx B, van Marwijk H. The association between somatization and disability in primary care patients. *Journal of psychosomatic research* 2015; 79:117-122.

252. van der Meijden WP, te Lindert BH, Bijlenga D, Coppens JE, Gomez-Herrero G, Bruijijl J et al (including Kooij J). Post-illumination pupil response after blue light: Reliability of optimized melanopsin-based phototransduction assessment. *Experimental eye research* 2015; 139:73-80.
253. van der Stel JC. Precision in psychiatry. *Acta psychiatrica scandinavica* 2015; 132:310-311.
254. van der Stel JC. Precision in addiction care: does it make a difference? *The Yale journal of biology and medicine* 2015; 88:415-422.
255. van der Veen D, van Zelst W, Schoevers R, Comijs H, Voshaar R. Comorbid anxiety disorders in late-life depression: results of a cohort study. *International psychogeriatrics* 2015; 27:1157-1165.
256. van der Voort TY, van Meijel B, Hoogendoorn AW, Goossens PJ, Beekman AT, Kupka RW. Collaborative care for patients with bipolar disorder: Effects on functioning and quality of life. *Journal of affective disorders* 2015; 179:14-22.
257. van der Voort TY, Seldenrijk A, van Meijel B, Goossens PJ, Beekman AT, Penninx BW, Kupka RW. Functional versus syndromal recovery in patients with major depressive disorder and bipolar disorder. *Journal of clinical psychiatry* 2015; 76:E809-E814.
258. van der Voort TY, van Meijel B, Goossens PJ, Hoogendoorn AW, Draisma S, Beekman A, Kupka RW. Collaborative care for patients with bipolar disorder: randomised controlled trial. *British journal of psychiatry* 2015; 206:393-400.
259. van der Zalm YC, Nugteren WA, Hafsteinsdottir TB, van der Venne CGJM, Kool N, van Meijel B. Psychiatric nursing care for adult survivors of child maltreatment: a systematic review of the literature. *Perspectives in psychiatric care* 2015; 51:71-78.
260. van Dijk M, Oosterbaan D, Verbraak M, Hoogendoorn A, Penninx B, van Balkom A. Effectiveness of the implementation of guidelines for anxiety disorders in specialized mental health care. *Acta psychiatrica scandinavica* 2015; 132:69-80.
261. van Dongen J, Willemsen G, Heijmans B, Neuteboom J, Kluit C, Jansen R, Penninx B et al. Longitudinal weight differences, gene expression and blood biomarkers in BMI-discordant identical twins. *International journal of obesity* 2015; 39:899-909.
262. van Emmerik-van Oortmerssen K, Vedel E, van den Brink W, Schoevers RA. Integrated cognitive behavioral therapy for patients with substance use disorder and comorbid ADHD: two case presentations. *Addictive behaviors* 2015; 45:214-7.
263. van Haften-van Dijk A, Meiland F, Van Mierlo L, Dröes R. Transforming nursing home-based day care for people with dementia into socially integrated community day care: Process analysis of the transition of six day care centres. *International journal of nursing studies* 2015; 52:1310-1322.
264. van Haften-van Dijk A, van Weert JC, Dröes RM. Implementing living room theatre activities for people with dementia on nursing home wards: a process evaluation study. *Aging & mental health* 2015; 19:536-547.
265. van Kooten J, Delwel S, Binnekade TT, Smalbrugge M, van der Wouden JC, Perez RS et al (including Rhebergen D, Stek ML). Pain in dementia: prevalence and associated factors: protocol of a multidisciplinary study. *Bmc geriatrics* 2015; 15:29.
266. van Leeuwen EM, Karssen LC, Deelen J, Isaacs A, Medina-Gomez C, Mbarek H et al (including Milaneschi Y, Penninx BW). Genome of the Netherlands population-specific imputations identify an ABCA6 variant associated with cholesterol levels. *Nature communications* 2015; 6: 6065.
267. van Marwijk HW, van der Kooy KG, Stehouwer CD, Beekman AT, van Hout HP. Depression increases the onset of cardiovascular disease over and above other determinants in older primary care patients, a cohort study. *Bmc cardiovascular disorders* 2015; 15:40.
268. van Meijel B, Pearson GS. An international inaugural address. *Perspectives in psychiatric care* 2015; 51:229.
269. van Meijel B. Colorful perspectives (editorial). *Perspectives in psychiatric care* 2015; 51:229-235.
270. van Meijel B, van Hamersveld S, van Gool R, van der Bijl J, van Harten P. Effects and feasibility of the "traffic light method for somatic screening and lifestyle" in patients with severe mental illness: a pilot study. *Perspectives in psychiatric care* 2015; 51:106-113.
271. van Mierlo L, Bootsma-Van der Wiel A, Meiland F, Van Hout H, Stek M, Dröes R. Tailored mental health care after nursing home admission: improving transfers of people with dementia with behavioral problems. An explorative study. *Aging & mental health* 2015; 19:902-911.

272. van Mierlo LD, Meiland FJ, de Ven PM, V, van Hout HP, Dröes RM. Evaluation of DEM-DISC, customized e-advice on health and social support services for informal carers and case managers of people with dementia; a cluster randomized trial. *International psychogeriatrics* 2015; 27:1365-1378.
273. van Mierlo TJ, Chung C, Foncke EM, Berendse HW, van den Heuvel OA. Depressive symptoms in Parkinson's disease are related to decreased hippocampus and amygdala volume. *Movement disorders* 2015; 30:245-252.
274. van Schaik AM, Rhebergen D, Henstra MJ, Kadouch DJ, van Exel E, Stek ML. Cognitive impairment and electroconvulsive therapy in geriatric depression, what could be the role of Rivastigmine? A case series. *Clinics and practice* 2015; 5:780.
275. van Varsseveld N, van Bunderen C, Sohl E, Comijs H, Penninx B, Lips P, Drent M. Serum insulin-like growth factor 1 and late-life depression: A population-based study. *Psychoneuroendocrinology* 2015; 54:31-40.
276. van Velzen LS, de Wit SJ, Curcic-Blake B, Cath DC, de Vries FE, Veltman DJ, van der Werf YD, van den Heuvel OA. Altered inhibition-related frontolimbic connectivity in obsessive-compulsive disorder. *Human brain mapping* 2015; 36:4064-4075.
277. van Zoonen K, Kleiboer A, Beekman AT, Smit JH, Boerema AM, Cuijpers P. Reasons and determinants of help-seeking in people with a subclinical depression. *Journal of affective disorders* 2015; 173:105-112.
278. Veld JGHI, Verkaik R, Mistiaen P, van Meijel B, Francke AL. The effectiveness of interventions in supporting self-management of informal caregivers of people with dementia; a systematic meta review. *Bmc geriatrics* 2015; 15:147.
279. Verduijn J, Milaneschi Y, Schoevers RA, van Hemert AM, Beekman ATF, Penninx BWJH. Pathophysiology of major depressive disorder: mechanisms involved in etiology are not associated with clinical progression. *Translational psychiatry* 2015; 5:e649.
280. Verduijn J, Milaneschi Y, van Hemert AM, Schoevers RA, Hickie IB, Penninx BWJH, Beekman ATF. Clinical staging of major depressive disorder: an empirical exploration. *Journal of clinical psychiatry* 2015; 76:1200-1208.
281. Verhoeven JE, van Oppen P, Puterman E, Elzinga B, Penninx BWJH. The association of early and recent psychosocial life stress with leukocyte telomere length. *Psychosomatic medicine* 2015; 77:882-891.
282. Verhoeven JE, Revesz D, van Oppen P, Epel ES, Wolkowitz OM, Penninx BW. Anxiety disorders and accelerated cellular ageing. *British journal of psychiatry* 2015; 206:371-378.
283. Verschueren S, Berends T, Kool-Goudzwaard N, van Huigenbosch E, Gamel C, Dingemans A, van Elburg A, van Meijel B. Patients with anorexia nervosa who self-injure: a phenomenological study. *Perspectives in psychiatric care* 2015; 51:63-70.
284. Verwijk E, Spaans HP, Comijs HC, Kho KH, Sienaert P, Bouckaert F, Obbels J, Scherder EJ, Stek ML, Kok RM. Relapse and long-term cognitive performance after brief pulse or ultrabrief pulse right unilateral electroconvulsive therapy: A multicenter naturalistic follow up. *Journal of affective disorders* 2015; 184:137-144.
285. Vimalaswaran KS, Cavadino A, Verweij N, Nolte IM, Leach IM, Auvinen J et al (including Penninx BW). Interactions between uncoupling protein 2 gene polymorphisms, obesity and alcohol intake on liver function: a large meta-analysed population-based study. *European journal of endocrinology* 2015; 173:863-872.
286. Vinkers CH, Joels M, Milaneschi Y, Gerritsen L, Kahn RS, Penninx BW, Boks MP. Mineralocorticoid receptor haplotypes sex-dependently moderate depression susceptibility following childhood maltreatment. *Psychoneuroendocrinology* 2015; 54:90-102.
287. Vis C, Kleiboer A, Prior R, Bones E, Cavello M, Clark SA, Dozeman E et al (including Mol M, van Schaik A, Smit JH, Riper H). Implementing and up-scaling evidence-based eMental health in Europe: The study protocol for the MasterMind project. *Internet interventions* 2015; 2:399-409.
288. *Visser A, de Mutsert R, le Cessie S, den Heijer M, Rosendaal F, Kloppenburg M et al (including Penninx BW for the Netherlands Epidemiology of Obesity (NEO) Study Group). The relative contribution of mechanical stress and systemic processes in different types of osteoarthritis: the NEO study. *Annals of the rheumatic diseases* 2015; 74:1842-1847.
289. *Visser A, de Mutsert R, Bloem JL, Reijnierse M, Kazato H, le Cessie S et al (including Penninx BW for the Netherlands Epidemiology of Obesity (NEO) Study Group). Do knee osteoarthritis and fat-free mass interact in their impact on health-related quality of life in men? Results from a population-based cohort. *Arthritis care & research* 2015; 67:981-988.

290. Visser HA, van Megen H, van Oppen P, Eikelenboom M, Hoogendorn AW, Kaarsemaker M, van Balkom AJ. Inference-based approach versus cognitive behavioral therapy in the treatment of obsessive-compulsive disorder with poor insight: a 24-session randomized controlled trial. *Psychotherapy and psychosomatics* 2015; 84:284-293.
291. Vogel SW, Bijlenga D, Tanke M, Bron TI, van der Heijden KB, Swaab H, Beekman AT, Kooij JJ. Circadian rhythm disruption as a link between Attention-Deficit/Hyperactivity Disorder and obesity? *Journal of psychosomatic research* 2015; 79:443-450.
292. Volker D, Zijlstra-Vlasveld MC, Anema JR, Beekman AT, Brouwers EP, Emons WH et al. Effectiveness of a blended web-based intervention on return to work for sick-listed employees with common mental disorders: results of a cluster randomized controlled trial. *Journal of medical internet research* 2015; 17:e116.
293. Vriend C, Gerrits NJ, Berendse HW, Veltman DJ, van den Heuvel OA, van der Werf YD. Failure of stop and go in de novo Parkinson's disease-a functional magnetic resonance imaging study. *Neurobiology of aging* 2015; 36:470-475.
294. Wanders RB, Wardenaar KJ, Penninx BW, Meijer RR, de Jonge P. Data-driven atypical profiles of depressive symptoms: Identification and validation in a large cohort. *Journal of affective disorders* 2015; 180:36-43.
295. Wanders RB, Wardenaar KJ, Kessler RC, Penninx BW, Meijer RR, de Jonge P. Differential reporting of depressive symptoms across distinct clinical subpopulations: What Difference does it make? *Journal of psychosomatic research* 2015; 78:130-136.
296. Westerneng M, de Cock P, Spelten ER, Honig A, Hutton EK. Factorial invariance of pregnancy-specific anxiety dimensions across nulliparous and parous pregnant women. *Journal of health psychology* 2015; 20:164-172.
297. Wiersma JE. Childhood adversity and depression. *Journal of clinical psychiatry* 2015; 76:E906-E907.
298. Winkler TW, Justice AE, Graff M, Barata L, Feitosa MF, Chu S et al (including Jansen R, Smit JH, Penninx BW). The influence of age and sex on genetic associations with adult body size and shape: a large-scale genome-wide interaction study. *PLoS genetics* 2015; 11:e1005378.
299. Yu D, Mathews CA, Scharf JM, Neale BM, Davis LK, Gamazon ER et al (including Smit JH). Cross-disorder genome-wide analyses suggest a complex genetic relationship between Tourette's syndrome and OCD. *American journal of psychiatry* 2015; 172:82-93.
300. Zuidersma M, Izaks GJ, Naarding P, Comijs HC, Oude Voshaar RC. Vascular burden and cognitive function in late-life depression. *American journal of geriatric psychiatry* 2015; 23:514-524.

Publications in Dutch

1. Ammeraal M, Theunissen JR. Naar de verwelkoming van verschil: kwartiermaken. *Tijdschrift voor participatie en herstel* 2015; 24:46-49.
2. Batelaan NM, van Balkom AJLM. Angststoornissen. *Quintesse* 2015;1, 6-11.
3. Dorrepaal E, Thomaes K, Draijer N, Veltman DJ, van Balkom AJLM. Emotieregulatie hoort in het therapeutisch arsenaal bij complexe PTSS: consensus en evidence. *Tijdschrift voor psychiatrie* 2015; 57:340-342.
4. Dozeman E, Beekman A. Diagnostiek volgens DSM 5. *Nurse academy GGZ* 2015; 1, 4-8. 2015.
5. Dozeman, E., Mol, M., and Schaik, D. J. F. E-Mental health: blended behandeling voor patiënten met een depressie. *Nurse academy GGZ* 2015; 4, 41-46.
6. Hattink BJJ, Meiland FJM, Campman CAM, Rietsema J, Sitskoorn M, Droes RM. Zelf dementie ervaren: Ontwikkeling en evaluatie van de Into D'mentia simulator. *Tijdschrift voor gerontologie en geriatrie* 2015; 46:262-281.
7. Honig A, Verwey B, Kromkamp M, Sierink D, Gordijn M, Leue C et al. Reactie op "Aandachtsgebieden in de psychiatrie: aanwinst of verlies? *Tijdschrift voor psychiatrie* 2015; 57:626.
8. Huijbregts K, Batelaan N. Agomelatine bij depressieve stoornissen. *Huisarts en wetenschap* 2015; 58:336.
9. Huijbregts KM, Muntingh AD. Collaborative care in de huisartsenpraktijk: samenwerkingsmodel voor betere zorg. *Psychopraktijk* 2015; 5:19-23.
10. Jansen JM, van der Werf YD, van den Heuvel OA, de Wit SJ, van den Brink W, Goudriaan AE. Niet-invasieve hersenstimulatie bij verslaving; het effect op craving en emotieregulatie. *Neuropraxis* 2015; 189:54-58.
11. Kieviet N, Honig A. De relatie tussen antidepressivagebruik tijdens de zwangerschap en prematuriteit (referaat). *Tijdschrift voor psychiatrie* 2015; 57:291-292.
12. Kool N, Koekkoek B, van Meijel B. Omgaan met patiënten die zichzelf beschadigen. *Nurse academy GGZ* 2015; 3:19-24.
13. Leentjens AFG, van den Heuvel OA. Dilemma's bij de behandeling van psychiatrische symptomen bij patiënten met de ziekte van Parkinson. *Tijdschrift voor psychiatrie* 2015; 57:138-142.
14. Manschot GM, Hondius AJK, van Dijk MM, Honig A. Behandelimpasse bij een patiënt met paranoïde denkbeelden en een testis-carcinoom door gecombineerde inzet WGBO en Wet Bopz. *Tijdschrift voor psychiatrie* 2015; 57:680-683.
15. Meeuwissen J, van Gool R, Hermens M, van Meijel B. Leefstijlbevordering bij mensen met een ernstige psychische aandoening. *Tijdschrift voor evidence based practice* 2015; 4:7-10.
16. Olde Rikkert MGM, van Exel E, Knol W, Lemstra AWE, Roks G, Verhey FRJ. Richtlijn diagnostiek en behandeling van dementie. *Nederlands tijdschrift voor geneeskunde* 2015; 159:A8671.
17. Olieman R, Wennink H, Honig A. SSRI-gebruik tijdens de zwangerschap en het risico op een autismespectrumstoornis bij het kind (referaat). *Tijdschrift voor psychiatrie* 2015; 57:58.
18. Rhebergen D. De psychiater als somatisch arts. *Tijdschrift voor psychiatrie* 2015; 57:558-560.
19. Rhebergen D, Sienaert P. Voorspellen psychomotore symptomen de behandelrespons bij depressieve stoornissen? [Do psychomotor symptoms predict the treatment response of patients with depressive disorders?]. *Tijdschrift voor psychiatrie* 2015; 57:83-88.
20. Schouws S. Zin en onzin van het meten van intelligentie. *Psychopraktijk* 2015; 7:34-36.
21. Stringer B, Koekkoek B, van Meijel B, Kerkhof A, Beekman ATF. Een collaborative care programma voor patiënten met (ernstige) persoonlijkheidsstoornissen. *Nurse academy GGZ* 2015; 1.
22. Thomaes K, Dorrepaal E, van Balkom AJLM, Veltman DJ, Smit JH, Hoogendoorn AW, Draijer N. Complexe PTSS na vroegkinderlijk trauma: emotieregulatietraining als aanvulling op de PTSS-richtlijn. *Tijdschrift voor psychiatrie* 2015; 57:171-182.
23. Thomaes K, Dorrepaal E, van Balkom AJLM, Veltman DJ, Smit JH, Hoogendoorn AW, Draijer N. Antwoord aan de Jongh e.a. *Tijdschrift voor psychiatrie* 2015; 57:472-473.

24. Van HL, Ingenhoven T, Draijer N. Nut en noodzaak van de DSM-classificatie 'niet anderszins omschreven'. *Tijdschrift voor psychiatrie* 2015; 57(4):265-7.
25. van Balkom AJLM, Gabriëls L, van den Heuvel OA. Angst, obsessieve-compulsieve stoornis en trauma in de DSM-5. *Tijdschrift voor bedrijfs- en verzekeringsgeneeskunde* 2015; 23, 459-462.
26. van der Stel JC. Functioneel herstel en zelfregulatie: opgaven voor cliënten en psychiaters. *Tijdschrift voor psychiatrie* 2015; 57:815-822.
27. van der Stel, J. C. Functioneel herstel en zelfregulatie in de gezondheidszorg. De rol van de verpleegkundige? *Nurse academy GGZ 1*, 18-23. 2015.
28. van Gool R, Meeuwissen J, van Meijel B. Mind the body! *Nurse academy GGZ* 2015; 2:4-10.
29. van Haften-van Dijk AM, Meiland FJM, Hattink BJJ, Dröes RM. Transitie van een psychogeriatrische dagbehandeling in het verpleeghuis naar een laagdrempelige dagbehandeling in de wijk: een pilotonderzoek [Transition of a psychogeriatric day care in the nursing home to easy-access day care plus caregiver support in the community: a pilot study]. *Tijdschrift voor gerontologie en geriatricie* 2015; 46:1-11.
30. van Harten PN, Morrens M, Rhebergen D, Sienaert P, Dhossche DM. Bewegingsstoornissen in de psychiatrie. *Tijdschrift voor psychiatrie* 2015; 57:74-76.
31. van Meijel B. Kleurrijke perspectieven. Notities over de GGZ-verpleegkunde. Verpleegkunde. *Nederlands-Vlaams wetenschappelijk tijdschrift voor verpleegkundigen* 2015; 3:12-16.
32. van Meijel B. Suïcidale patiënten en verpleegkundigen. *Tijdschrift voor verpleegkundig experts* 2015; 125:34-35.
33. van Meijel B. Kleurrijke perspectieven. Notities over de GGZ-verpleegkunde. *Onderwijs & gezondheidszorg* 2015; 4:32-33.
34. van Oppen P. Wat psychotherapeuten kunnen leren van honkbal, hockey en van Gaal. *Tijdschrift voor gedragstherapie en cognitieve therapie* 2015; 48:351-363.
35. van Oppen P. Onze klinische intuïtie misleidt ons. *GZ-psychologie* 2015; 7:6-9.
36. van Oudheusden LJB, Meynen G, van Balkom AJLM. Psychiatrische comorbiditeit: theoretische en klinische dilemma's. *Tijdschrift voor psychiatrie* 2015; 57:664-671.
37. van Steenberg-Weijnenburg KM, Feltz-Cornelis CM, van Benthem TB, Horn EK, Ploeger R, Brals JW et al. Collaborative care voor de behandeling van comorbide depressieve stoornis bij chronisch lichamelijk zieke patiënten op een polikliniek van een algemeen ziekenhuis. *Tijdschrift voor psychiatrie* 2015; 57:248-257.
38. Veltman EM, Rhebergen D, van Exel E, Stek ML. Hashimoto-encefalitis en depressie [Hashimoto encephalitis and depression]. *Tijdschrift voor psychiatrie* 2015; 57:280-283.

Books / book chapters

1. Cuijpers P, Riper H. Internet interventions for depressive disorders: an overview. *Revista Latinoamericana de Psicopatologia Fundamental* 2015; 19:209-216.
2. Dröes RM. Les chances apportées par les Meeting centers aux Pays-Bas. Un soutien psychosocial pour les personnes ayant une démence et leur famille. In: *Vieillir, risques et chances: petit traité de psychogérontologie*. Editor: Montfort JC. Paris: Lavoisier Médecine Sciences, 2015; pp. 550-554.
3. Dröes RM. Uiteindelijk gaat het om kwaliteit van leven. In: *Meer kwaliteit van leven: integratieve, persoonsgerichte, dementiezorg*. Editors: Dröes RM, Scheltens P, Schols J. Leusden: Diagnosis Uitgevers, 2015.
4. Dröes RM, Scherder EJA. Activeringsstrategieën. In: *Meer kwaliteit van leven; integratieve, persoonsgerichte, dementiezorg*. Editors: Dröes RM, Scheltens P, Schols J. Leusden: Diagnosis Uitgevers, 2015.
5. Dröes RM, Scheltens P, Schols J. *Meer kwaliteit van leven: integratieve, persoonsgerichte, dementiezorg*. Leusden: Diagnosis Uitgevers, 2015.
6. Finnema EJ, van der Kooij CH, Dröes RM. Omgaan met dementie: belevingsgerichte begeleiding en zorg in de verschillende stadia van dementie. In: *Meer kwaliteit van leven: integratieve, persoonsgerichte, dementiezorg*. Editors: Dröes RM, Scheltens P, Schols J. Leusden: Diagnosis Uitgevers, 2015.
7. Honig A, Heres M, Wennink H. Expertisebehandelcentra voor psychiatrie en zwangerschap: POP-poli Sint Lucas Andreas Ziekenhuis Amsterdam. In: *Handboek Psychiatrie en Zwangerschap*. Utrecht: de Tijdstroom, 2015; pp. 380-384.
8. Kupka RW, Hilligers MHJ, Scott J. Staging systems in bipolar disorder. In: *Neuroprogression and staging in bipolar disorder*. Editors: Kapscinski F, Vieta E, Magelhaes PVS, Berk M. Oxford: Oxford University Press, 2015.
9. Kupka RW, Klumpers U, Jabben N. Bipolaire Stoornissen. In: *Psychopathologie. Oorzaken, diagnostiek en behandeling*. Editors: Franken I, Muris P, Denys D. Utrecht: de Tijdstroom, 2015.
10. Meiland FJM, van der Leeuw J, Karkowski I, Dröes RM. The Rosetta project. In: *Handbook of Smart Homes, Health Care and Well-Being*. Editors: van Hoof J, Demiris G, Wouters E. Cham, Switzerland: Springer International Publishing, 2014.
11. Meiland FJM, de Witte L. Technologische hulpmiddelen in de zorg voor mensen met dementie. In: *Meer kwaliteit van leven: integratieve, persoonsgerichte, dementiezorg*. Editors: Dröes RM, Scheltens P, Schols J. Leusden: Diagnosis Uitgevers, 2015.
12. Rijnders P, Meulenbeek P, Riper H. Nieuwe vormen van behandelen. In: *Handboek KOP-model: Kortdurende interventies voor de basis-ggz*. Editors: Rijnders P, Heene E. Amsterdam: Boom Psychologie, 2015.
13. Ruhé E, Haarman B, de Boer M, Batelaan N, Birkenhäger T. Antidepressiva. In: *Molemans Praktische Psychofarmacologie*. Editors: Naarding P, Beers E. Houten: Prelum, 2015; pp. 97-188.
14. van der Stel JC. Evolution of mental health and addiction care systems in Europe. In: *Co-occurring addictive and psychiatric disorders*. Editors: Dom G, Moggi F. Heidelberg: Springer, 2015; pp. 13-26.
15. van der Stel JC. *Psychische gezondheidszorg op maat. Op weg naar een precieze en persoonlijke psychiatrie*. Houten: Bohn Stafleu van Loghum, 2015.
16. van Vliet IM, van der Leest-Tijmense YG, van Balkom AJLM. Angststoornissen en obsessieve-compulsieve stoornissen. In: *Leerboek psychiatrie voor verpleegkundigen*. Editors: Clijnsen M, Garenfeld W, Kuipers G, van Loenen E, van Pier M. Amsterdam: Reed business, 2015; pp. 89-115.
17. van Vliet IM, van Balkom AJLM. Angststoornissen en de obsessieve compulsieve stoornis. In: *Handboek psychiatrie en zwangerschap*. Editors: Lambregtse-van den Berg M, van Kamp I, Wennink H. Utrecht: de Tijdstroom, 2015; pp. 57-66.
18. Veltman DJ, van den Heuvel OA. MRI bij de obsessieve-compulsieve stoornis. In: *Beeldvorming van het brein*. Editors: Aleman A, Hulshoff PH. Utrecht: de Tijdstroom, 2015.

19. Wiersma J, van Schaik A, van Oppen P. Cognitive Behavioral Analysis System of Psychotherapy (CBASP) voor de behandeling van chronische depressie. In: *Protocollen voor de GGZ*. Editors: Pijnenborg M, Scholten W. Houten: Bohn Stafleu van Loghum, 2015.
20. Wiersma J, van Schaik A, van Oppen P. Neem de regie over je depressie: Werkboek voor de cliënt. In: *Protocollen voor de GGZ*. Editors: Pijnenborg M, Scholten W. Houten: Bohn Stafleu van Loghum, 2015.

Reports

1. Gouwenberg B, Karamt AD, Hoolwerf B, Rekker R, Schuyt T, Smit JH. Eufori study: European Foundation For Research & Innovation (report). 2015. *Luxemburg, Publication Office of the European Union*.
2. van Grootheest G, de Groot MCH, van der Laan DJ, Smit JH, Bakker BFM. Record linkage for health studies: three demonstration projects (report). 2015. *Den Haag, CBS*.
3. Neeskens M, Theunissen JR. Vignettenstudie patiënten met EPA, regio Zuid-Kennemerland & Meerlanden (report). 2015. *Amsterdam, GGZ inGeest, Onderzoek en Innovatie*.

