

## Publications 2016

## Department of Psychiatry VUmc

## Research Department GGZ inGeest

## International publications (refereed)

\*Authors of our department as part of consortium

1. Adams HH, Hibar DP, Chouraki V, et al. (including Milaneschi Y, Schmaal L, Penninx BW, Veltman DJ). Novel genetic loci underlying human intracranial volume identified through genome-wide association. *Nature Neuroscience* 2016; 19(12):1569-1582.
2. Amin N, Allebrandt KV, van der Spek A, et al. (including Penninx BW). Genetic variants in RBFOX3 are associated with sleep latency. *European Journal of Human Genetics* 2016; 24:1488-1495.
3. Antypa N, Vogelzangs N, Meesters Y, Schoevers R, Penninx BW. Chronotype associations with depression and anxiety disorder in a large cohort study. *Depression & Anxiety* 2016; 33:75-83.
4. Arnone D, Job D, Selvaraj S, et al. (including Veltman DJ). Computational meta-analysis of statistical parametric maps in major depression. *Human Brain Mapping* 2016; 37(4):1393-1404.
5. Arts MHL, Collard RM, Comijs HC, Zuidersma M, de Rooij S, Naarding P, Oude Voshaar RC. Physical and cognitive frailty in depressed older adults: findings from the NESDO study. *Journal of the American Medical Directors Association (JAMDA)* 2016; 17(1):36-43.
6. Asselbergs J, Ruwaard J, Ejdys M, Schrader N, Sijbrandij M, Riper H. Mobile Phone-Based Unobtrusive Ecological Momentary Assessment of Day-to-Day Mood: An Explorative Study. *Journal of medical Internet research* 2016; 18(3):e72.
7. Barban N, Jansen R, de Vlaming R, et al. (including Penninx BW). Genome-wide analysis identifies 12 loci influencing human reproductive behavior. *Nature Genetics* 2016; 48(12):1462-1472.
8. Batelaan N. Childhood trauma predicts onset and recurrence of depression, and comorbid anxiety and depressive disorders. *Evidence-based Mental Health* 2016; 19(3):e18.
9. Batelaan NM, Seldenrijk A, Bot M, van Balkom AJ, Penninx BW. Anxiety and new onset of cardiovascular disease: critical review and meta-analysis. *British Journal of Psychiatry* 2016; 208(3):223-231.
10. Beekman AT. Global mental health for older adults. *American Journal of Geriatric Psychiatry* 2016; 24(4):259-260.
11. Berends T, van Meijel B, Nugteren W, Deen M, Danner UN, Hoek HW, van Elburg AA. Rate, timing and predictors of relapse in patients with anorexia nervosa following a relapse prevention program: a cohort study. *BMC Psychiatry* 2016; 16(1):316.
12. Bet PM, Verbeek EC, Milaneschi Y, Straver DBM, Uithuisje T, Bevoa MR, Hugtenburg JG, Heutink P, Penninx BWJH, Hoogendijk WJG. A common polymorphism in the ABCB1 gene is associated with side effects of PGP-dependent antidepressants in a large naturalistic Dutch cohort. *Pharmacogenomics* 2016; 16:202-208.
13. Biesheuvel-Liefveld KE, Kok GD, Bockting CL, de Graaf R, Ten Have M, van der Horst HE, van Schaik A, van Marwijk HW, Smit F. Non-fatal disease burden for subtypes of depressive disorder: population-based epidemiological study. *BMC Psychiatry* 2016; 16:139.
14. Bijker L, Kleiboer A, Riper H, Cuijpers P, Donker T. E-care 4 caregivers - an online intervention for nonprofessional caregivers of patients with depression: study protocol for a pilot randomized controlled trial. *Trials* 2016; 17:193.
15. Black CN, Bot M, Scheffer PG, Penninx BWJH. Sociodemographic and lifestyle determinants of plasma oxidative stress markers 8-OHdG and F2-Isoprostanes and associations with metabolic syndrome. *Oxidative Medicine and Cellular Longevity* 2016:7530820.
16. Black CN, Penninx BW, Bot M, Odegaard AO, Gross MD, Matthews KA, Jacobs DR Jr. Oxidative stress, anti-oxidants and the cross-sectional and longitudinal association with depressive symptoms: results from the CARDIA study. *Translational Psychiatry* 2016; 6:e743.
17. Boehlen FH, Joos A, Bergmann F, et al. (including van Reedt Dortland A). [Evaluation of the German Version of the "INTERMED-Self-Assessment"-Questionnaire (IM-SA) to Assess Case Complexity]. [Article in German] *Psychotherapie, Psychosomatik, medizinische Psychologie* 2016; 66(5):180-186.

18. Boerema AM, Cuijpers P, Beekman AT, Hellenthal A, Voorrips L, van Straten A. Is duration of psychological treatment for depression related to return into treatment? *Social Psychiatry and Psychiatric Epidemiology* 2016; 51(11):1495-1507.
19. Boerema AM, Kleiboer A, Beekman AT, van Zoonen K, Dijkshoorn H, Cuijpers P. Determinants of help-seeking behavior in depression: a cross-sectional study. *BMC Psychiatry* 2016; 16:78.
20. Bosman RC, Huijbregts KM, Verhaak PF, Ruhé HG, van Marwijk HW, van Balkom AJ, Batelaan NM. Long-term antidepressant use: a qualitative study on perspectives of patients and GPs in primary care. *British Journal of General Practice* 2016; 66(651):e708-719.
21. Boß L, Lehr D, Reis D, Vis C, Riper H, Berking M, Ebert DD. Reliability and Validity of Assessing User Satisfaction With Web-Based Health Interventions. *Journal of Medical Internet Research* 2016; 18(8):e234.
22. Bot M, Milaneschi Y, Penninx BW, Drent ML. Plasma insulin-like growth factor I levels are higher in depressive and anxiety disorders, but lower in antidepressant medication users. *Psychoneuroendocrinology (PNEC)* 2016; 68:148-155.
23. Botterman J, Bode C, Siemons L, van de Laar MA, Dekker J. Exploring fatigue trajectories in early symptomatic knee and hip osteoarthritis: 6-year results from the CHECK study. *Journal of Rheumatology* 2016; 43:1413-1420.
24. Bouckaert F, Dols A, Emsell L, De Winter FL, Vansteelandt K, Claes L, Sunaert S, Stek M, Sienaert P, Vandenbulcke M. Relationship Between Hippocampal Volume, Serum BDNF, and Depression Severity Following Electroconvulsive Therapy in Late-Life Depression. *Neuropsychopharmacology* 2016; 41(11): 2741-2748.
25. Bouckaert F, De Winter FL, Emsell L, Dols A, Rhebergen D, Wampers M, Sunaert S, Stek M, Sienaert P, Vandenbulcke M. Grey matter volume increase following electroconvulsive therapy in patients with late life depression: a longitudinal MRI study. *Journal of Psychiatry and Neuroscience* 2016; 41(2):105-114.
26. Bousardt AM, Hoogendoorn AW, Noorthoorn EO, Hummelen JW, Nijman HL. Predicting inpatient aggression by self-reported impulsivity in forensic psychiatric patients. *Criminal Behavior and Mental Health (CBMH)* 2016; 26(3):161-173.
27. Braamse AM, Yi JC, Visser OJ, Heymans MW, van Meijel B, Dekker J, Syrjala KL. Developing a risk prediction model for long-term physical and psychological functioning after hematopoietic cell transplantation. *Biology of Blood and Marrow Transplantation* 2016; 22(3):549-556.
28. Braamse AM, van Meijel B, Visser OJ, Boenink AD, Cuijpers P, Eeltink CE, Hoogendoorn AW, van Marwijk, Kooy M, van Oppen P, Huijgens PC, Beekman AT, Dekker J. A randomized clinical trial on the effectiveness of an intervention to treat psychological distress and improve quality of life after autologous stem cell transplantation. *Annals of Hematology* 2016; 95(1):105-114.
29. Braamse AM, van Turenhout ST, Terhaar, Sive Droste JS, de Groot GH, van der Hulst RW, Klemm-Kropp M, Kuiken SD, Loffeld RJ, Uiterwaal MT, Mulder CJ, Dekker J. Factors associated with anxiety and depressive symptoms in colorectal cancer survivors. *European Journal of Gastroenterology and Hepatology* 2016;28:831-835.
30. Brailean A, Comijs HC, Aartsen MJ, Prince M, Prina M, Beekman A, Huisman M. Late-life depression symptom dimensions and cognitive functioning in the Longitudinal Aging Study Amsterdam (LASA). *Journal of Affective Disorders* 2016; 201:171-178.
31. Brand BL, Vissia EM, Chalavi S, Nijenhuis ER, Webermann AR, Draijer N, Reinders AA. DID is trauma based: further evidence supporting the trauma model of DID. *Acta Psychiatrica Scandinavica* 2016; 134(6):560-563.
32. Bron TI, Bijlenga D, Kooij JJ, Vogel SW, Wynchank D, Beekman AT, Penninx BW. Attention-deficit hyperactivity disorder symptoms add risk to circadian rhythm sleep problems in depression and anxiety. *Journal of Affective Disorders* 2016; 200:74-81.
33. Bron TI, Bijlenga D, Verduijn J, Penninx BW, Beekman AT, Kooij JJ. Prevalence of ADHD symptoms across clinical stages of major depressive disorder. *Journal of Affective Disorders* 2016; 197:29-35.
34. Bruijijl J, van der Meijden WP, Bijlenga D, Dorani F, Coppens JE, Te Lindert BH, Kooij JJ, van Someren EJ. Individual differences in the post-illumination pupil response to blue light: assessment without mydriatics. *Biology (Basel)* 2016; 5(3).
35. Buntrock C, Ebert DD, Lehr D, Smit F, Riper H, Berking M, Cuijpers P. Effect of a web-based guided self-help intervention for prevention of major depression in adults with subthreshold depression: a randomized clinical trial. *JAMA* 2016; 315(17):1854-1863.

36. Burke SM, Kreukels BP, Cohen-Kettenis PT, Veltman DJ, Klink DT, Bakker J. Male-typical visuospatial functioning in gynephilic girls with gender dysphoria -organizational and activation effects of testosterone. *Journal of Psychiatry and Neuroscience* 2016; 41(6):395-404.
37. Canepa M, Bezante G, Vianello P, Ameri P, Milaneschi Y, et al. Diagnostic value of ischemia severity at myocardial perfusion imaging in elderly persons with suspected coronary disease. *Journal of Cardiovascular Medicine* 2016; 17(10):719-728.
38. Chan MK, Cooper JD, Bot M, Birkenhager TK, Bergink V, Drexhage HA, Steiner J, Rothermundt M, Penninx BW, Bahn S. Blood-based immune-endocrine biomarkers of treatment response in depression. *Journal of Psychiatric Research* 2016; 83:249-259.
39. Chan MK, Cooper JD, Bot M, Steiner J, Penninx BW, Bahn S. Identification of an immune-neuroendocrine biomarker panel for detection of depression: a joint effects statistical approach. *Neuroendocrinology* 2016; 103(6):693-710.
40. Chen J, Bacanu SA, Yu H, Zhao Z, Jia P, et al. (including Milaneschi Y, Penninx BW). Cotine meta-analysis group, FTND meta-analysis group. Genetic relationship between schizophrenia and nicotine dependence. *Scientific Reports* 2016; 6:25671.
41. Cohn MD, Viding E, McCrory E, Pape L, van den Brink W, Doreleijers TA, Veltman DJ, Popma A. Regional grey matter volume and concentration in at-risk adolescents: Untangling associations with callous-unemotional traits and conduct disorder symptoms. *Psychiatry Research* 2016; 254:180-187.
42. Cohn MD, van Lith K, Kindt M, Pape LE, Doreleijers TA, van den Brink W, Veltman DJ, Popma A. Fear extinction, persistent disruptive behavior and psychopathic traits: fMRI in late adolescence. *Social Cognitive and Affective Neuroscience (SCAN)* 2016; 11(7):1027-1035.
43. Colombo MA, Wei Y, Ramautar JR, Linkenkaer-Hansen K, Tagliazucchi E, Van Someren EJ. More Severe Insomnia Complaints in People with Stronger Long-Range Temporal Correlations in Wake Resting-State EEG. *Frontiers in Physiology* 2016; 7:576.
44. Colombo MA, Ramautar JR, Wei Y, Gomez-Herrero G, Stoffers D, Wassing R, Benjamins JS, Tagliazucchi E, van der Werf YD, Cajochen C, van Someren EJ. Wake high-density electroencephalographic spatio-spectral signatures of insomnia. *Sleep* 2016; 39(5):1015-1027.
45. Crins MH, Roorda LD, Smits N, et al. (including Dekker J). Calibration of the Dutch-Flemish PROMIS Pain Behavior item bank in patients with chronic pain. *European Journal of Pain* 2016; 20(2):284-296.
46. Darrow SM, Verhoeven JE, Révész D, Lindqvist D, Penninx BW, Delucchi KL, Wolkowitz OM, Mathews CA. The association between psychiatric disorders and telomere length. *Psychosomatic Medicine* 2016; 78(7):776-787.
47. Dautzenberg G, Lans L, Meesters PD, Kupka R, Beekman A, Stek ML, Dols A. The care needs of older patients with bipolar disorder. *Ageing & Mental Health* 2016; 20(9):899-907.
48. de Bondt CC, Gerrits NJ, Veltman DJ, Berendse HW, van den Heuvel OA, van der Werf YD. Reduced task-related functional connectivity during a set-shifting task in unmedicated early-stage Parkinson's disease patients. *BMC Neuroscience* 2016; 17(1):20.
49. Dekkers KF, van Iterson M, Sliker RC, Moed MH, Bonder MJ, van Galen M, et al. (including Jansen R). Blood lipids influence DNA methylation in circulating cells. *Genome Biology* 2016; 17(1):138.
50. de Koning EJ, van der Zwaluw NL, van Wijngaarden JP, et al. (including Penninx BW). Effects of two-year vitamin B12 and folic acid supplementation on depressive symptoms and quality of life in older adults with elevated homocysteine concentrations: additional results from the B-PROOF study, an RCT. *Nutrients* 2016; 8(11).
51. de Mey L, Çömlekçi C, de Reuver F, van Waard I, van Gool R, Scheerman JF, van Meijel B. Oral Hygiene in patients with severe mental illness: a pilot study on the collaboration between oral hygienists and mental health nurses. *Perspectives in Psychiatric Care* 2016; 52(3):194-200.
52. de Mooij LD, Kikkert M, Lommerse N, Theunissen J, de Koning M, de Haan L, Beekman A, Duurkoop P, Dekker J. Homesick: residential and care patterns in patients with severe mental illness. *BMC Psychiatry* 2016; 16:431
53. den Boeft M, Twisk JW, Terluin B, Penninx BW, van Marwijk HW, Numans ME, van der Wouden JC, van der Horst HE. The association between medically unexplained physical symptoms and health care use over two years and the influence of depressive and anxiety disorders and personality traits: a longitudinal study. *BMC Health Services Research* 2016; 16:100.

54. den Boeft M, Twisk JW, Hoekstra T, Terluin B, Penninx BW, van der Wouden JC, Numans ME, van der Horst HE. Medically unexplained physical symptoms and work functioning over 2 years: their association and the influence of depressive and anxiety disorders and job characteristics. *BMC Family Practice* 2016; 17:46.
55. de Raaff C, Derks EAJ, Torensma B, Honig A, Vrouwenraets BC. Breast reconstruction after mastectomy: does it decrease depression at the long-term? *Gland Surgery* 2016; 5(4):377-384.
56. de Vries FE, Cath DC, Hoogendoorn AW, van Oppen P, Glas G, Veltman DJ, van den Heuvel OA, van Balkom AJ. Tic-related versus tic-free Obsessive-Compulsive Disorder: clinical picture and 2-year natural course. *Journal of Clinical Psychiatry* 2016; 77(10):e1240-e1247.
57. de Waal MWM, Gussekloo J, Hegeman A, Verhaak PFM, van der Mast RC, Comijs HC. The effect of pain on severity of depressive disorders in older patients: the role of perceived control. *Journal of Affective Disorders* 2016; 197: 239-244.
58. Diaz BA, Hardstone R, Mansvelter HD, van Someren EJ, Linkenkaer-Hansen K. Resting-state subjective experience and EEG biomarkers are associated with sleep-onset latency. *Frontiers of Psychology* 2016; 7:492.
59. Distel MA, Smit JH, Spinhoven P, Penninx BWJH. Borderline personality features in depressed or anxious patients. *Psychiatry Research* 2016; 241: 224-231.
60. Dols A, Kessing LV, Strejilevich SA, et al.; International Society for Bipolar Disorders Task Force for Older Adults with Bipolar Disorder. Do current national and international guidelines have specific recommendations for older adults with bipolar disorder? A brief report. *International Journal of Geriatric Psychiatry* 2016; 31(12):1295-1300.
61. Dols A, van Liempt S, Gossink F, Krudop WA, Sikkes S, Pijnenburg YA, Stek ML. Identifying specific clinical symptoms of behavioral variant frontotemporal dementia versus differential psychiatric disorders in patients presenting with a late-onset Frontal Lobe Syndrome. *Journal of Clinical Psychiatry* 2016; 77(10):1391-1395.
62. Dols A, Krudop W, Möller C, Shulman K, Sajatovic M, Pijnenburg YA. Late life bipolar disorder evolving into frontotemporal dementia mimic. *Neuropsychiatric Disease and Treatment* 2016; 12:2207-2212.
63. Ebert DD, Lehr D, Heber E, Riper H, Cuijpers P, Berking M. Internet- and mobile-based stress management for employees with adherence-focused guidance: efficacy and mechanism of change. *Scandinavian Journal of Work, Environment & Health* 2016; 42(5):382-394.
64. Ebert DD, Heber E, Berking M, Riper H, Cuijpers P, Funk B, Lehr D. Self-guided internet-based and mobile-based stress management for employees: results of a randomised controlled trial. *Occupational and Environmental Medicine* 2016; 73(5):315-323.
65. Ebert DD, Donkin L, Andersson G, et al. (including Riper H). Does Internet-based guided-self-help for depression cause harm? An individual participant data meta-analysis on deterioration rates and its moderators in randomized controlled trials. *Psychological Medicine* 2016; 46(13):2679-2693.
66. Ehret GB, Ferreira T, Chasman DI, et al. (including Smit JH, Penninx BW). The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. *Nature Genetics* 2016; 48(10):1171-1184.
67. Fan S, van den Heuvel OA, Cath DC, van der Werf YD, de Wit SJ, de Vries FE, Veltman DJ, Pouwels PJ. Mild white matter changes in un-medicated Obsessive-Compulsive Disorder patients and their unaffected siblings. *Frontiers in Neuroscience* 2016; 9:495.
68. Fassaert T, Heijnen H, de Wit MA, Peen J, Beekman AT, Dekker J. The association between ethnic background and characteristics of first mental health treatment for psychotic disorders in the Netherlands between 2001 and 2005. *Social Psychiatry and Psychiatric Epidemiology* 2016; 51(12):1591-1601.
69. Fineberg NA, Menchon JM, Zohar J, Veltman DJ. Compulsivity-A new trans-diagnostic research domain for the Roadmap for Mental Health Research in Europe (ROAMER) and Research Domain Criteria (RDoC) initiatives. *European Neuropsychopharmacology* 2016; 26(5):797-799.
70. Fleming TM, de Beurs D, Khazaal Y, Gaggioli A, Riva G, Botella C, Baños RM, Aschieri F, Bavin LM, Kleiboer A, Merry S, Lau HM, Riper H. Maximizing the impact of e-therapy and serious gaming: time for a paradigm shift. *Frontiers in Psychiatry* 2016; 7:65.
71. Forde NJ, Kanaan AS, Widomska J, Padmanabhuni SS, Nespole E, et al (including van den Heuvel OA, Veltman DJ). TS-EUROTRAIN: A European-wide investigation and training network on the etiology and pathophysiology of Gilles de la Tourette syndrome. *Frontiers in Neuroscience* 2016; 10:384.

72. Fragkaki I, Thomaes K, Sijbrandij M. Posttraumatic stress disorder under ongoing threat: a review of neurobiological and neuroendocrine findings. *European Journal of Psychotraumatology* 2016; 7:30915.
73. \*Franke B, Stein JL, Ripke S, Anttila V, Hibar DP, et al (including Veltman DJ, Penninx BW as part of consortium). Genetic influences on schizophrenia and subcortical brain volumes: large-scale proof of concept. *Nature Neuroscience* 2016; 19(3):420-431.
74. Frijling JL, van Zuiden M, Koch SB, Nawijn L, Veltman DJ, Olf M. Effects of intranasal oxytocin on amygdala reactivity to emotional faces in recently trauma-exposed individuals. *Social Cognitive and Affective Neuroscience (SCAN)* 2016; 11(2):327-336.
75. Frijling JL, van Zuiden M, Koch SB, Nawijn L, Veltman DJ, Olf M. Intranasal oxytocin affects amygdala functional connectivity after trauma script-driven imagery in distressed recently trauma-exposed individuals. *Neuropsychopharmacology* 2016; 41(5):1286-1296.
76. Gale CR, Hagenaars SP, Davies G, Hill WD, Liewald DC, Cullen B, Penninx BW; International Consortium for Blood Pressure GWAS, CHARGE Consortium Aging and Longevity Group, Boomsma DI, Pell J, McIntosh AM, Smith DJ, Deary IJ, Harris SE. Pleiotropy between neuroticism and physical and mental health: findings from 108 038 men and women in UK Biobank. *Translational Psychiatry* 2016; 6:e791.
77. Generaal E, Vogelzangs N, Macfarlane GJ, Geenen R, Smit JH, de Geus EJ, Penninx BW, Dekker J. Biological stress systems, adverse life events and the onset of chronic multisite musculoskeletal pain: a 6-year cohort study. *Annals of Rheumatic Diseases* 2016; 75:847-854.
78. Generaal E, Milaneschi Y, Jansen R, Elzinga BM, Dekker J, Penninx BW. The brain-derived neurotrophic factor pathway, life stress, and chronic multi-site musculoskeletal pain. *Molecular Pain* 2016; 12.
79. Gerrits NJ, van Loenhoud AC, van den Berg SF, Berendse HW, Foncke EM, Klein M, Stoffers D, van der Werf YD, van den Heuvel OA. Cortical thickness, surface area and subcortical volume differentially contribute to cognitive heterogeneity in Parkinson's disease. *PLoS One* 2016; 11(2):e0148852.
80. Geurts HM, Stek ML, Comijs HC. Autism characteristics in elderly with depressive disorders. *American Journal of Geriatric Psychiatry* 2016; 24(2):161-169.
81. Gibson-Smith D, Bot M, Milaneschi Y, Twisk JW, Visser M, Brouwer IA, Penninx BW. Major depressive disorder, antidepressant use, and subsequent 2-year weight change patterns in the Netherlands Study of Depression and Anxiety. *Journal of Clinical Psychiatry* 2016; 77(2):e144-151.
82. Gibson-Smith D, Bot M, Paans NP, Visser M, Brouwer I, Penninx BW. The role of obesity measures in the development and persistence of major depressive disorder. *Journal of Affective Disorders* 2016; 198:222-229.
83. Gillan CM, Robbins TW, Sahakian BJ, van den Heuvel OA, van Wingen G. The role of habit in compulsivity. *European Neuropsychopharmacology* 2016; 26(5):828-840.
84. Gormley P, Anttila V, Winsvold BS, Palta P, Esko T, Pers TH, Farh KH, et al (including Penninx BW). Meta-analysis of 375,000 individuals identifies 38 susceptibility loci for migraine. *Nature Genetics* 2016; 48:856-866.
85. Gossink FT, Dols A, Krudop WA, Sikkes SA, Kerssens CJ, Prins ND, Scheltens P, Stek ML, Pijnenburg YA. Formal psychiatric disorders are not overrepresented in behavioral variant frontotemporal dementia. *Journal of Alzheimer's Disease* 2016; 51(4):1249-1256.
86. Gossink FT, Dols A, Kerssens CJ, Krudop WA, Kerklan BJ, Scheltens P, Stek ML, Pijnenburg YA. Psychiatric diagnoses underlying the phenocopy syndrome of behavioural variant frontotemporal dementia. *Journal of Neurology, Neurosurgery and Psychiatry* 2016; 87(1):64-68.
87. Gottschalk MG, Cooper JD, Chan MK, Bot M, Penninx BW, Bahn S. Serum biomarkers predictive of depressive episodes in panic disorder. *Journal of Psychiatric Research* 2016; 73:53-62.
88. Gouwenberg B, Karamat AD, van Naem N, Hoolwerf B, Bekkers R, Schuyt T, Smit JH. Foundations supporting research and innovation in Europe: results and lessons from the eufori study. *The Foundation Review* 2016; 1(1):108-115.
89. Grant JE, Fineberg N, van Ameringen M, Cath D, Visser H, Carmi L, Pallanti S, Hollander E, van Balkom AJ. New treatment models for compulsive disorders. *European Neuropsychopharmacology* 2016; 26(5):877-884.
90. Gratten J, Wray NR, Peyrot WJ, McGrath JJ, Visscher PM, Goddard ME. Risk of psychiatric illness from advanced paternal age is not predominantly from de novo mutations. *Nature Genetics* 2016; 48(7):718-724.



91. Groeneweg-Koolhoven I, Comijs HC, Naarding P, de Waal MWM, van der Mast RC. Apathy in depressed older persons: course and predictors. The NESDO study. *Journal of Geriatric Psychiatry and Neurology* 2016; 29(4): 178-186.
92. Groeneweg-Koolhoven I, Huitema LJ, de Waal MW, Stek ML, Gussekloo J, van der Mast RC, Rhebergen D. Latent class analysis of the Apathy Scale does not identify subtypes of apathy in general population-based older persons. *International Journal of Geriatric Psychiatry* 2016; 31(9): 1021-1028.
93. Gusev A, Ko A, Shi H, Bhatia G, Chung W, Penninx BW, Jansen R, de Geus EJ, Boomsma DI, Wright FA, Sullivan PF, et al. Integrative approaches for large-scale transcriptome-wide association studies. *Nature Genetics* 2016; 48:245-252.
94. Haenisch F, Cooper JD, Reif A, Kittel-Schneider S, Steiner J, et al. (including Penninx BW). Towards a blood-based diagnostic panel for bipolar disorder. *Brain, Behavior and Immunity* 2016; 52:49-57.
95. Hattink BJJ, Meiland FJ, Overmars-Marx T, de Boer ME, Jedlitschka A, Ebben P, Stalpers-Croeze I, Flick S, Van der Leeuw J, Karkowski I, Dröes RM. The electronic, personalisable Rosetta system for dementia care: exploring the userfriendliness, usefulness and impact. *Disability and Rehabilitation. Assistive Technology* 2016; 11(1):61-71.
96. Hattink B, Dröes RM, Sikkes S, Lemstra E. Evaluation of the Digital Alzheimer Center: testing usability and usefulness of an online portal for patients with dementia and their carers. *JMIR research protocols* 2016; 5(3): e144.
97. Haverkamp GL, Torensma B, Vergouwen AC, Honig A. Correction: psychological distress in the hospital setting: a comparison between native Dutch and immigrant patients. *PLoS One* 2016; 11(7):e0159697.
98. Haverkamp GL, Loosman WL, Beukel TO van den, Hoekstra T, Dekker FW, et al. (including Honig A). The association of acculturation and depressive and anxiety symptoms in immigrant chronic dialysis patients. *General Hospital Psychiatry* 2016; 38:26-30.
99. Heber E, Lehr D, Ebert DD, Berking M, Riper H. Web-based and mobile stress management intervention for employees: a randomized controlled trial. *Journal of Medical Internet Research* 2016; 18(1):e21.
100. Hendriks IH, van Vliet D, Gerritsen DL, Dröes RM. Nature and dementia: development of a person-centered approach. *International Psychogeriatrics* 2016; 28(9):1455-1470.
101. Hendriks SM, Spijker J, Licht CM, Hardeveld F, de Graaf R, Batelaan NM, Penninx BW, Beekman AT. Long-term disability in anxiety disorders. *BMC Psychiatry* 2016; 16:248.
102. Hensen, MJ, de Mooij LD, Theunissen JR, Dekker J, Willemsen M, Zoeteman J, Peen J, de Wit MA. Pathways through care of severely mentally ill individuals experiencing multiple public crisis events: A qualitative description. *BMC Psychiatry* 2016; 16:84.
103. Hermsen, LA, van der Wouden JC, Leone SS, Smalbrugge M, van der Horst HE, Dekker J. The longitudinal association of cognitive appraisals and coping strategies with physical functioning in older adults with joint pain and comorbidity: a cohort study. *BMC Geriatrics* 2016; 27:16:29.
104. Hiles S, Révész D, Lamers F, Giltay E, Penninx BWJH. Bidirectional prospective associations of metabolic syndrome components with depression, anxiety, and antidepressant use. *Depression & Anxiety* 2016; 33(8):754-764.
105. Holla JF, van de Poll-Franse LV, Huijgens PC, Mols F, Dekker J. Utilization of supportive care by survivors of colorectal cancer: results from the PROFILES registry. *Supportive Care in Cancer* 2016; 24:2883-2892.
106. Hollander E, Doernberg E, Shavitt R, Waterman RJ, Soreni N, Veltman DJ, Sahakian BJ, Fineberg NA. The cost and impact of compulsivity: A research perspective. *European Neuropsychopharmacology* 2016; 26(5):800-809.
107. Holwerda TJ, van Tilburg TG, Deeg DJ, Schutter N, Van R, Dekker J, Stek ML, Beekman AT, Schoevers RA. Impact of loneliness and depression on mortality: results from the Longitudinal Ageing Study Amsterdam. *British Journal of Psychiatry* 2016; 209(2):127-134
108. Hoogendijk EO, Deeg DJH, Poppelaars J, van der Horst M, Broese van Groenou MI, Comijs HC, Pasma HRW, van Schoor NM, Suanet B, Thomése F, van Tilburg TG, Visser M, Huisman M. The Longitudinal Aging Study Amsterdam: cohort update 2016 and major findings. *European Journal of Epidemiology* 2016; 31:927-945.
109. Hovenkamp-Hermelink JH, Riese H, van der Veen DC, Batelaan NM, Penninx BW, Schoevers RA. Low stability of diagnostic classifications of anxiety disorders over time: A six-year follow-up of the NESDA study. *Journal of Affective Disorders* 2016; 190:310-315.

110. Hovens JG, Giltay EJ, van Hemert AM, Penninx BW. Childhood maltreatment and the course of depressive and anxiety disorders: the contribution of personality characteristics. *Depression & Anxiety* 2016; 33:27-34.
111. Hu MX, Lamers F, Hiles SA, Penninx BWJH, de Geus EJC. Basal autonomic activity, stress reactivity, and increases in metabolic syndrome components over time. *Psychoneuroendocrinology (PNEC)* 2016; 71: 119-126.
112. Hu MX, Lamers F, de Geus EJ, Penninx BW. Differential Autonomic Nervous System activity in depression and anxiety during stress depending on type of stressor. *Psychosomatic Medicine* 2016; 78:562-572.
113. Hu K, Riemersma-van der Lek RF, Patxot M, Li P, Shea SA, Scheer FA, van Someren EJ. Progression of dementia assessed by temporal correlations of physical activity: results from a 3.5-year, longitudinal randomized controlled trial. *Scientific Reports* 2016; 6:27742.
114. Huis in het Veld J, Verkaik R, van Meijel B, Verkade PJ, Werkman W, Hertogh C, Francke A. Self-management by family caregivers to manage changes in the behavior and mood of their relative with dementia: an online focus group study. *BMC Geriatrics* 2016 May 3;16:95.
115. Huijbers MJ, Spinhoven P, Spijker J, Ruhé HG, van Schaik DJ, van Oppen P, et al. Discontinuation of antidepressant medication after mindfulness-based cognitive therapy for recurrent depression: randomised controlled non-inferiority trial. *British Journal of Psychiatry* 2016; 208(4):366-373.
116. Huijbers MJ, Spinhoven P, van Schaik DJ, Nolen WA, Speckens AE. Patients with a preference for medication do equally well in mindfulness-based cognitive therapy for recurrent depression as those preferring mindfulness. *Journal of Affective Disorders* 2016; 195:32-39.
117. Jakobsdottir S, van Nieuwpoort IC, van Bunderen CC, de Ruiter MB, Twisk JW, Deijen JB, Veltman DJ, Drent ML. Acute and short-term effects of caloric restriction on metabolic profile and brain activation in obese, postmenopausal women. *International Journal of Obesity* 2016; 40(11):1671-1678.
118. Jansen R\*, Penninx BW\*, Madar V, et al. (including Milaneschi Y, Beekman A, Smit JH, van Grootheest G). Gene expression in major depressive disorder. *Molecular Psychiatry* 2016;21:444. (\* shared first authorship)
119. Jeuring HW, Huisman M, Comijs HC, Stek ML, Beekman ATF. The long-term outcome of subthreshold depression in later life. *Psychological Medicine* 2016; 46:2855-2865.
120. Jobst A, Brakemeier EL, Buchheim A, et al. (including Wiersma J). European Psychiatric Association Guidance on psychotherapy in chronic depression across Europe. *European Psychiatry* 2016; 33:18-36.
121. Joling KJ, Windle G, Dröes RM, Meiland F, van Hout HPJ, MacNeil-Vroomen J, van de Ven PM, Moniz-Cook E, Woods B. Factors of resilience in informal caregivers of people with dementia from integrative international data analysis. *Dementia and Geriatric Cognitive Disorders* 2016; 42:198–214.
122. Kabia FM, Rhebergen D, van Exel E, Stek ML, Comijs HC. The predictive value of cortisol levels on 2-year course of depression in older persons. *Psychoneuroendocrinology (PNEC)* 2016; 63:320-326.
123. Kemmeren LL, van Schaik DJ, Riper H, Kleiboer AM, Bosmans JE, Smit JH. Effectiveness of blended depression treatment for adults in specialised mental healthcare: study protocol for a randomised controlled trial. *BMC Psychiatry* 2016; 16:113.
124. Kenter RM, Cuijpers P, Beekman A, van Straten A. Effectiveness of a web-based guided self-help intervention for outpatients with a depressive disorder: short-term results from a randomized controlled trial. *Journal of Medical Internet Research* 2016; 18(3):e80.
125. Kerkhof YJ, Graff MJ, Bergsma A, de Vocht HH, Dröes RM. Better self-management and meaningful activities thanks to tablets? Development of a person-centered program to support people with mild dementia and their carers through use of hand-held touch screen devices. *International Psychogeriatrics* 2016; 28(11):1917-1929.
126. Kerssens CJ, Krudop WA, Prins ND, van Berckel BN, Rozemuller A, Seelay WW, Scheltens P, Stek ML, Pijnenburg YA. Schizophrenia as a mimic of behavioral variant frontotemporal dementia. *Neurocase* 2016; 22(3):285-288.
127. Kieviet N, de Groot S, Noppe G, de Rijke YB, van Rossum EFC, van den Akker ELT, Dolman KM, Honig A. Is poor neonatal adaptation after exposure to antidepressant medication related to fetal cortisol levels? An explorative study. *Early Human Development* 2016; 98:37-43.
128. Klaassen EB, Plukaard S, Evers EA, de Groot RH, Backes WH, Veltman DJ, Jolles J. Young and middle-aged schoolteachers differ in the neural correlates of memory encoding and cognitive fatigue: a functional MRI study. *Frontiers in Human Neuroscience* 2016; 10:148.

129. Kleiboer A, Smit J, Bosmans J, Ruwaard J, Andersson G, et al. (including Draisma S, van Schaik A, Kemmeren L, Riper H). European COMPARative Effectiveness research on blended Depression treatment versus treatment-as-usual (E-COMPARED): study protocol for a randomized controlled, non-inferiority trial in eight European countries. *Trials* 2016; 17(1):387.
130. Koch SB, van Zuiden M, Nawijn L, Frijling JL, Veltman DJ, Olff M. Aberrant resting-state brain activity in posttraumatic stress disorder: a meta-analysis and systematic review. *Depression & Anxiety* 2016; 33(7):592-605.
131. Koch SB, van Zuiden M, Nawijn L, Frijling JL, Veltman DJ, Olff M. Intranasal oxytocin normalizes amygdala functional connectivity in posttraumatic stress disorder. *Neuropsychopharmacology* 2016; 41(8):2041-2051.
132. Koch SB, van Zuiden M, Nawijn L, Frijling JL, Veltman DJ, Olff M. Intranasal oxytocin administration dampens amygdala reactivity towards emotional faces in male and female PTSD patients. *Neuropsychopharmacology* 2016; 41(6):1495-1504.
133. Koenders L, Cousijn J, Vingerhoets WA, van den Brink W, Wiers RW, Meijer CJ, Machielsen MW, Veltman DJ, Goudriaan AE, de Haan L. Grey matter changes associated with heavy cannabis use: a longitudinal sMRI study. *PLoS One* 2016; 11(5):e0152482.
134. Kolovos S, Kenter RM, Bosmans JE, Beekman AT, Cuijpers P, Kok RN, van Straten A. Economic evaluation of Internet-based problem-solving guided self-help treatment in comparison with enhanced usual care for depressed outpatients waiting for face-to-face treatment: A randomized controlled trial. *Journal of Affective Disorders* 2016; 200:284-292.
135. Kooij JJ, Michielsen M, Kruihof H, Bijlenga D. ADHD in old age: a review of the literature and proposal for assessment and treatment. *Expert Review of Neurotherapeutics* 2016; 16(12):1371-1381.
136. Kooij JJ. ADHD and Obesity. *American Journal of Psychiatry* 2016; 173(1):1-2.
137. Kooistra LC, Ruwaard J, Wiersma JE, van Oppen P, van der Vaart R, van Gemert-Pijnen L, Riper H. Development and initial evaluation of blended cognitive behavioural treatment for Major Depression in Routine Specialized Mental Health Care. *Internet Interventions* 2016; 1(4).
138. Krebber AM, Jansen F, Witte BI, et al. (including Beekman AT). Stepped care targeting psychological distress in head and neck cancer and lung cancer patients: a randomized, controlled trial. *Annals of Oncology* 2016; 27(9):1754-1760.
139. Krudop WA, Dols A, Kerssens CJ, et al. (including Schouws S, Stek ML). Impact of imaging and cerebrospinal fluid biomarkers on behavioral variant frontotemporal dementia diagnosis within a late-onset frontal lobe syndrome cohort. *Dementia and Geriatric Cognitive Disorders* 2016; 41(1-2):16-26.
140. Kuźma E, Soni M, Littlejohns TJ, Ranson JM, van Schoor NM, et al. (including Comijs HC). Vitamin D and memory decline: Two population-based prospective studies. *Journal of Alzheimer's Disease* 2016; 50(4): 1099-1108.
141. Lai JS, Oldmeadow C, Hure AJ, McEvoy M, Hiles SA, Boyle M, Attia J. Inflammation mediates the association between fatty acid intake and depression in older men and women. *Nutrition Research* 2016; 36(3):234-245.
142. Lamers F, Cui LH, Hickie IB, Roca C, Machado-Vieira R, Zarate CA, Merikangas KR. Familial aggregation and heritability of the melancholic and atypical subtypes of depression. *Journal of Affective Disorders* 2016; 204:241-246.
143. Lamers F, Bot M, Jansen R, Chan MK, Cooper JD, Bahn S, Penninx BWJH. Serum proteomic profiles of depressive subtypes. *Translational Psychiatry* 2016; 6(7):e851.
144. Lamers F, Beekman ATF, van Hemert AM, Schoevers RA, Penninx BWJH. Six-year longitudinal course and outcomes of subtypes of depression. *British Journal of Psychiatry* 2016; 208(1):62-68.
145. Lammerts L, Schaafsma FG, Eikelenboom M, Vermeulen SJ, van Mechelen W, Anema JR, Penninx BWJH. Longitudinal associations between biopsychosocial factors and sustainable return to work of sick-listed workers with a depressive or anxiety disorder. *Journal of Occupational Rehabilitation* 2016; 26:70-79.
146. Littooi E, Widdershoven GA, Stolwijk-Swüste JM, Doodeman S, Leget CJ, Dekker J. Global meaning in people with spinal cord injury: Content and changes. *Journal of Spinal Cord Medicine* 2016; 39:197-205.
147. Littooi E, Leget CJ, Stolwijk-Swüste JM, Doodeman S, Widdershoven GA, Dekker J. The importance of 'global meaning' for people rehabilitating from spinal cord injury. *Spinal Cord* 2016; 54:1047-1052.



148. Lubke GH, Miller PJ, Verhulst B, Bartels M, van Beijsterveldt T, Willemsen G, Boomsma DI, Middeldorp CM. A powerful phenotype for gene-finding studies derived from trajectory analyses of symptoms of anxiety and depression between age seven and 18. *American Journal of Medical Genetics B: Neuropsychiatric Genetics* 2016; 171(7):948-957.
149. Luo X, Stavrakakis N, Penninx BW, Bosker FJ, Nolen WA, Boomsma DI, de Geus EJ, Smit JH, Snieder H, Nolte IM, Hartman CA. Does refining the phenotype improve replications rates? A review and replication of candidate gene studies on Major Depressive Disorder and Chronic Major Disorder. *American Journal of Medical Genetics B: Neuropsychiatric Genetics* 2016; 171B (2) :215-236.
150. Mackey S, Kan KJ, Chaarani B, Alia-Klein N, Batalla A, Brooks S, et al (including Schmaal L, Veltman DJ). Genetic imaging consortium for addiction medicine: From neuroimaging to genes. *Progress in Brain Research* 2016; 224:203-223.
151. \*Marioni RE, Ritchie SJ, Joshi PK, Hagenaars SP, Okbay A, et al (including Milanese Y, Penninx BW, Peyrot W). Genetic variants linked to education predict longevity. *Proceedings of the National Academy of Sciences USA* 2016; 113(47):13366-13371.
152. Mathiasen K, Andersen TE, Riper H, Kleiboer AA, Roessler KK. Blended CBT versus face-to-face CBT: a randomised non-inferiority trial. *BMC Psychiatry* 2016; 16(1):432.
153. Mathiasen K, Riper H, Ehlers LH, Valentin JB, Rosenberg NK. Internet-based CBT for social phobia and panic disorder in a specialised anxiety clinic in routine care: Results of a pilot randomised controlled trial. *Internet Interventions* 2016; 4:92-98.
154. Mbarek H, Steinberg S, Nyholt DR, Gordon SD, Miller MB, et al (including Penninx BW, Jansen R). Identification of common genetic variants influencing spontaneous dizygotic twinning and female fertility. *American Journal of Human Genetics* 2016; 98:898-908.
155. Meesters PD, Comijs HC, Smit J, Eikelenboom P, De Haan L, Beekman ATF, Stek ML. Mortality and its determinants in late life schizophrenia: a 5-year prospective study in a Dutch catchment area. *American Journal of Geriatric Psychiatry* 2016; 24(4):272-277.
156. Meier SM, Mattheisen M, Mors O, Mortensen PB, Laursen TM, Penninx BW. Increased mortality among people with anxiety disorders: total population study. *British Journal of Psychiatry* 2016; 209:216-221.
157. Menning S, de Ruiter MB, Kieffer JM, van Agelink , Rentergem J, Veltman DJ, et al. Cognitive impairment in a subset of breast cancer patients after systemic therapy-results from a longitudinal study. *Journal of Pain and Symptom Management* 2016; 52(4):560-569.
158. Middeldorp CM, Wesseldijk LW, Hudziak JJ, Verhulst FC, Lindauer RJ, Dieleman GC. Parents of children with psychopathology: psychiatric problems and the association with their child's problems. *European Child & Adolescent Psychiatry* 2016; 25(8):919-927.
159. Middeldorp CM, Hammerschlag AR, Ouwens KG, Groen-Blokhuis MM, St Pourcain B, et al. A Genome-Wide Association Meta-Analysis of Attention-Deficit/Hyperactivity Disorder Symptoms in Population-Based Pediatric Cohorts. *Journal of the American Academy of Child and Adolescent Psychiatry* 2016; 55(10):896-905.
160. Milanese Y, Lamers F, Peyrot WJ, Abdellaoui A, Willemsen G, Hottenga JJ, Jansen R, Mbarek H, Dehghan A, Lu C; CHARGE inflammation working group., Boomsma DI, Penninx BW. Polygenic dissection of major depression clinical heterogeneity. *Molecular Psychiatry* 2016; 21(4):516-522.
161. Miller S, Suppes T, Mintz J, Helleman G, Frye MA, et al. (including Kupka R). Mixed depression in bipolar disorder: prevalence rate and clinical correlates during naturalistic follow-up in the stanley bipolar network. *American Journal of Psychiatry* 2016; 173(10):1015-1023.
162. Mol M, Dozeman E, van Schaik DJ, Vis CP, Riper H, Smit JH. The therapist's role in the implementation of internet-based cognitive behavioural therapy for patients with depression: study protocol. *BMC Psychiatry* 2016; 16(1):338.
163. Muntingh AM, van der Feltz-Cornelis CM, van Marwijk HWJ, Spinhoven Ph, van Balkom AJLM. Collaborative care for anxiety disorders in primary care: a systematic review and meta-analysis. *BMC Family Practice* 2016; 17:62.
164. Murphy RA, Hagaman AK, Reinders I, Steeves JA, Newman AB, et al. (including Penninx BW). Depressive trajectories and risk of disability and mortality in older adults: longitudinal findings from the Health, Aging, and Body Composition Study. *Journals of Gerontology A: Biological Sciences and Medical Sciences* 2016; 71:228-235.
165. Naarding P, Noorthoorn EO, Burm TL, van der Mast RC, Beekman AT, Comijs HC. Cerebrovascular involvement and clinical presentation of late-life depression, findings from the NESDO study. *Aging and Mental Health* 2016; 20(10):1099-1106.

166. Nawijn L, van Zuiden M, Koch SB, Frijling JL, Veltman DJ, Olf M. Intranasal oxytocin enhances neural processing of monetary reward and loss in post-traumatic stress disorder and traumatized controls. *Psychoneuroendocrinology* 2016; 66:228-237.
167. Nellen RG, van Geel M, Huijbregts KM. Response to 'Darier disease in Israel: combined evaluation of genetic and neuropsychiatric aspects'. *British Journal of Dermatology* 2016; 175(1):223-224.
168. Noorthoorn EO, Voskes Y, Janssen WA, et al. (including Hoogendoorn AW). Seclusion reduction in Dutch mental health care: did hospitals meet goals? *Psychiatric Services* 2016; 67(12):1321-1327.
169. Noteboom A, Beekman AT, Vogelzangs N, Penninx BW. Personality and social support as predictors of first and recurrent episodes of depression. *Journal of Affective Disorders* 2016; 190:156-161.
170. Nugteren W, van der Zalm Y, Hafsteinsdóttir TB, van der Venne C, Kool N, van Meijel B. Experiences of Patients in Acute and Closed Psychiatric Wards: A Systematic Review. *Perspectives in Psychiatric Care* 2016; 52(4):292-300.
171. Okbay A, Beauchamp JP, Fontana MA, Lee JJ, Pers TH, et al. (including Milanesechi Y, Penninx BW). Genome-wide association study identifies 74 loci associated with educational attainment. *Nature* 2016; 533(7604):539-542.
172. Opmeer EM, Kortekaas R, van Tol MJ, Renken RJ, Demenescu LR, Woudstra S, Ter Horst GJ, van Buchem MA, van der Wee NJ, Veltman DJ, Aleman A. Changes in regional brain activation related to depressive state: a 2-year longitudinal functional MRI study. *Depression & Anxiety* 2016; 33(1):35-44.
173. Otowa T, Hek K, Lee M, Byrne EM, Mirza SS, et al. (including Milanesechi Y, Penninx BW). Meta-analysis of genome-wide association studies of anxiety disorders. *Molecular Psychiatry* 2016; 21(10):1485.
174. Otte C, Gold SM, Penninx BW, Pariante CM, Etkin A, Fava M, Mohr DC, Schatzberg AF. Major depressive disorder. *Nature Reviews. Disease Primers* 2016; 2:16065.
175. Oud M, Mayo-Wilson E, Braidwood R, Schulte P, Jones SH, Morriss R, Kupka R, Cuijpers P, Kendall T. Psychological interventions for adults with bipolar disorder: systematic review and meta-analysis. *British Journal of Psychiatry* 2016; 208(3):213-222.
176. Paans NP, Bot M, Gibson-Smith D, Van der Does W, Spinhoven P, Brouwer I, Visser M, Penninx BW. The association between personality traits, cognitive reactivity and body mass index is dependent on depressive and/or anxiety status. *Journal of Psychosomatic Research* 2016; 89:26-31.
177. Patrick K, Hekler EB, Estrin D, Mohr DC, Riper H, Crane D, Godino J, Riley WT. The pace of technologic change: implications for digital health behavior intervention research. *American Journal of Preventive Medicine* 2016; 51(5):816-824.
178. Pattaro C, Teumer A, Gorski M, Chu AY, Li M, et al. (including Milanesechi Y, Penninx BW, Smit JH). Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. *Nature Communications* 2016; 7:10023.
179. Pattyn T, Van Den Eede F, Vanneste S, Cassiers L, Veltman DJ, Van De Heyning P, Sabbe BC. Tinnitus and anxiety disorders: A review. *Hearing Research* 2016; 333:255-265.
180. Peyrot WJ, Boomsma DI, Penninx BW, Wray NR. Disease and Polygenic Architecture: Avoid trio design and appropriately account for unscreened control subjects for common disease. *American Journal of Human Genetics* 2016; 98:382-391.
181. Peyrot WJ, Robinson MR, Penninx BW, Wray NR. Exploring boundaries for the genetic consequences of assortative mating for psychiatric traits. *JAMA Psychiatry* 2016; 73(11):1189-1195.
182. Pilling LC, Joehanes R, Kacprowski T, et al. (including Jansen R, van Grootheest G, Penninx BW). Gene transcripts associated with muscle strength: a CHARGE meta-analysis of 7,781 persons. *Physiological Genomics* 2016; 48:1-11.
183. Post RM, Altshuler LL, Kupka R, et al. Age at onset of bipolar disorder related to parental and grandparental illness burden. *Journal of Clinical Psychiatry* 2016; 77(10):e1309-e1315.
184. Post RM, Altshuler LL, Kupka R, et al. Age of onset of bipolar disorder: Combined effect of childhood adversity and familial loading of psychiatric disorders. *Journal of Psychiatric Research* 2016; 81:63-70.
185. Post RM, Altshuler LL, Kupka R, et al. Age at onset of bipolar disorder related to parental and grandparental illness burden. *Journal of Clinical Psychiatry* 2016; 77(10):e1309-e1315.
186. Post RM, Kupka R, Keck PE Jr, et al. Further evidence of a cohort effect in Bipolar Disorder: more early onsets and family history of psychiatric illness in more recent epochs. *Journal of Clinical Psychiatry* 2016; 77(8):1043-9.

187. Post RM, Leverich GS, Kupka R, Keck PE Jr, McElroy SL, Altshuler LL, Frye MA, Rowe M, Grunze H, Suppes T, Nolen WA. Clinical correlates of sustained response to individual drugs used in naturalistic treatment of patients with bipolar disorder. *Comprehensive Psychiatry* 2016 ;66:146-156.
188. Post RM, Altshuler LL, Kupka R, McElroy SL, Frye MA, Rowe M, Grunze H, Suppes T, Keck PE, Leverich GS, Nolen WA. More illness in offspring of bipolar patients from the U.S. compared to Europe. *Journal of Affective Disorders* 2016; 191:180-186.
189. Puijssers A, van Meijel B, Maaskant M, Keeman N, van Achterberg T. Quality of diagnosis and treatment plans after using the 'Diagnostic guideline for anxiety and challenging behaviours' in people with intellectual disabilities: comparative multiple case study design. *Journal of Applied Research in Intellectual Disabilities* 2016; 29(4):305-316.
190. Quteineh L, Preisig M, Rivera M, Milaneschi Y, Castela E, Gholam-Rezaee M, Vandenberghe F, Saigi-Morgui N, Delacrétaz A, Cardinaux JR, Willemsen G, Boomsma DI, Penninx BW, Ching-López A, Conus P, Eap CB. Association of CRT1 polymorphisms with obesity markers in subjects from the general population with lifetime depression. *Journal of Affective Disorders* 2016; 198:43-49.
191. Ramsey JM, Cooper JD, Bot M, Guest PC, Lamers F, Weickert CS, Penninx BWJH\*, Bahn S\*. Sex Differences in Serum Markers of Major Depressive Disorder in the Netherlands Study of Depression and Anxiety (NESDA). *PLoS One* 2016; 11(5). (\*shared last authorship)
192. Ramsey JM, Cooper JD, Penninx BW\*, Bahn S\*. Variation in serum biomarkers with sex and female hormonal status: implications for clinical tests. *Scientific Reports* 2016; 6:26947. (\* shared last authorship)
193. Rej S, Schuurmans J, Elie D, Stek ML, Shulman K, Dols A. Attitudes towards pharmacotherapy in late-life bipolar disorder. *International Psychogeriatrics* 2016; 28(6): 945-950.
194. Remmerswaal KC, Batelaan NM, Smit JH, van Oppen P, van Balkom AJ. Feasibility and outcome of a brief cognitive behaviour therapy family intervention for patients with Obsessive-Compulsive Disorder: a pilot study. *Psychotherapy and Psychosomatics* 2016; 85(3):185-186.
195. Remmerswaal KCP, Batelaan NM, Smit JH, van Oppen P, van Balkom AJLM. Quality of life and relationship satisfaction of patients with Obsessive Compulsive Disorder. *Journal of Obsessive-Compulsive and Related Disorders* 2016; 11: 56-62.
196. Révész D, Verhoeven JE, Milaneschi Y, Penninx BWJH. Depressive and anxiety disorders and short leukocyte telomere length: mediating effects of metabolic stress and lifestyle factors. *Psychological Medicine* 2016; 46(11):2337-2349.
197. Révész D, Milaneschi Y, Terpstra EM, Penninx BW. Baseline biopsychosocial determinants of telomere length and 6-year attrition rate. *Psychoneuroendocrinology (PNEC)* 2016; 67:153-162.
198. Rickelt J, Viechtbauer W, Lieverse R, Overbeek T, van Balkom AJ, van Oppen P, van den Heuvel OA, Marcelis M, Eikelenboom M, Tibi L, Schruers KR. The relation between depressive and obsessive-compulsive symptoms in obsessive-compulsive disorder: Results from a large, naturalistic follow-up study. *Journal of Affective Disorders* 2016; 203: 241-247.
199. Ried JS, Jeff M J, Chu AY, Bragg-Gresham JL, van Dongen J, et al. (including Penninx BW, Smit JH). A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. *Nature Communications* 2016; 7:13357.
200. Rive MM, Redlich R, Schmaal L, Marquand AF, Dannlowski U, Grotegerd D, Veltman DJ, Schene AH, Ruhé HG. Distinguishing medication-free subjects with unipolar disorder from subjects with bipolar disorder: state matters. *Bipolar Disorders* 2016; 18(7):612-623.
201. Rive MM, Koeter MW, Veltman DJ, Schene AH, Ruhé HG. Visuospatial planning in unmedicated major depressive disorder and bipolar disorder: distinct and common neural correlates. *Psychological Medicine* 2016; 46(11):2313-2328.
202. Roca M, Kohls E, Gili M, et al. (including van Grootheest G, Bot M, Penninx BW); MoodFOOD Prevention Trial Investigators. Prevention of depression through nutritional strategies in high-risk persons: rationale and design of the MoodFOOD prevention trial. *BMC Psychiatry* 2016; 16:192.
203. Ruissen AM, Abma TA, Van Balkom AJ, Meynen G, Widdershoven GA. Moving perspectives on patient competence: a naturalistic case study in psychiatry. *Health Care Analysis* 2016; 24(1):71-85.
204. Rutten EA, Bachrach N, van Balkom AJ, Braeken J, Ouwens MA, Bekker MH. Anxiety, depression and autonomy-connectedness: The mediating role of alexithymia and assertiveness. *Psychology and Psychotherapy* 2016; 89:385-401.

205. Rutten S, Vriend C, Smit JH, Berendse HW, Hoogendoorn AW, van den Heuvel OA, van der Werf YD. A double-blind randomized controlled trial to assess the effect of bright light therapy on depression in patients with Parkinson's disease. *BMC Psychiatry* 2016; 16(1):355
206. Sanders JB, Bremmer MA, Comijs HC, Deeg DJH, Beekman AT. Gait Speed and the Natural Course of Depressive Symptoms in Late Life; an Independent Association with Chronicity? *Journal of the American Medical Directors Association* 2016, 17(4):331-335.
207. Schaakxs R, Wielaard I, Verhoeven JE, Beekman ATF, Penninx BWJH, Comijs HC. Early and recent psychosocial stress and telomere length in older adults. *International Psychogeriatrics* 2016; 28(3):405-413.
208. Schaub MP, Blankers M, Lehr D, et al. (including Riper H). Efficacy of an internet-based self-help intervention to reduce co-occurring alcohol misuse and depression symptoms in adults: study protocol of a three-arm randomised controlled trial. *BMJ Open* 2016; 6(5):e011457.
209. Scheerman JF, van Loveren C, van Meijel B, Dusseldorp E, Wartewig E, Verrips GH, Ket JC, van Empelen P. Psychosocial correlates of oral hygiene behaviour in people aged 9 to 19 - a systematic review with meta-analysis. *Community Dentistry and Oral Epidemiology* 2016; 44(4):331-341.
210. Schmaal L, Veltman DJ, van Erp TG, et al. (including Penninx BW). Size matters; but so does what you do with it! Response to Dr Fried & Dr Kievit, and Dr Malhi et al. *Molecular Psychiatry* 2016; 21(6):726-728.
211. Schmaal L, Veltman DJ, van Erp TG, et al. (including Penninx BW). Subcortical brain alterations in major depressive disorder: findings from the ENIGMA Major Depressive Disorder working group. *Molecular Psychiatry* 2016; 21(6):806-812.
212. Scholten WD, Batelaan NM, Penninx BWJH, van Balkom AJLM, Smit JH, Schoevers RA, van Oppen P. Diagnostic instability of recurrence and the impact on recurrence rates in depressive and anxiety disorders. *Journal of Affective Disorders* 2016; 195; 185-190.
213. Schouws SNTM, Comijs HC, Dols A, Beekman ATF, Stek ML. Five year follow-up of cognitive impairment in older adults with bipolar disorder. *Bipolar Disorders* 2016; 18(2):148-154.
214. Schrier AC, Beekman AT. Letter on ethnic density and suicide: interpretation of results as a protective ethnic density effect is premature. *Social Psychiatry and Psychiatric Epidemiology* 2016; 51(5):787-788.
215. Schumann G, Liu C, O'Reilly P, et al. (including Milaneschi Y, Penninx BW). KLB is associated with alcohol drinking, and its gene product  $\beta$ -Klotho is necessary for FGF21 regulation of alcohol preference. *Proceedings of the National Academy of Sciences USA* 2016; 113(50):14372-14377.
216. Schuurmans J, van der Linden JL, van Ballegooijen W, Ruwaard J, Stek ML, Smit JH, Riper H. (2016). Tablet-based support for older adults with severe mood disorders treated in an ambulatory geriatric psychiatry setting: Protocol of a feasibility study of the eCare@ Home platform. *Internet Interventions* 2016; 6:22-28.
217. Semeijn E, Comijs HC, de Vet H, Kooij J, Michielsen M, Beekman A, Deeg D. Lifetime stability of ADHD symptoms in older adults. *Attention Deficit and Hyperactivity Disorders* 2016; 8(1):13-20.
218. Slieker RC, van Iterson M, Luijk R, et al. (including Jansen R). Age-related accrual of methylomic variability is linked to fundamental ageing mechanisms. *Genome Biology* 2016; 17(1):191.
219. Smit M, Dolman KM, Honig A. Mirtazapine in pregnancy and lactation - A systematic review. *European Neuropsychopharmacology* 2016; 26(1):126-135.
220. Soleman RS, Kreukels BP, Veltman DJ, Cohen-Kettenis PT, Hompes PG, Drent ML, Lambalk CB. Does polycystic ovary syndrome affect cognition? A functional magnetic resonance imaging study exploring working memory. *Fertility and Sterility* 2016; 105(5):1314-1321.
221. Soleman RS, Staphorsius AS, Cohen-Kettenis PT, Lambalk CB, Veltman DJ, van Trotsenburg MA, Hompes PG, Drent ML, de Ronde WP, Kreukels BP. Oestrogens are not related to emotional processing: a study of regional brain activity in female-to-male transsexuals under gonadal suppression. *Cerebral Cortex* 2016; 26(2):510-516.
222. Spaans HP, Verwijk E, Stek ML, Kho KH, Bouckaert F, Kok RM, Sienaert PJ. Early complete remitters after electroconvulsive therapy: profile and prognosis. *ECT* 2016; 31(2): 82-87.
223. Spinhoven P, Batelaan N, Rhebergen D, van Balkom A, Schoevers R, Penninx BW. Prediction of 6-yr symptom course trajectories of anxiety disorders by diagnostic, clinical and psychological variables. *Journal of Anxiety Disorders* 2016; 44:92-101.
224. Spinhoven P, Elzinga BM, van Hemert AM, de Rooij M, Penninx BW. Childhood maltreatment, maladaptive personality types and level and course of psychological distress: A six-year longitudinal study. *Journal of Affective Disorders* 2016; 191:100-108.

225. Spinhoven P, Drost J, de Rooij M, van Hemert AM, Penninx BW. Is experiential avoidance a mediating, moderating, independent, overlapping, or proxy risk factor in the onset, relapse and maintenance of depressive disorders? *Cognitive Therapy and Research* 2016; 40:150-163.
226. Stam M, Smit JH, Twisk JW, Lemke U, Smits C, Festen JM, Kramer SE. Change in psychosocial health status over 5 years in relation to adults hearing ability in noise. *Ear and Hearing* 2016; 37(6): 680-689.
227. Stein DJ, Kogan CS, Atmaca M, et al. (including van den Heuvel OA). The classification of Obsessive-Compulsive and Related Disorders in the ICD-11. *Journal of Affective Disorders* 2016; 190:663-674.
228. Subirà M, Cano M, de Wit SJ, et al. (including Veltman DJ, van den Heuvel OA). Structural covariance of neostriatal and limbic regions in patients with obsessive-compulsive disorder. *Journal of Psychiatry and Neuroscience* 2016; 41(2):115-23.
229. ten Have M, Penninx BW, van Dorsselaer S, Tuithof M, Kleinjan M, de Graaf R. Insomnia among current and remitted common mental disorders and the association with role functioning: results from a general population study. *Sleep Medicine* 2016; 25:34-41.
230. ten Have M, Lamers F, Wardenaar K, Beekman ATF, de Jonge P, van Dorsselaer S, Tuithof M, Kleinjan M, de Graaf R. The identification of symptom-based subtypes of depression: a nationally representative cohort study. *Journal of Affective Disorders* 2016; 190:395-406.
231. ten Kulve JS, Veltman DJ, van Bloemendaal L, Groot PF, Ruhé HG, Barkhof F, Diamant M, Ijzerman RG. Endogenous GLP1 and GLP1 analogue alter CNS responses to palatable food consumption. *Journal of Endocrinology* 2016; 229(1):1-12.
232. ten Kulve JS, Veltman DJ, van Bloemendaal L, Barkhof F, Drent ML, Diamant M, Ijzerman RG. Liraglutide reduces CNS activation in response to visual food cues only after short-term treatment in patients with type 2 diabetes. *Diabetes Care* 2016; 39(2):214-221.
233. Teunissen CE, Durieux-Lu S, Blankenstein MA, Oude Voshaar RC, Comijs HC. The inflammatory marker GDF-15 is not independently associated with late-life depression. *Journal of Psychosomatic Research* 2016; 83:46-49.
234. Thiert H, Ebert DD, Lehr D, Nobis S, Buntrock C, Berking M, Smit F, Riper H. Internet-based cognitive behavioral therapy for insomnia: a health economic evaluation. *Sleep* 2016; 39(10):1769-1778.
235. Thielen FW, Ten Have M, de Graaf R, Cuijpers P, Beekman A, Evers S, Smit F. Long-term economic consequences of child maltreatment: a population-based study. *European Child & Adolescent Psychiatry* 2016; 25(12):1297-1305.
236. Thomaes K, Engelhard IM, Sijbrandij M, Cath DC, Van den Heuvel OA. Degrading traumatic memories with eye movements: a pilot functional MRI study in PTSD. *European Journal of Psychotraumatology* 2016; 7:31371.
237. Thomaes K, de Kloet C, Wilker S, El-Hage W, Schäfer I, Kleim B, Schmahl C, van Zuiden M. Investigating biological traces of traumatic stress in changing societies: challenges and directions from the ESTSS Task Force on Neurobiology. *European Journal of Psychotraumatology* 2016; 7:29453.
238. Urbanska K, Szczesniak D, Rymaszewska J, Dröes RM. The Meeting Centre Support Programme - an Amsterdam model of integrated support for people with dementia and their carers. *Postepy Psychiatrii Neurologii* 2016; 25(1):42-48.
239. van Balkom TD, Vriend C, Berendse HW, Foncke EM, van der Werf YD, van den Heuvel OA, Klein M. Profiling cognitive and neuropsychiatric heterogeneity in Parkinson's disease. *Parkinsonism & Related Disorders* 2016; 28:130-136.
240. van Ballegooijen W, Ruwaard J, Karyotaki E, Ebert DD, Smit JH, Riper H. Reactivity to smartphone-based ecological momentary assessment of depressive symptoms (MoodMonitor): protocol of a randomised controlled trial. *BMC Psychiatry* 2016; 16(1), 359.
241. van Ballegooijen W, Riper H, Cuijpers P, van Oppen P, Smit JH. Validation of online psychometric instruments for common mental health disorders: a systematic review. *BMC Psychiatry* 2016; 16:45.
242. van Beek MHCT, Zuidersma M, Lappenschaar M, Pop G, Roest AM, van Balkom AJLM, Speckens AEM, Oude Voshaar RC. Prognostic association of cardiac anxiety with new cardiac events and mortality following myocardial infarction. *British Journal of Psychiatry* 2016; 209: 400-406.
243. van Bloemendaal L, Ijzerman RG, ten Kulve JS, Barkhof F, Diamant M, Veltman DJ, van Duinkerken E. Alterations in white matter volume and integrity in obesity and type 2 diabetes. *Metabolic Brain Disease* 2016; 31(3):621-629.
244. van den Akker LE, Beckerman H, Collette EH, Eijssen IC, Dekker J, de Groot V. Effectiveness of cognitive behavioral therapy for the treatment of fatigue in patients with multiple sclerosis: A systematic review and meta-analysis. *Journal of Psychosomatic Research* 2016; 90:33-42.



245. van den Akker LE, Beckerman H, Collette EH, Bleijenberg G, Dekker J, Knoop H, de Groot V; TREFAMS-ACE study group. The role of appraisal and coping style in relation with societal participation in fatigued patients with multiple sclerosis: a cross-sectional multiple mediator analysis. *Journal of Behavioral Medicine* 2016; 39:855-865.
246. van den Berg K, Marijnissen RM, Van den Brink RH, Naarding P, Comijs HC, Oude Voshaar RC. Vitamin D deficiency, depression course and mortality: longitudinal results from the Netherlands Study on Depression in Older persons (NESDO). *Journal of Psychosomatic Research* 2016; (83) 50-56.
247. van den Berg SM, de Moor MH, Verweij KJ, et al. (including Milaneschi Y, Penninx BW). Meta-analysis of genome-wide association studies for extraversion: findings from the Genetics of Personality Consortium. *Behavior Genetics* 2016; 46(2):170-182.
248. van den Beukel TO, Hommel K, Kamper AL, Heaf JG, Siegert CE, Honig A, Jager KJ, Dekker FW, Norredam M. Differences in survival on chronic dialysis treatment between ethnic groups in Denmark: a population-wide, national cohort study. *Nephrology Dialysis Transplantation* 2016; 31(7):1160-1167.
249. van den Heuvel OA, van Wingen G, Soriano-Mas C, Alonso P, Chamberlain SR, Nakamae T, Denys D, Goudriaan AE, Veltman DJ. Brain circuitry of compulsivity. *European Neuropsychopharmacology* 2016; 26(5):810-827.
250. van den Hoek J, Roorda LD, Boshuizen HC, Tijhuis GJ, van den Bos GA, Dekker J. Physical and mental functioning in patients with established rheumatoid arthritis over an 11-year follow up period: the role of specific comorbidities. *Journal of Rheumatology* 2016; 43:307-314.
251. van den Hoek J, Boshuizen HC, Roorda LD, Tijhuis GJ, Nurmohamed MT, Dekker J, van den Bos GA. Association of somatic comorbidities and comorbid depression with mortality in patients with rheumatoid arthritis: a 14-year prospective cohort study. *Arthritis Care and Research* 2016; 68:1055-1060.
252. van der Heide A, Werth E, Donjacour CE, Reijntjes RH, Lammers GJ, van Someren EJ, Baumann CR, Fronczek R. Core body and skin temperature in type 1 narcolepsy in daily life; effects of sodium oxybate and prediction of sleep attacks. *Sleep* 2016; 39(11):1941-1949.
253. van der Lee A, de Haan L, Beekman A. Schizophrenia in the Netherlands: continuity of care with better quality of care for less medical costs. *PLoS One* 2016; 11(6):e0157150.
254. van der Markt A, Heller HM, van Exel E. A woman with catatonia, what to do after ECT fails: a case report. *Journal of ECT* 2016; 32(3):e6-7.
255. van der Pas S, Schaap LA, Castell MV, et al. (including Dekker J). Availability and use of neighborhood resources by older people with osteoarthritis: results from the European Project on OsteoArthritis. *Health and Place* 2016; 37:1-7.
256. van der Post LFM, Beekman ATF, Peen J, Zoeteman J, Twisk JWR, Dekker JJM. Patterns of care consumption after compulsory admission: a five-year follow-up to the Amsterdam Study of Acute Psychiatry VIII. *International Journal of Mental Health* 2016; 45(2): 105-117.
257. van der Zweerde T, Lancee J, Slottje P, Bosmans J, Van Someren E, Reynolds C 3rd, Cuijpers P, van Straten A. Cost-effectiveness of i-Sleep, a guided online CBT intervention, for patients with insomnia in general practice: protocol of a pragmatic randomized controlled trial. *BMC Psychiatry* 2016; 16:85.
258. van de Ven RM, Murre JM, Veltman DJ, Schmand BA. Computer-based cognitive training for executive functions after stroke: a systematic review. *Frontiers in Human Neuroscience* 2016; 10:150.
259. van Dessel NC, van der Wouden JC, Dekker J, van der Horst HE. Clinical value of DSM IV and DSM 5 criteria for diagnosing the most prevalent somatoform disorders in patients with medically unexplained physical symptoms (MUPS). *Journal of Psychosomatic Research* 2016; 82:4-10.
260. van Dijk S, Hanssen D, Naarding P, Lucassen P, Comijs H, Oude Voshaar R. Big five personality traits and medically unexplained symptoms in later life. *European Psychiatry* 2016; 6;38:23-30.
261. van Dongen J, Nivard MG, Willemsen G, Hottenga JJ, Helmer Q, et al (including Jansen R). Genetic and environmental influences interact with age and sex in shaping the human methylome. *Nature Communications* 2016; 7:11115.
262. Van Eenoo L, Declercq A, Onder G, Finne-Soveri H, Garms-Homolová V, Jónsson PV, Dix OH, Smit JH, van Hout HP, van der Roest HG. Substantial between-country differences in organising community care for older people in Europe-a review. *European Journal of Public Health* 2016; 26(2):213-219.
263. van Erp TG, Hibar DP, Rasmussen JM, et al. (including Veltman DJ). Subcortical brain volume abnormalities in 2028 individuals with schizophrenia and 2540 healthy controls via the ENIGMA consortium. *Molecular Psychiatry* 2016; 21(4):585.

264. van Haeften-van Dijk AM, Meiland FJM, Hattink BJJ, Bakker TJEM, Dröes RM. Community day care with carer support versus usual nursing home-based day care: Effects on needs, behaviour, mood and quality of life of people with dementia. *International Psychogeriatrics* 2016; 20(4):631-645.
265. van Hemmen J, Veltman DJ, Hoekzema E, Cohen-Kettenis PT, Dessens AB, Bakker J. Neural activation during mental rotation in complete androgen insensitivity syndrome: the influence of sex hormones and sex chromosomes. *Cerebral Cortex* 2016; 26(3):1036-1045.
266. van Kooten J, Binnekade TT, van der Wouden JC, Stek ML, Scherder EJ, Husebø BS, Smalbrugge M, Hertogh CM. A review of pain prevalence in Alzheimer's, vascular, frontotemporal and lewy body dementias. *Dementia and Geriatric Cognitive Disorders* 2016; 41(3-4):220-232.
267. van Leeuwen EM, Sabo A, Bis JC, et al. (including Milaneschi Y, Penninx BW). Meta-analysis of 49 549 individuals imputed with the 1000 Genomes Project reveals an exonic damaging variant in ANGPTL4 determining fasting TG levels. *Journal of Medical Genetics* 2016; 53(7):441-9.
268. van Mierlo LD, Meiland FJM, van Hout HPJ, Dröes RM. Toward an evidence-based implementation model and checklist for personalized dementia care in the community. *International Psychogeriatrics* 2016; 28(5): 801-813.
269. van Nispen RMA, Vreeken HL, Comijs HC, Deeg DJH, van Rens GHMB. Role of vision loss, functional limitations and the supporting network in depression in a general population. *Acta Ophthalmologica* 2016; 94:76-82.
270. van Schie D, Castelein S, van der Bijl J, Meijburg R, Stringer B, van Meijel B. Systematic review of self-management in patients with schizophrenia: psychometric assessment of tools, levels of self-management and associated factors. *Journal of Advanced Nursing* 2016; 72(11):2598-2611.
271. van Schoor NM, Comijs HC, Llewellyn D, Lips P. Cross-sectional and longitudinal associations between serum 25-hydroxyvitamin D and cognitive functioning. *International Psychogeriatrics* 2016; 28(05):759-768.
272. van Tuijl LA, Glashouwer KA, Bockting CL, Tendeiro JN, Penninx BW, de Jong PJ. Implicit and explicit self-esteem in current, remitted, recovered, and comorbid depression and anxiety disorders: The NESDA Study. *PLoS One* 2016;11(11):e0166116.
273. van Velzen LS, Schmaal L, Jansen R, Milaneschi Y, Opmeer EM, Elzinga BM, van der Wee NJ, Veltman DJ, Penninx BW. Effect of childhood maltreatment and brain-derived neurotrophic factor on brain morphology. *Social Cognitive and Affective Neuroscience (SCAN)* 2016; 11(11):1841-1852.
274. van Zoonen K, Kleiboer A, Cuijpers P, Smit J, Penninx B, Verhaak P, Beekman A. Determinants of attitudes towards professional mental health care, informal help and self-reliance in people with subclinical depression. *International Journal of Social Psychiatry* 2016; 62:84-93.
275. Verfaillie SCJ, de Wit SJ, Vriend C, Remijnse PL, Veltman DJ, van den Heuvel OA. The course of the neural correlates of reversal learning in obsessive-compulsive disorder and major depression: A naturalistic follow-up fMRI study. *Journal of Obsessive-Compulsive and Related Disorders* 2016; 9:51-58.
276. Verhaeghe S, Duprez V, Beeckman D, Leys J, van Meijel B, van Hecke A. Mental health nurses' attitudes and perceived self-efficacy toward inpatient aggression: a cross-sectional study of associations with nurse-related characteristics. *Perspectives in Psychiatric Care* 2016; 52(1):12-24.
277. Verhoeven JE, Lin J, Révész D, Wolkowitz OM, Penninx BWJH. Unresolved issues in longitudinal telomere length research: response to Susser et al. *American Journal of Psychiatry* 2016; 173(11):1147-1149.
278. Verhoeven JE, van Oppen P, Révész D, Wolkowitz OM, Penninx BWJH. Depressive and anxiety disorders showing robust, but non-dynamic, 6-year longitudinal association with short leukocyte telomere length. *American Journal of Psychiatry* 2016; 173(6):617-624.
279. Vijverberg EG, Wattjes MP, Dols A, et al. (including Gossink F, Stek ML). Diagnostic accuracy of MRI and additional [18F]FDG-PET for behavioral variant frontotemporal dementia in patients with late onset behavioral changes. *Journal of Alzheimers Disease* 2016; 53(4):1287-1297.
280. Vijverberg EG, Dols A, Krudop WA, et al. (including Gossink F, Stek ML). Diagnostic accuracy of the frontotemporal dementia consensus criteria in the late-onset frontal lobe syndrome. *Dementia and Geriatric Cognitive Disorders* 2016; 41(3-4):210-219.
281. Vinciotti V, Wit EC, Jansen R, de Geus EJ, Penninx BW, Boomsma DI, 't Hoen PA. Consistency of biological networks inferred from microarray and sequencing data. *BMC Bioinformatics* 2016; 17:254.

282. Vissia EM, Giesen ME, Chalavi S, Nijenhuis ER, Draijer N, Brand BL, Reinders AA. Is it Trauma- or Fantasy-based? Comparing dissociative identity disorder, post-traumatic stress disorder, simulators, and controls. *Acta Psychiatrica Scandinavica* 2016; 134(2):111-128.
283. Vogelzangs N, de Jonge P, Smit JH, Bahn S, Penninx BW. Cytokine production capacity in depression and anxiety. *Translational Psychiatry* 2016; 6(5):e825.
284. Vreeker A, Boks MP, Abramovic L, Verkooijen S, et al. (including Kupka RW). High educational performance is a distinctive feature of bipolar disorder: a study on cognition in bipolar disorder, schizophrenia patients, relatives and controls. *Psychological Medicine* 2016; 46(4):807-818.
285. Vriend C, Boedhoe PS, Rutten S, Berendse HW, van der Werf YD, van den Heuvel OA. A smaller amygdala is associated with anxiety in Parkinson's disease: a combined FreeSurfer-VBM study. *Journal of Neurology, Neurosurgery and Psychiatry* 2016; 87(5):493-500.
286. Ware JJ, Chen X, Vink J, et al. (including Milaneschi Y, Penninx BW). Genome-wide meta-analysis of cotinine levels in cigarette smokers identifies locus at 4q13.2. *Scientific Reports* 2016; 6:20092.
287. Wassink-Vossen S, Noorthoorn EO, Collard RM, Comijs HC, Oude Voshaar RC, Naarding P. Value of physical activity and sedentary behavior in predicting depression in older adults. *Journal of the American Geriatrics Society (JAGS)* 2016, 64:647-649.
288. Wei Y, Ramautar JR, Gomez-Herrero G, Sweere Y, Wassing R, Benjamins J, Stoffers D, van der Meijden WP, te Lindert B, Van Oosterhout F, van der Werf YD, van Someren EJW. I keep a close watch on this heart of mine: increased interception in insomnia. *Sleep* 2016; 39(12):2113-2124.
289. Whelan CD, Hibar DP, Zannas AS, et al. (including van Velzen L, Schmaal L). Heritability and reliability of automatically segmented human hippocampal formation subregions. *Neuroimage* 2016; 128:125-137.
290. Winkler TW, Justice AE, Graff M, et al. (including Smit JH). Correction: The influence of age and sex on genetic associations with adult body size and shape: a large-scale genome-wide interaction study. *PLoS Genetics* 2016; 12(6):e1006166.
291. Wynchank DS, Bijlenga D, Lamers F, Bron TI, Winthorst WH, Vogel SW, Penninx BW, Beekman AT, Kooij JS. ADHD, circadian rhythms and seasonality. *Journal of Psychiatric Research* 2016; 81:87-94.
292. Yardley L, Spring BJ, Riper H, et al. Understanding and promoting effective engagement with digital behavior change interventions. *American Journal of Preventive Medicine* 2016; 51(5):833-842.
293. Zarski AC, Lehr D, Berking M, Riper H, Cuijpers P, Ebert DD. Adherence to internet-based mobile-supported stress management: a pooled analysis of individual participant data from three randomized controlled trials. *Journal of Medical Internet Research* 2016; 18(6):e146.
294. Zoun MH, Koekkoek B, Sinnema H, Muntingh AD, van Balkom AJ, Schene AH, Smit F, Spijker J. Effectiveness and cost-effectiveness of a self-management training for patients with chronic and treatment resistant anxiety or depressive disorders: design of a multicenter randomized controlled trial. *BMC Psychiatry* 2016; 16:216.
295. Zuidersma M, Comijs HC, Naarding P, Oude Voshaar RC. Cognitive performance in depressed older persons: the impact of vascular burden and remission. A two-year follow-up study. *International Journal of Geriatric Psychiatry* 2016; 31(9):1029-1039.
296. Zyto S, Jabben N, Schulte PF, Regeer BJ, Kupka RW. A pilot study of a combined group and individual functional remediation program for patients with bipolar I disorder. *Journal of Affective Disorders* 2016; 194:9-15.

## Publications in Dutch

1. Bartens MA, Wennink JMB, Honig A. Risico op autisme na antidepressiva tijdens zwangerschap. *Nederlands Tijdschrift voor Geneeskunde* 2016; 160(17):44.
2. Bijkersma-Pot LM, Cuijpers P, Beekman AT, Schoevers RA. Vergelijking van effectiviteit van psychiatrische behandelingen met die van somatische behandelingen. [Comparison of efficacy of psychiatric treatment versus treatment in general medicine]. *Tijdschrift voor Psychiatrie* 2016; 58(10):751-758.
3. de Jong G, Meier A, Stringer B. Hulp bij zelfdoding in de GGZ. *Nurse Academy GGZ* 2016; 2:42-47.
4. Hengeveld MW, Beekman A. Reactie op 'Richtlijn psychiatrische diagnostiek 2015; sterke positionering met enkele rafelrandjes'. [Reaction on 'Guideline psychiatric diagnostics 2015; strong positioning and some loose ends']. *Tijdschrift voor Psychiatrie* 2016; 58(6):497-498.
5. Honig A, Sierink D, Verwey B. Het rendement van de ziekenhuispsychiatrie: heden en toekomst. [The tasks and aims of hospital psychiatry today and in the future]. *Tijdschrift voor Psychiatrie* 2016; 58(10):733-738.
6. Konz HW, Meesters PD, Paans NGN, Van Grootheest DS, Comijs HC, Stek ML, Dols A. Metabole screening bij oudere patiënten met een ernstige psychiatrische aandoening. *Tijdschrift voor Psychiatrie* 2016; 58(1): 61-66.
7. Kooij JJS. Monodisciplinaire richtlijn voor ADHD bij volwassenen. Deel 1, diagnose en medische behandeling. *Psyfar* 2016; 1:16-22.
8. Lamers F, Milaneschi Y. Leptineresistentie: de schakel tussen obesitas en atypische depressie? *Tijdschrift voor Psychiatrie* 2016; 58:548.
9. Muntingh ADT, Laheij M, Sinnema H, Zoun M, van Balkom AJLM, Schene A, Spijker J. Kwaliteit van leven en klachten na een zelfmanagement training bij patiënten met chronische angst en depressie: een gerandomiseerde studie. [Quality of life and symptoms in patients with chronic depression and anxiety after a self-management training: a randomised controlled trial]. *Tijdschrift voor Psychiatrie* 2016; 58(7): 504-512.
10. Nelis EA, Berendse HW, van den Heuvel OA. Hyperseksualiteit en andere impulscontrolestoornissen bij de ziekte van Parkinson. [Hypersexuality and other impulse control disorders in Parkinson's disease]. *Nederlands Tijdschrift voor Geneeskunde* 2016; 160:A9359.
11. Schouws SNTM, Jonker C, Meynen G. De betekenis van neuropsychologisch onderzoek voor rapportage pro Justitia. [The importance of neuropsychological assessment for forensic psychiatric evaluations of defendants]. *Tijdschrift voor Psychiatrie* 2016; 58:872-880.
12. Sommer IE, Hoencamp E, Spijker J, Kupka RW, Beekman AT, de Haan L. De schijn tegen? Evidence-based in plaats van marketing-based psychiatrie. [Are appearances deceptive? Evidence-based instead of marketing-based psychiatry]. *Tijdschrift voor Psychiatrie* 2016; 58(2):154-156.
13. Sommer IE, Beekman AT. De wetenschapsagenda GGZ, een gezamenlijk inzet van alle partijen van het (voormalig) bestuurlijk akkoord. [The Dutch Science Agenda for psychiatry, an initiative and effort of all parties]. *Tijdschrift voor Psychiatrie* 2016; 58(1):67-69.
14. ter Meulen WG, Visser HM, Elders PJ, Kupka RW. De huisarts als primaire behandelaar van patiënten met een bipolaire stoornis: een exploratief onderzoek. [The general practitioner in charge of treatment of patients with bipolar disorder: an exploratory study]. *Tijdschrift voor Psychiatrie* 2016; 58(3):190-197.
15. Tiemans B, Dozeman E, Sinnema H, Pelger N, Spijker J, Hendriksen A, Koster F, Kroon H, Meije D, Vergunst M. Van stabiliseren naar herstellen, over de zorg voor patiënten met chronische, stabiele psychische problematiek in de huisartsenpraktijk en de generalistische basis GGZ. *KiZ-Tijdschrift over Kwaliteit en Veiligheid in Zorg* 2016; 26(4):22-25.
16. van den Elsen E, van Steenbergen –Weijenburg K, Laheij M, Muntingh A, Sinnema H, Spijker S. Het effect van 'Rehabilitatie door zelfmanagement' op empowerment. *GZ-psychologie* 2016; 8(3):10-14.
17. van der Stel J. Definitie 'gezondheid' aan herziening toe. Biopsychosociaal aspect ontbreekt in omschrijving Machteld Huber. *Medisch Contact* 2016; 23:18-19.
18. van der Stel JC, Sommer IE, Bakker PR. Psyche, psychisch en '-psycho' [Psyche, psychiatric and 'psycho-']. *Tijdschrift voor Psychiatrie* 2016; 58:237-240.
19. van Meijel B, Boonstra N, van Piere M, Groenewegen P. Onderzoekagenda GGz: De juiste behandeling op het juiste moment. *Verpleegkunde. Nederlands Vlaams wetenschappelijk tijdschrift voor verpleegkundigen* 2016; 2:7-9.
20. van Meijel B. Het Safewards-onderzoek. Naar minder incidenten en vrijheidsbeperking in de acute psychiatrie. *Tijdschrift voor verpleegkundigen TvZ* 2016; 126 (4):36-37.

21. van Mierlo LD, MacNeil-Vroomen J, Meiland FJM et al. Implementatie en (kosten-)effectiviteit van casemanagement voor mensen met dementie en hun mantelzorgers: resultaten van de COMPAS-studie. [Implementation and (cost-)effectiveness of case management for people with dementia and their informal caregivers: results of the COMPAS study]. *Tijdschrift voor Gerontologie en Geriatrie* 2016; 47(6):223-233.
22. van Otterlo A, Meiland FJM. Medicatiebeoordelingen in het verpleeghuis? Doen! *Tijdschrift voor Ouderengeneeskunde* 2016; 2(online).
23. van Veen SC, Batelaan NM, Wesseldijk LW, Rozeboom J, Middeldorp CM. [Psychopathology in families: an integral approach via the family outpatient clinic]. *Tijdschrift voor Psychiatrie* 2016; 58(2):95-104.
24. Verhoeven J. Geen dynamische, maar juist stabiele relatie tussen depressieve en angststoornissen en korte telomeerlengte. [Depression accelerates physical aging]. *Tijdschrift voor Psychiatrie* 2016; 11:821.
25. van der Stel JC. Gemopper en vooruitgang: de psychische zorg in een spagaat. *Waardenwerk* 2016; 44-52.
26. van der Stel JC. Zingeving, zelfregulatie en taal. *Tijdschrift Geestelijke Verzorging* 2016; 19: 14-23.
27. van der Stel JC. Persoonlijk herstel, zingeving en identiteit. *Counseling Magazine* 2016; 7: 54-59.

## Books

1. Hengeveld MW, van Balkom AJLM, van Heeringen C, Sabbe BGC. (red.) *Leerboek Psychiatrie. 3e, geheel herziene druk*. De Tijdstroom, Utrecht, 2016.
2. van Meijel B. (red.). *Ggz-verpleegkunde in de praktijk*. De Tijdstroom, Utrecht, 2016.

## Book chapters

3. Berends T, van Meijel B. Anorexia nervosa: de Richtlijn terugvalpreventie. In: van Meijel B (red.) *Ggz-verpleegkunde in de praktijk* (p.125-137). De Tijdstroom, Utrecht, 2016.
4. Beekman ATF, ter Avest M. Voorwoord. In: van Mierlo T, van der Meer L, Voskes Y, Berkvens B, Stavenuiter B, van Weeghel J. *De kunst van ART. Actief herstel in de Triade, wanneer het herstel in de langdurige psychiatrische zorg stagneert*. De Tijdstroom, Utrecht, 2016.
5. Beekman ATF, van Balkom AJM. Gevolgen van Psychiatrische Stoornissen. In: van Hengeveld MW, van Balkom AJLM, van Heeringen C, Sabbe BGC. *Leerboek Psychiatrie* (p. 155-162) . 3e, geheel herziene druk. De Tijdstroom, Utrecht, 2016.
6. Braamse A, van Meijel B. Psychosociale problemen bij patiënten met een oncologische aandoening. In: van Meijel B (red.) *Ggz-verpleegkunde in de praktijk* (p.347-358). De Tijdstroom, Utrecht, 2016.
7. Clignet F, van Meijel B. Depressie bij ouderen: de Systematische Activeringsmethode (SAM). In: van Meijel B (red.) *Ggz-verpleegkunde in de praktijk* (p.203-218). De Tijdstroom, Utrecht, 2016.
8. de Groot JJ, Terluin B, de Vries H, Beekman ATF. Sombere stemming. In: de Jongh TOH, de Vries H, Grundmeijer HGLM, Knotnerus BJ. (red.) *Diagnostiek van alledaagse klachten, bouwstenen voor rationeel probleemoplossen. Vierde editie* (p.1021-1037). Bohn Stafleu Van Loghum, Houten, 2016.
9. de Groot M, Stringer B. Suïcidaal gedrag: het CASE-interview. In: van Meijel B (red.) *Ggz-verpleegkunde in de praktijk* (p.63-78). De Tijdstroom, Utrecht, 2016.
10. de Haan K, Wielenga F, van Meijel B. Middelenmisbruik door mensen met lichte verstandelijke beperkingen: de Leefstijltraining - PLUS. In: van Meijel B (red.) *Ggz-verpleegkunde in de praktijk* (p.163-181). De Tijdstroom, Utrecht, 2016.
11. Donker T, Blankers M, Riper H. eMental-health bij depressie. In: Schene A, Sabbe B, Spinhoven P, Ruhé E (red.) *Handboek depressieve*



- stoornissen (p.367 -383). De Tijdstroom, Utrecht, 2016.
12. Draijer N, van Dyck R. Dissociatieve stoornissen. In: Hengeveld MW, van Balkom AJLM, van Heeringen C, Sabbe BGC. (red.) *Leerboek Psychiatrie* (p.415-426). 3e, geheel herziene druk. De Tijdstroom, Utrecht, 2016.
  13. Fluttert F, van Leeuwen M, van Meijel B. Agressie in de forensische zorg. In: B. van Meijel (red.) *Ggz-verpleegkunde in de praktijk* (p.95-107). De Tijdstroom, Utrecht, 2016.
  14. Hengeveld MW, van Balkom AJLM. Psychopathologie. In: Hengeveld MW, van Balkom AJLM, van Heeringen C, Sabbe BGC. (red.) *Leerboek Psychiatrie. 3e, geheel herziene druk* (p.17-26). De Tijdstroom, Utrecht, 2016.
  15. Hengeveld MW, van Balkom AJLM. Diagnostiek en classificatie. In: Hengeveld MW, van Balkom AJLM, van Heeringen C, Sabbe BGC. (red.) *Leerboek Psychiatrie. 3e, geheel herziene druk* (p. 27-144). De Tijdstroom, Utrecht, 2016.
  16. Honig A, Lampe I. Lichamelijk onderzoek bij depressie. In: A.H. Schene, et al. In: *Handboek depressieve stoornissen* (p.101-113). De Tijdstroom, Utrecht, 2016.
  17. Honig A, Heller H, Kieviet N. Depressie tijdens zwangerschap en kraamperiode. In: A.H. Schene, et al. (red.) *Handboek depressieve stoornissen* (p.483-496). De Tijdstroom, Utrecht, 2016.
  18. Hoogendijk WJ, van Schaik DJF, Schoevers R. Depressieve-stemmingsstoornissen. In: Hengeveld MW, van Balkom AJLM, van Heeringen C, Sabbe BGC. (red.) *Leerboek Psychiatrie. 3e, geheel herziene druk* (p.321-342). De Tijdstroom, Utrecht, 2016.
  19. Koekkoek B, Stringer B, van Meijel B. In de frontlinie: wat hbo-professionals kunnen doen voor suicidale patiënten in de ambulante zorg. In: Kerkhof A, van Luyn B (red.). *Behandeling van suïcidaal gedrag in de praktijk van de GGZ*. (p. 249-262). Bohn Stafleu van Loghum, Houten, 2016.
  20. Kool N, van Meijel B. Zelfbeschadigend gedrag: contact, communicatie en vroegtijdige signalering. In: van Meijel B (red.) *Ggz-verpleegkunde in de praktijk* (p.49-62). De Tijdstroom, Utrecht, 2016.
  21. Riper H, Cuijpers P. Telepsychology and ehealth. In: Norcross JC, VandenBos GR, Freedham DK (Editors-in Chief). *APA Handbook of Clinical Psychology: Vol. 3. Applications and Methods*. (chapter 24). American Psychological Association, 2016.
  22. Riper H, Cuijpers P. Depressiepreventie via internet: Alles Onder Controle. In: Brug J, van Assema P, Lechner L. (red.). *Gezondheidsvoorlichting en gedragsverandering, Een planmatige aanpak*. Koninklijke van Gorcum B.V., Assen, 2016.
  23. Spijker J, Ruhe E, Beekman ATF. Beloop en stagering van depressie. In: Schene AH, Sabbe BCG, Spinhoven Ph en Ruhe HG (red). *Handboek depressieve stoornissen* (p.63-78). De Tijdstroom, Utrecht, 2016.
  24. Stringer B, Paans W, Sitvast J, Kieft R. Gegevens verzamelen en probleemstelling. In: van Straalen L, Schuurmans M (red.). *Klinisch redeneren voor verpleegkundigen*. Bohn Stafleu van Loghum, Houten, 2016.
  25. van Balkom AJLM. Psycho-educatie. In: Hengeveld MW, van Balkom AJLM, van Heeringen C, Sabbe BGC. (red.) *Leerboek Psychiatrie. 3e, geheel herziene druk* (p.171-174). De Tijdstroom, Utrecht, 2016.
  26. van Balkom AJLM. Angststoornissen. In: Hengeveld MW, van Balkom AJLM, van Heeringen C, Sabbe BGC. (red.) *Leerboek Psychiatrie. 3e, geheel herziene druk* (p.351-374). De Tijdstroom, Utrecht, 2016.
  27. van den Heuvel OA. Obsessief-compulsieve en verwante stoornissen. In: Hengeveld MW, van Balkom AJLM, van Heeringen C, Sabbe BGC. (red.) *Leerboek Psychiatrie. 3e, geheel herziene druk* (p.375-390). De Tijdstroom, Utrecht, 2016.
  28. van der Kellen D, van Hamersveld S, Meeuwissen J, van Meijel B. Somatische screening en leefstijl-interventies bij mensen met een ernstige psychische aandoening. In: van Meijel B (red.) *Ggz-verpleegkunde in de praktijk* (p.141-161). De Tijdstroom, Utrecht, 2016.
  29. van der Voort N, van Meijel B. De bipolaire stoornis: Zorg in Samenwerking, een collaborative care programma. In: van Meijel B (red.) *Ggz-verpleegkunde in de praktijk* (p.233-248). De Tijdstroom, Utrecht, 2016.
  30. van Heringen K, Kooiman K, Claes S, Beekman ATF, Vanaerschoot G, Sabbe B, Lemmens G, Balkom T. Etiopathogenese en het stresskwetsbaarheidsmodel. In: van Balkom AJLM, Hengeveld M, van Heeringen C, Sabbe BGC (red.). *Leerboek Psychiatrie. 3e, geheel herziene druk* (p.55-62). De Tijdstroom, Utrecht, 2016.
  31. van Meijel B. Kleurrijke perspectieven: notities over de ggz-verpleegkunde. In: van Meijel B (red.) *Ggz-verpleegkunde in de praktijk* (p.15-26). De Tijdstroom, Utrecht, 2016.

Reports

1. van der Voort TY, van Meijel B, Hoogendoorn AW, Draisma S, Goossens PJ, Beekman AT, Kupka RW. **Collaborative care for patients with bipolar disorder: Results of a randomised controlled trial**. In: *Wegman I (red.)*. *Praktijkgericht onderzoek inspireert* (p.100-109). Onderzoeksbundel. Den Haag: Hogeschool Inholland, 2016.
2. van Zuthem H, Wildevuur S, i.s.m. Bosch, Janssen, Meiland F. **De mens zien met dementie, co-creatie onderzoek naar behoefte aan ondersteuning thuis**. Waag Society, 2016.

