

Publications 2017

Department of Psychiatry VUmc

Research Department GGZ inGeest

International publications (refereed)

*Authors of our department as part of consortium

1. Aghajani M, Klapwijk ET, van der Wee NJ, Veer IM, Rombouts SARB, Boon AE, van Beelen P, Popma A, Vermeiren RRJM, Colins OF. Disorganized amygdala networks in conduct-disordered juvenile offenders with callous-unemotional traits. *Biological Psychiatry* 2017;82(4):283-293.
2. Antypa N, Verkuil B, Molendijk M, Schoevers R, Penninx B, van der Does W. Associations between chronotypes and psychological vulnerability factors of depression. *Chronobiology International* 2017;34(8):1125-35.
3. Bas-Hoogendam JM, van Steenbergen H, Pannekoek JN, Fouche JP, Lochner C, et al (including Veltman DJ). Voxel-based morphometry multi-center mega-analysis of brain structure in social anxiety disorder. *Neuroimage-Clinical* 2017;16:678-88.
4. Batelaan NM, Bosman RC, Muntingh A, Scholten WD, Huijbregts KM, van Balkom A. Risk of relapse after antidepressant discontinuation in anxiety disorders, obsessive-compulsive disorder, and post-traumatic stress disorder: systematic review and meta-analysis of relapse prevention trials. *BMJ-British Medical Journal*. 2017;358:11.
5. Benjamins JS, Migliorati F, Dekker K, Wassing R, Moens S, et al (including van Someren EJW). Insomnia heterogeneity: Characteristics to consider for data-driven multivariate subtyping. *Sleep Medicine Reviews* 2017;36:71-81.
6. Biesheuvel-Leliefeld KEM, Dijkstra-Kersten SMA, van Schaik DJF, van Marwijk HWJ, Smit F, van der Horst HE, Bockting CLH. Effectiveness of supported self-help in recurrent depression: a randomized controlled trial in primary care. *Psychotherapy and psychosomatics* 2017;86(4):220-30.
7. Bigdeli TB, Ripke S, Peterson RE, Trzaskowski M, Bacanu SA, et al (including Beekman AT, Jansen R, Milaneschi Y, Penninx BW, Peyrot WJ, Smit JH, van Grootheest G). Genetic effects influencing risk for major depressive disorder in China and Europe. *Translational Psychiatry* 2017; 7(3):e1074.
8. Bijker L, Kleiboer A, Riper HM, Cuijpers P, Donker T. A pilot randomized controlled trial of E-care for caregivers: An internet intervention for caregivers of depressed patients. *Internet Interventions* 2017; 9:88-99.
9. Bijlenga D, Kulcu S, van Gellecum T, Eryigit Z, Kooij JJS. Persistence and adherence to psychostimulants, and psychological well-being up to 3 years after specialized treatment of adult Attention-Deficit/Hyperactivity Disorder: a naturalistic follow-up study. *Journal of Clinical Psychopharmacology* 2017;37(6):689-696.
10. Bijlenga D, Tjon-Ka-Jie JYM, Schuijers F, Kooij JJS. Atypical sensory profiles as core features of adult ADHD, irrespective of autistic symptoms. *European Psychiatry* 2017; 43:51-57.
11. Bijlsma-Rutte A, Braamse AM, van Oppen P, Snoek FJ, Enzlin P, Leusink P, Nijpels G, Elders PJM. Screening for sexual dissatisfaction among people with type 2 diabetes in primary care. *Journal of Diabetes and its Complications* 2017;31(11):1614-9.
12. Binnekade TT, Van Kooten J, Lobbezoo F, Rhebergen D, Van der Wouden JC, Smalbrugge M, Scherder EJA. Pain experience in dementia subtypes: a systematic review. *Current Alzheimer Research* 2017;14(5):471-85.
13. Black CN, Bot M, Revesz D, Scheffer PG, Penninx B. The association between three major physiological stress systems and oxidative DNA and lipid damage. *Psychoneuroendocrinology (PNEC)* 2017;80:56-66.
14. Black CN, Bot M, Scheffer PG, Penninx B. Oxidative stress in major depressive and anxiety disorders, and the association with antidepressant use; results from a large adult cohort. *Psychological Medicine* 2017;47(5):936-48.
15. Boedhoe PSW, Schmaal L, Abe Y, Ameis SH, Arnold PD, et al (including van den Heuvel OA). Distinct subcortical volume alterations in pediatric and adult OCD: a worldwide meta- and mega-analysis. *American Journal of Psychiatry* 2017;174(1):60-9.

16. Boedhoe PSW, Schmaal L, Mataix-Cols D, Jahanshad N, ENIGMA OCD working group, Thompson PM, Stein DJ, van den Heuvel OA. Association and causation in brain imaging in the case of OCD: response to McKay et al. *American Journal of Psychiatry* 2017;174(6):597-9.
17. Boerema AM, ten Have M, Kleiboer A, de Graaf R, Nuyen J, Cuijpers P, Beekman ATF. Demographic and need factors of early, delayed and no mental health care use in major depression: a prospective study. *BMC Psychiatry* 2017;17:10.
18. Boersma P, Dröes RM, Lissenberg-Witte BI, van Meijel B, van Weert JCM. Does working with the Veder Contact Method influence the job satisfaction of caregivers? A non-randomized controlled trial in nursing homes for people with dementia. *International Psychogeriatrics* 2017;29(12):2017-32.
19. Boersma P, van Weert JCM, van Meijel B, Dröes RM. Implementation of the Veder contact method in daily nursing home care for people with dementia: a process analysis according to the RE-AIM framework. *Journal of Clinical Nursing* 2017;26(3-4):436-55.
20. Boersma P, Van Weert JCM, van Meijel B, van de Ven PM, Dröes RM. Study protocol Implementation of the Veder contact method (VCM) in daily nursing home care for people with dementia: an evaluation based on the RE-AIM framework. *Aging & Mental Health* 2017;21(7):730-41.
21. Boeschoten RE, Braamse AMJ, Beekman ATF, Cuijpers P, van Oppen P, Dekker J, Uitdehaag BMJ.. Prevalence of depression and anxiety in Multiple Sclerosis: A systematic review and meta-analysis. *Journal of the Neurological Sciences* 2017;372:331-41.
22. Boeschoten RE, Dekker J, Uitdehaag BMJ, Beekman ATF, Hoogendoorn AW, Collette EH, Cuijpers P, Nieuwenhuis MM, van Oppen P. Internet-based treatment for depression in multiple sclerosis: A randomized controlled trial. *Multiple Sclerosis Journal* 2017;23(8):1112-22.
23. Boeschoten RE, Schaakxs R, Dekker J, Uitdehaag BMJ, Beekman ATF, Smit JH, Penninx BW, van Oppen P. Does the presence of multiple sclerosis impact on symptom profile in depressed patients? *Journal of Psychosomatic Research* 2017;103:70-6.
24. Bogers I, Zuidersma M, Boshuisen ML, Comijs HC, Oude Voshaar RC. The influence of thoughts of death and suicidal ideation on the course of depression in older depressed patients. *International Journal of Geriatric Psychiatry* 2017;32(8):882-91.
25. Bokma WA, Batelaan NM, van Balkom A, Penninx B. Impact of anxiety and/or depressive disorders and chronic somatic diseases on disability and work impairment. *Journal of Psychosomatic Research* 2017;94:10-6.
26. Bonder MJ, Luijk R, Zhernakova DV, Moed M, Deelen P, et al (including Jansen R). Disease variants alter transcription factor levels and methylation of their binding sites. *Nature Genetics* 2017 ;49(1):131-138.
27. Bot M, Middeldorp CM, de Geus EJC, Lau HM, Sinke M, van Nieuwenhuizen B, et al. Validity of LIDAS (Lifetime Depression Assessment Self-report): a self-report online assessment of lifetime major depressive disorder. *Psychological Medicine* 2017;47(2):279-89.
28. Bottelier MA, Schrantee A, Ferguson B, Tamminga HGH, Bouziane C, Kooij JJS, de Ruiter MB, Reneman L. Age-dependent effects of acute methylphenidate on amygdala reactivity in stimulant treatment-naïve patients with Attention Deficit/Hyperactivity Disorder. *Psychiatry Research* 2017;269:36-42.
29. Boumparis N, Karyotaki E, Schaub MP, Cuijpers P, Riper H. Internet interventions for adult illicit substance users: a meta-analysis. *Addiction* 2017;112(9):1521-32.
30. Braamse AMJ, van Meijel B, Visser OJ, Huijgens PC, Beekman ATF, Dekker J. Help-seeking behaviour of patients with haematological malignancies treated with autologous stem cell transplantation. *European Journal of Cancer Care* 2017;26(5):9.
31. Brailean A, Aartsen MJ, Muniz-Terrera G, Prince M, Prina AM, Comijs HC, Huisman M, Beekman A. Longitudinal associations between late-life depression dimensions and cognitive functioning: a cross-domain latent growth curve analysis. *Psychological Medicine* 2017;47(4):690-702.
32. Brouwer A, Nguyen HT, Snoek FJ, van Raalte DH, Beekman ATF, Moll AC, Bremmer MA. Light therapy: is it safe for the eyes? *Acta Psychiatrica Scandinavica* 2017;136(6):534-48.
33. Buntrock C, Berking M, Smit F, Lehr D, Nobis S, Riper H, et al. Preventing depression in adults with subthreshold depression: health-economic evaluation alongside a pragmatic randomized controlled trial of a web-based intervention. *Journal of Medical Internet Research* 2017;19(1):16.

34. Carlier IV, Kovacs V, van Noorden MS, van der Feltz-Cornelis C, Mooij N, et al. Evaluating the responsiveness to therapeutic change with Routine Outcome Monitoring: a comparison of the Symptom Questionnaire-48 (SQ-48) with the Brief Symptom Inventory (BSI) and the Outcome Questionnaire-45 (OQ-45). *Clinical Psychology & Psychotherapy* 2017;24(1):61-71.
35. Chen PJ, Dols A, Rej S, Sajatovic M. Update on the epidemiology, diagnosis, and treatment of mania in older-age bipolar disorder. *Current Psychiatry Reports* 2017;19(8):11.
36. Chin Jen Sem JP, van der Leeden M, Visscher CM, Britsemmer K, Turk SA, Dekker J, van Schaardenburg D, Lobbezoo F. Prevalence, course, and associated factors of pain in the temporomandibular joint in early rheumatoid arthritis: results of a longitudinal cohort study. *Journal of Oral Facial Pain and Headache* 2017;31(3):233-239.
37. Claassen-van Dessel N, van der Wouden JC, Dekker J, Rosmalen JGM, van der Horst HE. The cross-sectional relation between medically unexplained physical symptoms (MUPS) and the Cortisol Awakening Response. *Journal of Psychosomatic Research* 2017;99:130-136.
38. Clignet F, van Meijel B, van Straten A, Cuijpers P. A Qualitative evaluation of an inpatient nursing intervention for depressed elderly: the systematic activation method. *Perspectives in Psychiatric Care* 2017;53(4):280-8.
39. Collard RM, Arts MHL, Schene AH, Naarding P, Oude Voshaar RC, Comijs HC. The impact of frailty on depressive disorder in later life: Findings from the Netherlands Study of Depression in Older persons. *European Psychiatry* 2017, 43:66-73.
40. Conijn JM, Spinhoven, Meijer RR, Lamers F. Person misfit on the Inventory of Depressive Symptomatology: Low quality self-report or true atypical symptom profile? *International Journal of Methods in Psychiatric Research* 2017; 26(4).
41. Crins MHP, Terwee CB, Klausch T, Smits N, de Vet HCW, et al (including Dekker J). The Dutch-Flemish PROMIS Physical Function item bank exhibited strong psychometric properties in patients with chronic pain. *Journal of Clinical Epidemiology* 2017;87:47-58.
42. Cuijpers P, Weitz E, Lamers F, Penninx BW, Twisk J, et al. Melancholic and atypical depression as predictor and moderator of outcome in cognitive behavior therapy and pharmacotherapy for adult depression. *Depression and Anxiety* 2017; 34(3):246-56.
43. Cuijpers P, Kleiboer A, Karyotaki E, Riper H. Internet and mobile interventions for depression: opportunities and challenges. *Depression and Anxiety* 2017;34(7):596-602.
44. de Koning EJ, Verweij L, Lips P, Beekman ATF, Comijs HC, Van Schoor NM. The relationship between serum 25(OH)D levels and anxiety symptoms in older persons: Results from the Longitudinal Aging Study Amsterdam. *Journal of Psychosomatic Research* 2017;97:90-5.
45. De Venter M, Van den Eede F, Pattyn T, Wouters K, Veltman DJ, Penninx B, Sabbe BG. Impact of childhood trauma on course of panic disorder: contribution of clinical and personality characteristics. *Acta Psychiatrica Scandinavica* 2017;135(6):554-63.
46. de Vries HJ, Kloek CJJ, de Bakker DH, Dekker J, Bossen D, Veenhof C. Determinants of adherence to the online component of a blended intervention for patients with hip and/or knee osteoarthritis: a mixed methods study embedded in the e-exercise trial. *Telemedicine Journal and E-health* 2017;23(12):1002-1010.
47. de Vugt M, Dröes RM. Social health in dementia. Towards a positive dementia discourse. *Aging & Mental Health* 2017;21(1):1-3.
48. Deenik J, Kruisdijk F, Tenback D, Braakman-Jansen A, Taal E, et al (including Beekman A). Physical activity and quality of life in longterm hospitalized patients with severe mental illness: a cross-sectional study. *BMC Psychiatry* 2017;17:11.
49. Dekker J, Braamse A, Schuurhuizen C, Beekman ATF, van Linde M, Sprangers MAG, Verheul HM. Distress in patients with cancer - on the need to distinguish between adaptive and maladaptive emotional responses. *Acta Oncologica* 2017;56(7):1026-9.
50. Dekker J, Stauder A, Penedo FJ. Defining the field of behavioral medicine: a collaborative endeavor. *International Journal of Behavioral Medicine* 2017;24(1):21-4.
51. Dekker J, Stauder A, Penedo FJ. Proposal for an update of the definition and scope of behavioral medicine. *International Journal of Behavioral Medicine* 2017;24(1):1-4.
52. Dekker K, Blanken TF, Van Someren EJW. Insomnia and personality - a network approach. *Behavioral and Brain Sciences* 2017;7(3):12.
53. Dekker WPH, Vergouwen CM, Buster MCA, Honig A. Acceptance of guidance to care at the emergency department following attempted suicide. *BMC Psychiatry* 2017;17:9.

54. Di Florio A, Putnam K, Altemus M, Apter G, Bergink V, et al (including Penninx BW). The impact of education, country, race and ethnicity on the self-report of postpartum depression using the Edinburgh Postnatal Depression Scale. *Psychological Medicine* 2017;47(5):787-99.
55. Dijkstra-Kersten SMA, Sitnikova K, Terluin B, Penninx B, Twisk JWR, van Marwijk HWJ, van der Horst HE, van der Wouden JC. Longitudinal associations of multiple physical symptoms with recurrence of depressive and anxiety disorders. *Journal of Psychosomatic Research* 2017;97:96-101.
56. Direk N, Williams S, Smith JA, Ripke S, Air T, et al (including van Grootheest G, Milaneschi Y, Penninx BW, Smit JH). An analysis of two genome-wide association meta-analyses identifies a new locus for broad depression phenotype. *Biological Psychiatry* 2017;82(5):322-9.
57. Doedens P, Maaskant JM, Latour CHM, van Meijel B, Koeter MWJ, Storosum JG, Barkhof E, de Haan L. Nursing staff factors contributing to seclusion in acute mental health care - an explorative cohort study. *Issues in Mental Health Nursing* 2017;38(7):584-589.
58. Dols A, Bouckaert F, Sienaert P, Rhebergen D, Vansteeiandt K, ten Kate M, et al (including Comijs HC, van Exel E, Stek ML). Early and late onset depression in late life: a prospective study on clinical and structural brain characteristics and response to electroconvulsive therapy. *American Journal of Geriatric Psychiatry* 2017;25(2):178-89.
59. Doornweerd S, van Duinkerken E, de Geus EJ, Arbab-Zadeh P, Veltman DJ, Ijzerman RG. Overweight is associated with lower resting state functional connectivity in females after eliminating genetic effects: a twin study. *Human Brain Mapping* 2017;38(10):5069-81.
60. Dozeman E, Verdonck-de Leeuw IM, Savard J, van Straten A. Guided web-based intervention for insomnia targeting breast cancer patients: Feasibility and effect. *Internet interventions* 2017; 9: 1-6.
61. Dröes RM, Chattat R, Diaz A, Gove D, Graff M, et al. Social health and dementia: a European consensus on the operationalization of the concept and directions for research and practice. *Aging & Mental Health* 2017;21(1):4-17.
62. Dröes RM, Meiland FJM, Evans S, Brooker D, Farina E, et al. Comparison of the adaptive implementation and evaluation of the Meeting Centers Support Program for people with dementia and their family carers in Europe; study protocol of the MEETINGDEM project. *BMC Geriatrics* 2017;17:12.
63. Ebert DD, Nobis S, Lehr D, Baumeister H, Riper H, Auerbach RP, Snoek F, Cuijpers P, Berking M. The 6-month effectiveness of Internet-based guided self-help for depression in adults with Type 1 and 2 diabetes mellitus. *Diabetic Medicine* 2017;34(1):99-107.
64. Eigenhuis E, Seldenrijk A, van Schaik A, Raes F, van Oppen P. Feasibility and effectiveness of memory specificity training in depressed outpatients: a pilot study. *Clinical Psychology & Psychotherapy* 2017;24(1):269-77.
65. Elstgeest LEM, Brouwer IA, Penninx B, van Schoor NM, Visser M. Vitamin B-12, homocysteine and depressive symptoms: a longitudinal study among older adults. *European Journal of Clinical Nutrition* 2017;71(4):468-75.
66. Erbe D, Eichert HC, Riper H, Ebert DD. Blending face-to-face and internet-based interventions for the treatment of mental disorders in adults: systematic review. *Journal of Medical Internet Research* 2017;19(9):14
67. Fair B, Mellon SH, Epel ES, Lin J, Révész D, Verhoeven JE, et al (including Penninx BW). Telomere length is inversely correlated with urinary stress hormone levels in healthy controls but not in un-medicated depressed individuals-preliminary findings. *Journal of Psychosomatic Research* 2017;99:177-180.
68. Fan S, Cath DC, van den Heuvel OA, van der Werf YD, Schols C, Veltman DJ, Pouwels PJW. Abnormalities in metabolite concentrations in tourette's disorder and obsessive-compulsive disorder-A proton magnetic resonance spectroscopy study. *Psychoneuroendocrinology* 2017;77:211-7.
69. Fedko IO, Wesseldijk LW, Nivard MG, Hottenga JJ, van Beijsterveldt CE, Middeldorp CM, Bartels M, Boomsma DI. Heritability of behavioral problems in 7-year olds based on shared and unique aspects of parental views. *Behavior Genetics* 2017;47(2):152-63.
70. Ferreira MA, Jansen R, Willemsen G, Penninx B, Bain LM, et al. Gene-based analysis of regulatory variants identifies 4 putative novel asthma risk genes related to nucleotide synthesis and signaling. *Journal of Allergy and Clinical Immunology* 2017;139(4):1148-57.
71. Ferreira MA, Vonk JM, Baurecht H, Marenholz I, Tian C, et al (including Jansen R). Shared genetic origin of asthma, hay fever and eczema elucidates allergic disease biology. *Nature Genetics* 2017; 49(12):1752-1757.

72. Fleming TM, Bavin L, Stasiak K, Hermansson-Webb E, Merry SN, Cheek C, Lucassen M, Lau HM, Pollmuller B, Hetrick S. Serious games and gamification for mental health: current status and promising directions. *Frontiers in Psychiatry* 2017;7:215
73. Flens G, Smits N, Terwee CB, Dekker J, Huijbrechts I, de Beurs E. Development of a computer adaptive test for depression based on the Dutch-Flemish version of the PROMIS item bank. *Evaluation & the Health Professions* 2017; 40, 79-105.
74. Fouche JP, du Plessis S, Hattingh C, Roos A, Lochner C, et al (including van den Heuvel OA, Veltman DJ). Cortical thickness in obsessive compulsive disorder: multisite mega-analysis of 780 brain scans from six centres. *British Journal of Psychiatry* 2017; 210(1):67-74.
75. Frodl T, Janowitz D, Schmaal L, Tozzi L, Dobrowolny H, et al (including Veltman DJ, Penninx BW). Childhood adversity impacts on brain subcortical structures relevant to depression. *Journal of Psychiatric Research* 2017;86:58-65.
76. Gardiner SL, van Belzen MJ, Boogaard MW, van Roon-Mom WMC, et al (including Smit JH, Beekman ATF, van Grootheest G, Comijs HC, Penninx BWJH). Large normal-range TBP and ATXN7 CAG repeat lengths are associated with increased lifetime risk of depression. *Translational Psychiatry* 2017; 7(6):e1143.
77. Gardiner SL, van Belzen MJ, Boogaard MW, van Roon-Mom WMC, et al (including Smit JH, Beekman ATF, van Grootheest G, Comijs HC, Penninx BWJH). Huntingtin gene repeat size variations affect risk of lifetime depression. *Translational Psychiatry* 2017, 7(12):1277.
78. Gaspersz R, Lamers F, Kent JM, Beekman ATF, Smit JH, van Hemert AM, Schoevers RA, Penninx BW. Anxious distress predicts subsequent treatment outcome and side effects in depressed patients starting antidepressant treatment. *Journal of Psychiatric Research* 2017;84:41-48.
79. Gaspersz R, Lamers F, Kent JM, Beekman ATF, Smit JH, van Hemert AM, Schoevers RA, Penninx BW. Longitudinal predictive validity of the DSM-5 anxious distress specifier for clinical outcomes in a large cohort of patients with major depressive disorder. *Journal of Clinical Psychiatry* 2017;78(2):207-213.
80. Gaspersz R, Lamers F, Wittenberg G, Beekman ATF, van Hemert AM, Schoevers RA, Penninx BWJH. The role of anxious distress in immune dysregulation in patients with major depressive disorder. *Translational Psychiatry* 2017; 7(12):1268.
81. Generaal E, Vogelzangs N, Macfarlane GJ, Geenen R, Smit JH, de Geus E, Dekker J, Penninx BW. Biological stress systems, adverse life events, and the improvement of chronic multisite musculoskeletal pain across a 6-year follow-up. *Journal of Pain* 2017;18(2):155-65.
82. Generaal E, Vogelzangs N, Penninx B, Dekker J. Insomnia, sleep duration, depressive symptoms, and the onset of chronic multisite musculoskeletal pain. *Sleep* 2017;40(1):10.
83. Gerritsen L, Milaneschi Y, Vinkers CH, van Hemert AM, van Velzen L, Schmaal L, Penninx BW. HPA axis genes, and their interaction with childhood maltreatment, are related to cortisol levels and stress-related phenotypes. *Neuropsychopharmacology* 2017;42(12):2446-55.
84. Ghielen I, van Wegen EEH, Rutten S, de Goede CJT, Houniet-de Gier M, et al (including van den Heuvel OA). Body awareness training in the treatment of wearing-off related anxiety in patients with Parkinson's disease: Results from a pilot randomized controlled trial. *Journal of Psychosomatic Research* 2017;103:1-8.
85. Giltay EJ, van der Mast RC, Lauwen E, Heijboer AC, de Waal MWM, Comijs HC. Plasma testosterone and the course of major depressive disorder in older men and women. *American Journal of Geriatric Psychiatry* 2017;25(4):425-37.
86. Gilissen R, De Beurs D, Mokkenstorm J, M  relle S, Donker G, Terpstra S, Derijck C; The Supranet Suicide Prevention Action Network Research Group, Franx G. Improving suicide prevention in Dutch regions by creating local Suicide Prevention Action Networks (SUPRANET): a study protocol. *International Journal of Environmental Research and Public Health* 2017;14(4).
87. Goorden M, van der Feltz-Cornelis CM, van Steenbergen-Weijenburg KM, Horn EK, Beekman AT, Hakkaart-van Roijen L. Cost-utility of collaborative care for the treatment of comorbid major depressive disorder in outpatients with chronic physical conditions. A randomized controlled trial in the general hospital setting (CC-DIM). *Neuropsychiatric Disease and Treatment* 2017;13:1881-1893.
88. Gorski M, Van der Most PJ, Teumer A, Chu AY, Li M, Mijatovic V, et al (including Penninx BW). 1000 Genomes-based meta-analysis identifies 10 novel loci for kidney function. *Scientific Reports* 2017;7:10.
89. Gossink FT, Vijverberg EG, Krudop W, Scheltens P, Stek ML, Pijnenburg YAL, Dols A. Psychosis in behavioral variant frontotemporal dementia. *Neuropsychiatric Disease and Treatment* 2017;13:1099-106.

90. Graff M, Scott RA, Justice AE, Young KL, Feitosa MF, et al (including Peyrot WJ, van Grootheest G, Milaneschi Y, Penninx BWJH). Genome-wide physical activity interactions in adiposity. A meta-analysis of 200,452 adults. *PLoS Genetics* 2017;13(4):26.
91. Groeneweg-Koolhoven I, Ploeg M, Comijs HC, Penninx B, van der Mast RC, Schoevers RA, et al. Apathy in early and late-life depression. *Journal of Affective Disorders* 2017;223:76-81.
92. Guadalupe T, Mathias SR, Vanerp TGM, Whelan CD, Zwiers MP, et al (including van den Heuvel OA, Schmaal L, Veltman DJ). Human subcortical brain asymmetries in 15,847 people worldwide reveal effects of age and sex. *Brain Imaging and Behavior* 2017;11(5):1497-514.
93. Hammerschlag AR, Stringer S, de Leeuw CA, Sniekers S, Taskesen E, et al (including van Someren EJW). Genome-wide association analysis of insomnia complaints identifies risk genes and genetic overlap with psychiatric and metabolic traits. *Nature Genetics* 2017;49(11):1584-1592.
94. Harten AC, Jongbloed W, Teunissen CE, Scheltens P, Veerhuis R, van der Flier WM. CSF ApoE predicts clinical progression in nondemented APOE epsilon 4 carriers. *Neurobiology of Aging* 2017;57:186-94.
95. Hattab MW, Shabalin AA, Clark SL, Zhao M, Kumar G, et al (including Jansen R, van Grootheest G, Penninx BW). Correcting for cell-type effects in DNA methylation studies: reference-based method outperforms latent variable approaches in empirical studies. *Genome Biology* 2017;18:3.
96. Haverkamp GL, Loosman WL, Franssen CF, Kema IP, van Diepen M, Dekker FW, Honig A, Siegert CE. The role of tryptophan degradation in the association between inflammatory markers and depressive symptoms in chronic dialysis patients. *Nephrology Dialysis Transplantation* 2017;32(6):1040-7.
97. Havinga PJ, Boschloo L, Bloemen AJP, Nauta MH, de Vries SO, Penninx B, Schoevers RA, Hartman CA. Doomed for disorder? High incidence of mood and anxiety disorders in offspring of depressed and anxious patients: a prospective cohort study. *Journal of Clinical Psychiatry* 2017;78(1):E8-E17.
98. Heber E, Ebert DD, Lehr D, Cuijpers P, Berking M, Nobis S, Riper H. The benefit of web- and computer-based interventions for stress: a systematic review and meta-analysis. *Journal of Medical Internet Research* 2017;19(2):e32.
99. Hegeman JM, van Fenema EM, Comijs HC, Kok RM, van der Mast RC, de Waal MWM. Effect of chronic somatic diseases on the course of late-life depression. *International Journal of Geriatric Psychiatry* 2017;32(7):779-87.
100. Heller HM, Ravelli ACJ, Bruning AHL, de Groot CJM, Scheele F, van Pampus MG, Honig A. Increased postpartum haemorrhage, the possible relation with serotonergic and other psychopharmacological drugs: a matched cohort study. *BMC Pregnancy and Childbirth* 2017;17:8.
101. Henstra MJ, Jansma EP, van der Velde N, Swart EL, Stek ML, Rhebergen D. Acetylcholinesterase inhibitors for electroconvulsive therapy-induced cognitive side effects: a systematic review. *International Journal of Geriatric Psychiatry* 2017;32(5):522-31.
102. Hibar DP, Adams HHH, Jahanshad N, Chauhan G, Stein JL, et al (including Milaneschi Y, Schmaal L, Penninx BW, Veltman DJ). Novel genetic loci associated with hippocampal volume. *Nature Communications* 2017;8:12.
103. Hiles SA, Lamers F, Milaneschi Y, Penninx B. Sit, step, sweat: longitudinal associations between physical activity patterns, anxiety and depression. *Psychological Medicine* 2017;47(8):1466-77.
104. Hollanders JJ, van der Voorn B, Kieviet N, Dolman KM, de Rijke YB, et al (including Honig A). Interpretation of glucocorticoids in neonatal hair: a reflection of intrauterine glucocorticoid regulation? *Endocrine Connections* 2017;6(8):692-699.
105. Horsfall M, Eikelenboom M, Smit JH. The effect of rapport between interviewer and respondent on attrition. *SM Journal of Public Health Epidemiology* 2017; 3 (2), 1041-1047.
106. Houtjes W, Deeg D, van de Ven PM, van Meijel B, van Tilburg T, Beekman A. Is the naturalistic course of depression in older people related to received support over time? Results from a longitudinal population-based study. *International Journal of Geriatric Psychiatry* 2017;32(6):657-63.
107. Hu MX, Lamers F, de Geus EJC, Penninx B. Influences of lifestyle factors on cardiac autonomic nervous system activity over time. *Preventive Medicine* 2017;94:12-9.
108. Hu MX, Lamers F, Penninx BWJH, de Geus EJC. Temporal stability and drivers of change in cardiac autonomic nervous system activity. *Autonomic Neuroscience* 2017; 208:117-125.
109. Huijbregts KM, Hoogendoorn AW, Slottje P, van Balkom A, Batelaan NM. Long-term and short-term antidepressant use in general practice: data from a large cohort in the Netherlands. *Psychotherapy & Psychosomatics* 2017;86(6):362-9.

110. Huisman M, Klokgieters SS, Beekman ATF. Successful ageing, depression and resilience research; a call for a priori approaches to investigations of resilience. *Epidemiology and Psychiatric Sciences* 2017;26(6):574-8.
111. Hulst HE, Goldschmidt T, Nitsche MA, de Wit SJ, van den Heuvel OA, et al. rTMS affects working memory performance, brain activation and functional connectivity in patients with multiple sclerosis. *Journal of Neurology Neurosurgery and Psychiatry* 2017;88(5):386-94.
112. Jansen F, Krebber AMH, Coupe VMH, Cuijpers P, de Bree R, et al (including Beekman AT). Cost-utility of stepped care targeting psychological distress in patients with head and neck or lung cancer. *Journal of Clinical Oncology* 2017;35(3):314-324.
113. Jansen R, Hottenga JJ, Nivard MG, Abdellaoui A, Laport B, de Geus EJ, Wright FA, Penninx BWJH, Boomsma DI. Conditional eQTL analysis reveals allelic heterogeneity of gene expression. *Human Molecular Genetics* 2017;26(8):1444-51.
114. Joling KJ, Windle G, Droes RM, Huisman M, Hertogh C, Woods RT. What are the essential features of resilience for informal caregivers of people living with dementia? A Delphi consensus examination. *Aging & Mental Health* 2017;21(5):509-17.
115. Joling M, Vriend C, van den Heuvel OA, Raijmakers P, Jones PA, Berendse HW, Booij J. Analysis of extrastriatal I-123-FP-CIT binding contributes to the differential diagnosis of Parkinsonian diseases. *Journal of Nuclear Medicine* 2017;58(7):1117-23.
116. Jütten LH, Mark RE, Janssen BJM, Rietsema J, Droes RM, Sitskoorn MM. Testing the effectivity of the mixed virtual reality training Into D'ementia for informal caregivers of people with dementia: protocol for a longitudinal, quasi-experimental study. *Bmj Open* 2017;7(8):10.
117. Karyotaki E, Riper H, Cuijpers P. Internet-based self-help interventions for depression in routine care reply. *JAMA Psychiatry* 2017;74(8):853.
118. Karyotaki E, Riper H, Twisk J, Hoogendoorn A, Kleiboer A, et al. Efficacy of self-guided internet-based cognitive behavioral therapy in the treatment of depressive symptoms a meta-analysis of individual participant data. *JAMA Psychiatry* 2017;74(4):351-9.
119. Kieviet N, de Jong F, Scheele F, Dolman KM, Honig A. Use of antidepressants during pregnancy in the Netherlands: observational study into postpartum interventions. *BMC Pregnancy and Childbirth* 2017;17:9.
120. Kieviet N, van Keulen V, van de Ven PM, Dolman KM, Deckers M, Honig A. Serotonin and poor neonatal adaptation after antidepressant exposure in utero. *Acta Neuropsychiatrica* 2017;29(1):43-53.
121. Kingslake J, Dias R, Dawson GR, Simon J, Goodwin GM, et al (including Veltman DJ, van Schaik A). The effects of using the PReDiCT test to guide the antidepressant treatment of depressed patients: study protocol for a randomised controlled trial. *Trials* 2017;18:10.
122. Klaming R, Annese J, Veltman DJ, Comijs HC. Episodic memory function is affected by lifestyle factors: a 14-year follow-up study in an elderly population. *Neuropsychology, Development and Cognition B: Aging, Neuropsychology and Cognition* 2017;24(5):528-42.
123. Klaming R, Veltman DJ, Comijs HC. The impact of personality on memory function in older adults: results from the Longitudinal Aging Study Amsterdam. *International Journal of Geriatric Psychiatry* 2017;32(7):798-804.
124. Klapwijk ET, Aghajani M, Lelieveld GJ, van Lang NDJ, Popma A, et al. Differential fairness decisions and brain responses after expressed emotions of others in boys with Autism Spectrum Disorders. *Journal of Autism and Developmental Disorders* 2017;47(8):2390-400.
125. Klein Hofmeijer-Sevink MK, Duits P, Rijkeboer MM, Hoogendoorn AW, van Megen HJ, et al (including van Balkom AJ). No effects of D-Cycloserine enhancement in exposure with response prevention therapy in panic disorder with agoraphobia: a double-blind, randomized controlled trial. *Journal of Clinical Psychopharmacology* 2017;37(5):531-9.
126. Kloek C, Bossen D, de Bakker DH, Veenhof C, Dekker J. Blended interventions to change behavior in patients with chronic somatic disorders: systematic review. *Journal of Medical Internet Research* 2017;19(12):e418.
127. Koch SBJ, van Zuiden M, Nawijn L, Frijling JL, Veltman DJ, Olff M. Decreased uncinate fasciculus tract integrity in male and female patients with PTSD: a diffusion tensor imaging study. *Journal of Psychiatry & Neuroscience* 2017;42(5):331-42.
128. Koenders L, Lorenzetti V, de Haan L, Suo C, Vingerhoets WAM, et al (including Veltman DJ). Longitudinal study of hippocampal volumes in heavy cannabis users. *Journal of Psychopharmacology* 2017;31(8):1027-34.

129. Kok AA, Plaisier I, Smit JH, Penninx BW. The impact of conscientiousness, mastery, and work circumstances on subsequent absenteeism in employees with and without affective disorders. *BMC Psychology* 2017; 5(1):10.
130. Kok RN, Beekman AT F, Cuijpers P, van Straten A. Adherence to a web-based pre-treatment for phobias in outpatient clinics. *Internet Interventions* 2017; 9:38-45.
131. Kolovos S, Bosmans JE, van Dongen JM, van Esveld B, Magai D, van Straten A, et al (including Riper H). Utility scores for different health states related to depression: individual participant data analysis. *Quality of Life Research* 2017;26(7):1649-58.
132. Kolovos S, van Tulder MW, Cuijpers P, Prigent A, Chevreur K, Riper H, Bosmans JE. The effect of treatment as usual on major depressive disorder: a meta-analysis. *Journal of Affective Disorders* 2017;210:72-81.
133. Kolovos S, Bosmans JE, Riper H, Chevreur K, Coupé VM, & van Tulder, MW. Model-based economic evaluation of treatments for depression: A systematic literature review. *Pharmacoeconomics-Open* 2017; 1(3):149-165.
134. Koorevaar AML, Hegeman JM, Lamers F, Dhondt ADF, van der Mast RC, Stek ML, Comijs HC. Big Five personality characteristics are associated with depression subtypes and symptom dimensions of depression in older adults. *International Journal of Geriatric Psychiatry* 2017;32(12):E132-E40.
135. Korten NCM, Comijs HC, Penninx B, Deeg DJH. Perceived stress and cognitive function in older adults: which aspect of perceived stress is important? *International Journal of Geriatric Psychiatry* 2017;32(4):439-45.
136. Krudop WA, Dols A, Kerssens CJ, Eikelenboom P, Prins ND, et al (including Schouws S, Rhebergen D, van Exel E, Stek ML). The pitfall of behavioral variant Frontotemporal Dementia mimics despite multidisciplinary application of the FTDC criteria. *Journal of Alzheimers Disease* 2017;60(3):959-75.
137. Kruidijk F, Deenik J, Tenback D, Tak E, Beekman AJ, et al. Accelerometer-measured sedentary behaviour and physical activity of inpatients with severe mental illness. *Psychiatry Research* 2017;254:67-74.
138. Lau HM, Smit JH, Fleming TM, Riper H. Serious games for mental health: are they accessible, feasible, and effective? A systematic review and meta-analysis. *Frontiers in Psychiatry* 2017;7:13.
139. Lemmers-Jansen ILJ, Krabbendam L, Veltman DJ, Fett AJ. Boys vs. girls: Gender differences in the neural development of trust and reciprocity depend on social context. *Developmental Cognitive Neuroscience* 2017;25:235-245.
140. *Lepik K, Annilo T, Kukuškina V; eQTLGen Consortium, Kisand K, et al (including Jansen R, Penninx B for the eQTLGen Consortium). C-reactive protein upregulates the whole blood expression of CD59 - an integrative analysis. *PLoS Computational Biology* 2017; 13(9):e1005766.
141. Lever-van Milligen BA, Lamers F, Smit JH, Penninx B. Six-year trajectory of objective physical function in persons with depressive and anxiety disorders. *Depression and Anxiety* 2017;34(2):188-97.
142. Levis B, Benedetti A, Levis AW, Ioannidis JPA, Shrier I, et al (including Lamers F). Selective cutoff reporting in studies of diagnostic test accuracy: a comparison of conventional and individual-patient-data meta-analyses of the patient health questionnaire-9 depression screening tool. *American Journal of Epidemiology* 2017;185:954-964.
143. Lin BD, Carnero-Montoro E, Bell JT, Boomsma DI, de Geus EJ, et al (including Jansen R, Penninx BW). 2SNP heritability and effects of genetic variants for neutrophil-to-lymphocyte and platelet-to-lymphocyte ratio. *Journal of Human Genetics* 2017;62(11):979-88.
144. Lin BD, Willemsen G, Fedko IO, Jansen R, Penninx B, de Geus E, Kluff C, Hottenga J, Boomsma DI. Heritability and GWAS Studies for Monocyte-Lymphocyte Ratio. *Twin Research and Human Genetics* 2017;20(2):97-107.
145. Lin J, Sander L, Paganini S, Schlicker S, Ebert D, et al (including Riper H). Effectiveness and cost-effectiveness of a guided internet- and mobile-based depression intervention for individuals with chronic back pain: protocol of a multi-centre randomised controlled trial. *BMJ Open* 2017;7(12):e015226.
146. Lindqvist D, Dhabhar FS, James SJ, Hough CM, Jain FA, et al (including Verhoeven JE). Oxidative stress, inflammation and treatment response in major depression. *Psychoneuroendocrinology* 2017;76:197-205.
147. Loonen AJM, Kupka RW, Ivanova SA. Circuits regulating pleasure and happiness in bipolar disorder. *Frontiers in Neural Circuits* 2017;11:15.

148. Lokman S, Volker D, Zijlstra-Vlasveld MC, Brouwers EP, Boon B, Beekman AT, Smit F, van der Feltz-Cornelis CM. Return-to-work intervention versus usual care for sick-listed employees: health-economic investment appraisal alongside a cluster randomised trial. *BMJ Open* 2017;7(10):e016348.
149. Mangiaracina F, Chattat R, Farina E, Saibene FL, Gamberini G, et al (including Dröes RM, Meiland FJ). Not re-inventing the wheel: the adaptive implementation of the meeting centres support programme in four European countries. *Aging & Mental Health* 2017;21(1):40-8.
150. Marijnissen RM, Vogelzangs N, Mulder ME, van den Brink RHS, Comijs HC, Oude Voshaar RC. Metabolic dysregulation and late-life depression: a prospective study. *Psychological Medicine* 2017;47(6):1041-52.
151. Mast R, Rauh SP, Groeneveld L, Koopman AD, Beulens JW, Jansen AP, Bremmer M, van der Heijden AA, Elders PJ, Dekker JM, Nijpels G, Hugtenburg JG, Rutters F. The use of antidepressants, anxiolytics, and hypnotics in people with type 2 Diabetes and patterns associated with use: the Hoorn Diabetes care system cohort. *BioMed Research International* 2017;2017:5134602.
152. Mbarek H, Milaneschi Y, Hottenga JJ, Ligthart L, de Geus EJC, Ehli EA, Willemsen G, Davies GE, Smit JH, Boomsma DI, Penninx BWJH. Genome-wide significance for PCLO as a gene for Major Depressive Disorder. *Twin Research and Human Genetics* 2017; 20(4):267-270.
153. Menning S, de Ruiter MB, Veltman DJ, Boogerd W, Oldenburg HSA, Reneman L, Schagen SB. Changes in brain activation in breast cancer patients depend on cognitive domain and treatment type. *PLoS One* 2017;12(3):16.
154. Metz MJ, Elfeddali I, Krol DGH, Veerbeek MA, de Beurs E, Beekman ATF, van der Feltz-Cornelis CM. A digital intake approach in specialized mental health care: study protocol of a cluster randomised controlled trial. *BMC Psychiatry* 2017;17:12.
155. Metz MJ, Veerbeek MA, Franx GC, van der Feltz-Cornelis CM, de Beurs E, Beekman ATF. A National Quality Improvement Collaborative for the clinical use of outcome measurement in specialised mental healthcare: results from a parallel group design and a nested cluster randomised controlled trial. *Bjpsych Open* 2017;3(3):106-12.
156. Milaneschi Y, Lamers F, Bot M, Drent ML, Penninx B. Leptin Dysregulation is specifically associated with major depression with atypical features: evidence for a mechanism connecting obesity and depression. *Biological Psychiatry* 2017;81(9):807-14.
157. Milaneschi Y, Lamers F, Peyrot WJ, Baune BT, Breen G, et al. Genetic association of major depression with atypical features and obesity-related immunometabolic dysregulations. *JAMA Psychiatry* 2017;74(12):1214-25.
158. Mokkenstorm JK, Eikelenboom M, Huisman A, Wiebenga J, Gilissen R, Kerkhof A, Smit JH. Evaluation of the 113Online suicide prevention crisis chat service: outcomes, helper behaviors and comparison to telephone hotlines. *Suicide & Life-Threatening Behavior* 2017;47(3):282-96.
159. Montoliu-Gaya L, Mulder SD, Veerhuis R, Villegas S. Effects of an A beta-antibody fragment on A beta aggregation and astrocytic uptake are modulated by apolipoprotein E and J mimetic peptides. *PLoS One* 2017;12(11):18.
160. Muntingh ADT, Gerritsen S, Batelaan NM, Bogaard HJ. Pathways to experiencing mental problems and need for mental support in patients with pulmonary arterial hypertension. *Pulmonary Circulation* 2017;7(3):609-16.
161. Nawijn L, van Zuiden M, Koch SB, Frijling JL, Veltman DJ, Olf M. Intranasal oxytocin increases neural responses to social reward in post-traumatic stress disorder. *Social Cognitive and Affective Neuroscience* 2017;12(2):212-23.
162. Neefjes ECW, van der Vorst M, Verdegaal B, Beekman ATF, Berkhof J, Verheul HMW. Identification of patients with cancer with a high risk to develop delirium. *Cancer Medicine* 2017;6(8):1861-70.
163. Neumann A, Direk N, Crawford AA, Mirza S, Adams H, et al (including Milaneschi Y, Penninx B). The low single nucleotide polymorphism heritability of plasma and saliva cortisol levels. *Psychoneuroendocrinology (PNEC)* 2017;85:88-95.
164. Nigatu YT, Bultmann U, Schoevers RA, Penninx B, Reijneveld SA. Does obesity along with major depression or anxiety lead to higher use of health care and costs? A 6-year follow-up study. *European Journal of Public Health* 2017;27(6):965-71.
165. Nivard MG, Gage SH, Hottenga JJ, van Beijsterveldt CEM, Abdellaoui A, et al (including Middeldorp CM). Genetic overlap between Schizophrenia and developmental psychopathology: longitudinal and multivariate polygenic risk prediction of common psychiatric traits during development. *Schizophrenia Bulletin* 2017;43(6):1197-207.
166. Noh HJ, Tang R, Flannick J, O'Dushlaine C, Swafford R, et al (including van Grootheest G). Integrating evolutionary and regulatory information with a multispecies approach implicates genes and pathways in obsessive-compulsive disorder. *Nature Communications* 2017;8(1):774.

167. Nolte IM, Munoz ML, Tragante V, Amare AT, Jansen R, et al. Genetic loci associated with heart rate variability and their effects on cardiac disease risk. *Nature Communications* 2017;8:15.
168. Nota NM, Kreukels BPC, den Heijer M, Veltman DJ, Cohen-Kettenis PT, et al. Brain functional connectivity patterns in children and adolescents with gender dysphoria: Sex-atypical or not? *Psychoneuroendocrinology (PNEC)* 2017;86:187-95.
169. Nota NM, Burke SM, den Heijer M, Soleman RS, Lambalk CB, Cohen-Kettenis PT, Veltman DJ, Kreukels BP. Brain sexual differentiation and effects of cross-sex hormone therapy in transpeople: A resting-state functional magnetic resonance study. *Neurophysiologie Clinique* 2017;47(5-6):361-370.
170. Olieman RM, Siemonsma F, Bartens MA, Garthus-Niegel S, Scheele F, Honig A. The effect of an elective cesarean section on maternal request on peripartum anxiety and depression in women with childbirth fear: a systematic review. *BMC Pregnancy and Childbirth* 2017;17:8.
171. Olteidal L, Bartsch H, Sørhaug OJ, Kessler U, Abbott C, et al. (including Dols A, Stek ML). The Global ECT-MRI Research Collaboration (GEMRIC): Establishing a multi-site investigation of the neural mechanisms underlying response to electroconvulsive therapy. *Neuroimage Clinical* 2017;14:422-432.
172. Ophuis RH, Lokkerbol J, Heemskerk SCM, van Balkom A, Hiligsmann M, Evers S. Cost-effectiveness of interventions for treating anxiety disorders: a systematic review. *Journal of Affective Disorders* 2017;210:1-13.
173. Paans NPG, Bot M, Gibson-Smith D, Spinhoven P, Brouwer IA, Visser M, Penninx BW. Which biopsychosocial variables contribute to more weight gain in depressed persons? *Psychiatry Research* 2017;254:96-103.
174. Penninx BW. Depression and cardiovascular disease: Epidemiological evidence on their linking mechanisms. *Neuroscience and Biobehavioral Reviews* 2017;74:277-86.
175. Piantoni G, Romeijn N, Gomez-Herrero G, Van der Werf YD, Van Someren EJW. Alpha power predicts persistence of bistable perception. *Scientific Reports* 2017;7:11.
176. Post RM, Altshuler LL, Kupka R, McElroy SL, Frye MA, Rowe M, et al. More childhood onset bipolar disorder in the United States than Canada or Europe: Implications for treatment and prevention. *Neuroscience and Biobehavioral Reviews* 2017;74:204-13.
177. Post RM, Altshuler LL, Kupka R, McElroy SL, Frye MA, Rowe M, et al. Illnesses in siblings of US patients with bipolar disorder relate to multigenerational family history and patients severity of illness. *Journal of Affective Disorders* 2017;207:313-9.
178. Power RA, Tansey KE, Buttenschon HN, Cohen-Woods S, Bigdeli T, Hall LS, et al (including Milaneschi Y, Penninx BW, Smit JH). Genome-wide association for major depression through age at onset stratification: Major Depressive Disorder working group of the Psychiatric Genomics Consortium. *Biological Psychiatry* 2017;81(4):325-35.
179. Provoost S, Lau HM, Ruwaard J, Riper H. Embodied conversational agents in clinical psychology: a scoping review. *Journal of Medical Internet Research* 2017;19(5):17.
180. Pruijssers A, van Meijel B, Maaskant M, Teerenstra S, van Achterberg T. The diagnostic guideline for anxiety and challenging behaviour for persons with intellectual disabilities: preliminary outcomes on internalizing problems, challenging behaviours, quality of life and clients' satisfaction. *Journal of Applied Research in Intellectual Disabilities* 2017;30(2):242-54.
181. Putnam KT, Wilcox M, Robertson-Blackmore E, Sharkey K, Bergink V, et al (including Penninx B, Postpartum Depression: Action Towards Causes and Treatment (PACT) Consortium). Clinical phenotypes of perinatal depression and time of symptom onset: analysis of data from an international consortium. *Lancet Psychiatry* 2017;4(6):477-85.
182. Ravesteijn B, Schachar EB, Beekman ATF, Janssen R, Jeurissen PPT. Association of cost sharing with mental health care use, involuntary commitment, and acute care. *JAMA Psychiatry* 2017;74(9):932-9.
183. Renteria ME, Schmaal L, Hibar DP, Couvy-Duchesne B, Strike LT, et al (including Veltman DJ, Penninx BW). Subcortical brain structure and suicidal behaviour in major depressive disorder: a meta-analysis from the ENIGMA-MDD working group. *Translational Psychiatry* 2017; 7(5):e1116.
184. Rhebergen D, Aderka IM, van der Steenstraten IM, van Balkom A, van Oppen P, Stek ML, et al. Admixture analysis of age of onset in generalized anxiety disorder. *Journal of Anxiety Disorders* 2017;50:47-51.
185. Riemann G, Weisscher N, Post RM, Altshuler L, McElroy S, et al (including Kupka R). The relationship between self-reported borderline personality features and prospective illness course in bipolar disorder. *International Journal of Bipolar Disorders* 2017; 5(1):31

186. *Rietschel L, Streit F, Zhu G, McAloney K, Frank J, et al (including Beekman A, Milaneschi M, Penninx BW, Smit JH, Peyrot WJ for the Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium (PGC)). Hair cortisol in twins: Heritability and genetic overlap with psychological variables and stress-system genes. *Scientific Reports* 2017; 10;7(1):15351.
187. Rivera M, Locke AE, Corre T, Czamara D, Wolf C, et al (including Milaneschi Y, Penninx BW). Interaction between the FTO gene, body mass index and depression: meta-analysis of 13701 individuals. *British Journal of Psychiatry* 2017;211(2):70-6.
188. Robinson MR, Kleinman A, Graff M, Vinkhuyzen A AE, Couper D, et al (including Peyrot WJ) Genetic evidence of assortative mating in humans. *Nature Human Behaviour* 2017; 1(1): 0016.
189. Robinson-Cohen C, Lutsey PL, Kleber ME, Nielson CM, Mitchell BD, et al (including Milaneschi Y, Penninx BW). Genetic variants associated with circulating parathyroid hormone. *Journal of the American Society of Nephrology* 2017;28(5):1553-65.
190. Rutten S, van der Ven PM, Weintraub D, Pontone GM, Leentjens AFG, Berendse HW, et al. Predictors of anxiety in early-stage Parkinson's disease - Results from the first two years of a prospective cohort study. *Parkinsonism & Related Disorders* 2017;43:49-55.
191. Rutten S, Vriend C, van der Werf YD, Berendse HW, Weintraub D, van den Heuvel OA. The bidirectional longitudinal relationship between insomnia, depression and anxiety in patients with early-stage, medication-naïve Parkinson's disease. *Parkinsonism & Related Disorders* 2017;39:31-6.
192. Sanders JB, Bremmer MA, Comijs HC, van de Ven PM, Deeg DJH, Beekman ATF. Gait speed and processing speed as clinical markers for geriatric health outcomes. *American Journal Geriatric Psychiatry* 2017;25(4):374-85.
193. Saris IMJ, Aghajani M, van der Werff SJA, van der Wee NJA, Penninx BWJH. Social functioning in patients with depressive and anxiety disorders. *Acta Psychiatrica Scandinavica* 2017;136(4):352-361.
194. Savas M, Wester VL, Staufenbiel SM, Koper JW, van den Akker ELT, Visser JA, van der Lely AJ, Penninx BWJH, van Rossum EFC. Corticosteroid use in obese and non-obese individuals: a multi-cohort study. *International Journal of Medical Sciences* 2017; 14(7): 615-621.
195. Schaakxs R, Comijs HC, Lamers F, Beekman ATF, Penninx B. Age-related variability in the presentation of symptoms of major depressive disorder. *Psychological Medicine* 2017;47(3):543-52.
196. Schaakxs R, Comijs HC, van der Mast RC, Schoevers RA, Beekman ATF, Penninx B. Risk factors for depression: differential across age? *American Journal of Geriatric Psychiatry* 2017;25(9):966-77.
197. Scheerman JFM, van Empelen P, van Loveren C, Pakpour AH, van Meijel B, et al. An application of the Health Action Process Approach model to oral hygiene behaviour and dental plaque in adolescents with fixed orthodontic appliances. *International Journal of Paediatric Dentistry* 2017;27(6):486-95.
198. Schmaal L, Hibar DP, Samann PG, Hall GB, Baune BT, et al (including van Velzen LS, Penninx BWJH, Veltman DJ). Cortical abnormalities in adults and adolescents with major depression based on brain scans from 20 cohorts worldwide in the ENIGMA Major Depressive Disorder Working Group. *Molecular Psychiatry* 2017;22(6):900-9.
199. Schmaal L, Yucel M, Ellis R, Vijayakumar N, Simmons JG, Allen NB, Whittle S. Brain structural signatures of adolescent depressive symptom trajectories: a longitudinal Magnetic Resonance Imaging study. *Journal of the American Academy of Child and Adolescent Psychiatry* 2017;56(7):593-601.
200. Schmidt CB, van Loon BJP, Kilic E, Snoek FJ, Honig A. Validation of a quick screening instrument for measuring fear of hypoglycaemia in persons with diabetes. *Journal of Diabetes Complications* 2017;31(8):1360-1.
201. Schmidt CB, van Loon BJP, Torensma B, Snoek FJ, Honig A. Ethnic Minorities with Diabetes Differ in Depressive and Anxiety Symptoms and Diabetes-Distress. *Journal of Diabetes Research* 2017 :1204237.
202. Schramm E, van Schaik A. Identification of childhood abuse in patients with late-life depression may help to optimize treatment. *American Journal of Geriatric Psychiatry* 2017; 25:6, 644-645.
203. Schulte MHJ, Goudriaan AE, Kaag AM, Kooi DP, van den Brink W, Wiers RW, Schmaal L. The effect of N-acetylcysteine on brain glutamate and gamma-aminobutyric acid concentrations and on smoking cessation: A randomized, double-blind, placebo-controlled trial. *Journal of Psychopharmacology* 2017;31(10):1377-9.

204. Schulte MHJ, Kaag AM, Wiers RW, Schmaal L, van den Brink W, Reneman L, Homberg JR, van Wingen GA, Goudriaan AE.. Prefrontal Glx and GABA concentrations and impulsivity in cigarette smokers and smoking polysubstance users. *Drug and Alcohol Dependence* 2017;179:117-23.
205. Schutter N, Holwerda TJ, Stek ML, Dekker JJM, Rhebergen D, Comijs HC. Loneliness in older adults is associated with diminished cortisol output. *Journal of Psychosomatic Research* 2017;95:19-25.
206. Schuurhuizen CSEW, Braamse AMJ, Konings IRHM, Sprangers MAG, Ket JCF, Dekker J, Verheul HMW. Does severe toxicity affect global quality of life in patients with metastatic colorectal cancer during palliative systemic treatment? A systematic review. *Annals of Oncology* 2017;28(3):478-486.
207. Schuurhuizen CSEW, Braamse AMJ, Konings IRHM, Sprangers MAG, Ket JCF, Dekker J, Verheul HMW. Reply to the letter to the editor 'Specific QOL scales that reflect toxicity-induced impairment are needed in RCTs'. *Annals of Oncology* 2017;28(8):2033-2034.
208. Shou H, Cui L, Hickie I, Lameira D, Lamers F, Zhang J, Crainiceanu C, Zipunnikov V, Merikangas KR. Dysregulation of objectively assessed 24-hour motor activity patterns as a potential marker for bipolar I disorder: results of a community-based family study. *Translational Psychiatry* 2017; 7(8):e1211.
209. Simoneau G, Levis B, Cuijpers P, Ioannidis JPA, Patten SB, et al (including Lamers F). A comparison of bivariate, multivariate random-effects, and Poisson correlated gamma-frailty models to meta-analyze individual patient data of ordinal scale diagnostic tests. *Biometrical Journal* 2017;59:1317-1338.
210. Sjoerds Z, Stufflebeam SM, Veltman DJ, Van den Brink W, Penninx B, Douw L. Loss of brain graph network efficiency in alcohol dependence. *Addiction Biology* 2017;22(2):523-34.
211. Slot RER, Van Harten AC, Kester MI, Jongbloed W, Bouwman FH, et al (including Veerhuis R). Apolipoprotein A1 in Cerebrospinal Fluid and Plasma and Progression to Alzheimer's Disease in Non-Demented Elderly. *Journal of Alzheimers Disease* 2017;56(2):687-97.
212. Sorgdrager FJH, Doornbos B, Penninx B, de Jonge P, Kema IP. The association between the hypothalamic pituitary adrenal axis and tryptophan metabolism in persons with recurrent major depressive disorder and healthy controls. *Journal of Affective Disorders* 2017;222:32-9.
213. Spijkerboer RP, van der Stel JC, Widdershoven GA, Molewijk AC. Does moral case deliberation help professionals in care for the homeless in dealing with their dilemmas? A mixed-methods responsive study. *HEC Forum* 2017;29(1):21-41.
214. Spinhoven P, van der Veen DC, Oude Voshaar RC, Comijs HC. Worry and cognitive control predict course trajectories of anxiety in older adults with late-life depression. *European Psychiatry* 2017;44:134-40.
215. Spinhoven P, van Hemert AM, Penninx BW. Experiential avoidance and bordering psychological constructs as predictors of the onset, relapse and maintenance of anxiety disorders: one or many? *Cognitive Therapy and Research* 2017;41(6):867-80.
216. Struijs SY, Lamers F, Vroling MS, Roelofs K, Spinhoven P, Penninx B. Approach and avoidance tendencies in depression and anxiety disorders. *Psychiatry Research* 2017;256:475-81.
217. Swart S, Wilschut M, Draijer N, Langeland W, Smit JH. The clinical course of trauma-related disorders and personality disorders: study protocol of two-years follow-up based on structured interviews. *BMC Psychiatry* 2017; 17 (1): 173.
218. Tanaka T, Milaneschi Y, Zhang YQ, Becker KG, Zukley L, Ferrucci L. A double blind placebo controlled randomized trial of the effect of acute uric acid changes on inflammatory markers in humans: A pilot study. *PLoS One* 2017;12(8):19.
219. ten Have M, Penninx B, Tuithof M, van Dorsselaer S, Kleinjan M, Spijker J, de Graaf R. Duration of major and minor depressive episodes and associated risk indicators in a psychiatric epidemiological cohort study of the general population. *Acta Psychiatrica Scandinavica* 2017;136(3):300-12.
220. ten Kulve JS, Veltman DJ, Gerdes VEA, van Bloemendaal L, Barkhof F, , et al. Elevated postoperative endogenous GLP-1 levels mediate effects of Roux-en-Y gastric bypass on neural responsivity to food cues. *Diabetes Care* 2017;40(11):1522-9.
221. ter Meulen, WG, van Zaane, J, Draisma S, Beekman ATF, Kupka R. Does the number of mood episodes moderate the relationship between alcohol use, smoking and mood in bipolar outpatients. *BMC Psychiatry* 2017; 17; 185.
222. Thompson PM, Andreassen OA, Arias-Vasquez A, Bearden CE, Boedhoe PS, et al (including Schmaal L, van den Heuvel OA, Veltman DJ). ENIGMA and the individual: Predicting factors that affect the brain in 35 countries worldwide. *Neuroimage* 2017;145:389-408.

223. Thorell LB, Holst Y, Chistiansen H, Kooij JJS, Bijlenga D, Sjöwall D. Neuropsychological deficits in adults age 60 and above with attention deficit hyperactivity disorder. *European Psychiatry* 2017;45:90-96.
224. Tibi L, van Oppen P, van Balkom A, Eikelenboom M, Rickelt J, Schruers KRJ, Anholt GE. The long-term association of OCD and depression and its moderators: A four-year follow up study in a large clinical sample. *European Psychiatry* 2017;44:76-82.
225. Tuithof M, ten Have M, Beekman A, van Dorselaer S, Kleinjan M, Schaufeli W, de Graaf R. The interplay between emotional exhaustion, common mental disorders, functioning and health care use in the working population. *Journal of Psychosomatic Research* 2017;100:8-14.
226. van Beek M, Roest AM, Wardenaar KJ, van Balkom A, Speckens AEM, Oude Voshaar RC, Zuidersma M. The prognostic effect of physical health complaints with new cardiac events and mortality in patients with a myocardial infarction. *Psychosomatics* 2017;58(2):121-31.
227. van den Akker LE, Beckerman H, Collette EH, Twisk JW, Bleijenberg G, Dekker J, Knoop H, de Groot V; TREFAMS-ACE Study Group. Cognitive behavioral therapy positively affects fatigue in patients with multiple sclerosis: Results of a randomized controlled trial. *Multiple Sclerosis Journal* 2017;23(11):1542-1553.
228. van den Berg LJM, Tollenaar MS, Spinhoven P, Penninx B, Elzinga BM. A new perspective on PTSD symptoms after traumatic vs stressful life events and the role of gender. *European Journal of Psychotraumatology* 2017;8(1):12.
229. van der Aa HPA, van Rens G, Bosmans JE, Comijs HC, van Nispen RMA. Economic evaluation of stepped-care versus usual care for depression and anxiety in older adults with vision impairment: randomized controlled trial. *BMC Psychiatry* 2017;17:9.
230. van der Aa HPA, van Rens GHMB, Verbraak FD, Bosscha M, Koopmanschap MA, Comijs HC, Cuijpers P, van Nispen RMA. Economic evaluation of an e-mental health intervention for patients with retinal exudative diseases who receive intraocular anti-VEGF injections (E-PsEYE): protocol for a randomised controlled trial. *BMJ Open* 2017;7(11):e018149.
231. van der Geugten J, van Meijel B, den Uyl MHG, de Vries NK. Protected or unprotected sex: the conceptions and attitudes of the youth in Bolgatanga municipality, Ghana. *Sexuality and Culture* 2017;21(4):1040-61.
232. van der Lee J, Bakker T, Duivenvoorden HJ, Dröes RM. Do determinants of burden and emotional distress in dementia caregivers change over time? *Aging & Mental Health* 2017;21(3):232-40.
233. van der Roest HG, Wenborn J, Pastink C, Dröes RM, Orrell M. Assistive technology for memory support in dementia. *Cochrane Database of Systematic Reviews* 2017(6):27.
234. van der Salm SM, Cath DC, Rootselaar AV, Koelman JH, de Haan RJ, Tijssen MA, Meynen G. Clinician and patient perceptions of free will in movement disorders: mind the gap. *Journal of Neurology, Neurosurgery and Psychiatry* 2017 Jun;88(6):532-533.
235. van der Sanden MC, Farina E, Saibene FL, Meiland FJM, Dröes RM, et al. Implementation of the Dutch Meeting Centres Support Program for people with dementia and their carers in Milan: process evaluation of the preparation phase. *Journal of Gerontology and Geriatrics* 2017;65(1):1-12.
236. van der Veen DC, Van Dijk SDM, Comijs HC, Van Zelst WH, Schoevers RA, Oude Voshaar RC. The importance of personality and life-events in anxious depression: from trait to state anxiety. *Aging & Mental Health* 2017; 21(11):1177-1183.
237. van de Ven P, O'Brien H, Henriques R, Klein M, Msetfi R, et al (including Ruwaard J, Riper H), on behalf of the E-COMPARED Consortium. ULTEMAT: A mobile framework for smart ecological momentary assessments and interventions. *Internet Interventions* 2017;9:74-81.
238. van de Ven RM, Buitenweg JIV, Schmand B, Veltman DJ, Aaronson JA, et al. Brain training improves recovery after stroke but waiting list improves equally: A multicenter randomized controlled trial of a computer-based cognitive flexibility training. *PLoS One* 2017;12(3):e0172993.
239. van de Ven RM, Murre JMJ, Buitenweg JIV, Veltman DJ, Aaronson JA, et al. The influence of computer-based cognitive flexibility training on subjective cognitive well-being after stroke: A multi-center randomized controlled trial. *PLoS One* 2017;12(11):e0187582.
240. van Exel E, Koopman JJE, Bodegom DV, Meij JJ, Knijff P, Ziem JB, Finch CE, Westendorp RGJ. Effect of APOE ε4 allele on survival and fertility in an adverse environment. *PLoS One* 2017;12:e0179497.
241. van Haften-van Dijk AM, Hattink BJJ, Meiland FJM, Bakker T, Dröes RM. Is socially integrated community day care for people with dementia associated with higher user satisfaction and a higher job satisfaction of staff compared to nursing home-based day care? *Aging & Mental Health* 2017;21(6):624-33.

242. van Harten AC, Jongbloed W, Teunissen CE, Scheltens P, Veerhuis R, van der Flier WM. CSF ApoE predicts clinical progression in nondemented APOEε4 carriers. *Neurobiology of Aging* 2017; 57:186-194.
243. van Hemmen J, Cohen-Kettenis PT, Steensma TD, Veltman DJ, Bakker J. Do sex differences in CEOAEs and 2D:4D ratios reflect androgen exposure? A study in women with complete androgen insensitivity syndrome. *Biology of Sex Differences* 2017;8:10.
244. van Hemmen J, Saris IMJ, Cohen-Kettenis PT, Veltman DJ, Pouwels PJW, Bakker J. Sex differences in white matter microstructure in the human brain predominantly reflect differences in sex hormone exposure. *Cerebral Cortex* 2017;27(5):2994-3001.
245. van Kooten J, Smalbrugge M, van der Wouden JC, Stek ML, Hertogh C. Prevalence of pain in nursing home residents: the role of dementia stage and dementia subtypes. *Journal of the American Medical Directors Association* 2017;18(6):522-7.
246. van Kooten J, Smalbrugge M, van der Wouden JC, Stek ML, Hertogh C. Evaluation of a pain assessment procedure in long-term care residents with pain and dementia. *Journal of Pain and Symptom Management* 2017;54(5):727-31.
247. van Kooten J, van der Wouden JC, Sikkes SAM, Smalbrugge M, Hertogh C, Stek ML. Pain, neuropsychiatric symptoms, and quality of life of nursing home residents with advanced dementia in the Netherlands: a cross-sectional study. *Alzheimer Disease and Associated Disorders* 2017;31(4):315-21.
248. van Krugten FCW, Kaddouri M, Goorden M, van Balkom AJ, Bockting CLH, et al. Indicators of patients with major depressive disorder in need of highly specialized care: a systematic review. *PLoS One* 2017;12(2):15.
249. van Lee L, Chia AR, Loy SL, Colega M, Tham EKH, Yap F, et al (including Broekman BFP). Sleep and dietary patterns in pregnancy: Findings from the GUSTO cohort. *International Journal of Environmental Research and Public Health* 2017; 14(11): 1409.
250. van Liempt S, Dols A, Schouws S, Stek ML, Meesters PD. Comparison of social functioning in community-living older individuals with schizophrenia and bipolar disorder: a catchment area-based study. *International Journal of Geriatric Psychiatry* 2017;32(5):532-8.
251. van Reedt-Dortland A, Peters LL, Boenink AD, Smit JH, Slaets JPJ, Hoogendoorn AW, et al. Assessment of biopsychosocial complexity and health care needs: measurement properties of the INTERMED self-assessment version. *Psychosomatic Medicine* 2017;79(4):485-92.
252. van Velzen LS, Schmaal L, Milaneschi Y, van Tol MJ, van der Wee NJA, Veltman DJ, Penninx BW. Immunometabolic dysregulation is associated with reduced cortical thickness of the anterior cingulate cortex. *Brain Behavior and Immunity* 2017;60:361-8.
253. van Velzen LS, Wijdeveld M, Black CN, van Tol MJ, van der Wee NJA, Veltman DJ, Penninx BW, Schmaal L. Oxidative stress and brain morphology in individuals with depression, anxiety and healthy controls. *Progress in Neuro-Psychopharmacology & Biological Psychiatry* 2017;76:140-4.
254. van Zuiden M, Frijling JL, Nawijn L, Koch SBJ, Goslings JC, et al (including Honig A, Veltman DJ). Intranasal oxytocin to prevent Posttraumatic Stress Disorder symptoms: a randomized controlled trial in emergency department patients. *Biological Psychiatry* 2017;81(12):1030-40.
255. Veltman EM, Lamers F, Comijs HC, de Waal MWM, Stek ML, van der Mast RC, Rhebergen D. Depressive subtypes in an elderly cohort identified using latent class analysis. *Journal of Affective Disorders* 2017;218:123-30.
256. Verduijn J, Milaneschi Y, Peyrot WJ, Hottenga JJ, Abdellaoui A, et al (including Smit JH, Beekman AT, Penninx BW). Using clinical characteristics to identify which patients with Major Depressive Disorder have a higher genetic load for three psychiatric disorders. *Biological Psychiatry* 2017;81(4):316-24.
257. Verduijn J, Verhoeven JE, Milaneschi Y, Schoevers RA, van Hemert AM, Beekman ATF, Penninx BWJH. Reconsidering the prognosis of major depressive disorder across diagnostic boundaries: full recovery is the exception rather than the rule. *BMC Medicine* 2017;15(1):215.
258. Vermeulen MCM, van der Heijden KB, Benjamins JS, Swaab H, van Someren EJW. Memory effects of sleep, emotional valence, arousal and novelty in children. *Journal of Sleep Research* 2017;26(3):309-17.
259. Vijverberg EGB, Schouws S, Meesters PD, Verwijk E, Comijs H, Koene T, et al. Cognitive deficits in patients with neuropsychiatric symptoms: a comparative study between behavioral variant frontotemporal dementia and primary psychiatric disorders. *Journal of Clinical Psychiatry* 2017;78(8):E940-E946.

260. Vijverberg EG, Dols A, Krudop WA, Del Campo Milan M, Kerssens CJ, Gossink F, Prins ND, Stek ML, Scheltens P, Teunissen CE, Pijnenburg YA. Cerebrospinal fluid biomarker examination as a tool to discriminate behavioral variant frontotemporal dementia from primary psychiatric disorders. *Alzheimers & Dementia* 2017;7:99-106.
261. Vijverberg R, Ferdinand R, Beekman A, van Meijel B. The effect of youth assertive community treatment: a systematic PRISMA review. *BMC Psychiatry* 2017;17:18.
262. Vijverberg EGB, Gossink F, Krudop W, Sikkes S, Kerssens C, Prins N, Stek M, Scheltens P, Pijnenburg Y, Dols A. The diagnostic challenge of the late-onset frontal lobe syndrome: clinical predictors for primary psychiatric disorders versus behavioral variant frontotemporal dementia. *Journal of Clinical Psychiatry* 2017;78(9):e1197-e203.
263. Vink JM, Jansen R, Brooks A, Willemsen G, van Grootheest G, de Geus E, Smit JH, Penninx BW, Boomsma DI. Differential gene expression patterns between smokers and non-smokers: cause or consequence? *Addiction Biology* 2017;22(2):550-60.
264. Visser H, van Megen H, van Oppen P, Hoogendoorn A, Glas G, Neziroglu F, van Balkom A. The impact of poor insight on the course of Obsessive-Compulsive Disorder in patients receiving naturalistic treatment. *Journal of Obsessive-Compulsive and Related Disorders* 2017; 13: 42-48.
265. Vogel SWN, Bijlenga D, Benjamins JS, Beekman ATF, Kooij JJS, Van Someren EJW. Attention deficit hyperactivity disorder symptom severity and sleep problems in adult participants of the Netherlands sleep registry. *Sleep Medicine* 2017;40:94-102.
266. Vogel SWN, Bijlenga D, Verduijn J, Bron TI, Beekman ATF, Kooij JJS, Penninx BW. Attention-deficit/hyperactivity disorder symptoms and stress-related biomarkers. *Psychoneuroendocrinology* 2017;79:31-39.
267. Vos SJB, van Boxtel MPJ, Schiepers OJG, Deckers K, de Vugt M, et al (including Comijs HC). Modifiable Risk factors for prevention of dementia in midlife, late life and the oldest-old: validation of the LIBRA index. *Journal of Alzheimers Disease* 2017;58(2):537-47.
268. *Warren HR, Evangelou E, Cabrera CP, Gao H, Ren M, et al (including Jansen R, Penninx BW, Milaneschi Y as part of consortium). Genome-wide association analysis identifies novel blood pressure loci and offers biological insights into cardiovascular risk. *Nature Genetics* 2017; 49: 403-415.
269. Wei Y, Colombo MA, Ramautar JR, Blanken TF, van der Werf YD, et al (including van Someren EJW). Sleep stage transition dynamics reveal specific stage 2 vulnerability in insomnia. *Sleep* 2017;40(9):10.
270. Wesseldijk LW, Fedko IO, Bartels M, Nivard MG, van Beijsterveldt CE, Boomsma DI, Middeldorp CM. Psychopathology in 7-year-old children: Differences in maternal and paternal ratings and the genetic epidemiology. *American journal of medical genetics Part B, Neuropsychiatric Genetics* 2017;174(3):251-60.
271. Westerneng M, Witteveen AB, Warmelink JC, Spelten E, Honig A, de Cock P. Pregnancy-specific anxiety and its association with background characteristics and health-related behaviors in a low-risk population. *Comprehensive Psychiatry* 2017;75:6-13.
272. Widdershoven GAM, Ruissen A, van Balkom A, Meynen G. Competence in chronic mental illness: the relevance of practical wisdom. *Journal of Medical Ethics* 2017;43(6):374-8.
273. Widdershoven GAM, Ruissen A, van Balkom A, Meynen G. Commentary on 'Competence in chronic mental illness: the relevance of practical wisdom' Response. *Journal of Medical Ethics* 2017;43(6):382-3.
274. Wielaard I, Comijs HC, Stek ML, Rhebergen D. Childhood abuse and the two-year course of late-life depression. *American Journal of Geriatric Psychiatry* 2017, 25(6): 633-643.
275. Williams T, Hattingh CJ, Kariuki CM, Tromp SA, van Balkom AJ, Ipser JS, Stein DJ. Pharmacotherapy for social anxiety disorder (SAnD). *Cochrane Database of Systematic Reviews* 2017(10):266.
276. Winthorst WH, Roest AM, Bos EH, Meesters Y, Penninx B, Nolen WA, de Jonge P. Seasonal affective disorder and non-seasonal affective disorders: results from the NESDA study. *BjPsych Open* 2017;3(4):196-203.
277. Wise T, Radua J, Via E, Cardoner N, Abe O, et al (including Veltman DJ). Common and distinct patterns of grey-matter volume alteration in major depression and bipolar disorder: evidence from voxel-based meta-analysis. *Molecular Psychiatry* 2017;22(10):1455-63.
278. Witt SH, Streit F, Jungkunz M, Frank J, Awasthi S, et al (including Milaneschi Y, Penninx BW). Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. *Translational Psychiatry* 2017;7:9.

279. Zeng YN, Navarro P, Shirali M, Howard DM, Adams MJ, et al (including Penninx BW, Milaneschi Y). Genome-wide regional heritability mapping identifies a locus within the TOX2 gene associated with Major Depressive Disorder. *Biological Psychiatry* 2017;82(5):312-21.
280. Zhang JH, Paksarian D, Lamers F, Hickie IB, He JP, Merikangas KR. Sleep Patterns and Mental Health Correlates in US Adolescents. *Journal of Pediatrics* 2017;182:137-143.
281. Zernakova DV, Deelen P, Vermaat M, van Iterson M, et al (including Jansen R). Identification of context-dependent expression quantitative trait loci in whole blood. *Nature Genetics* 2017 Jan;49(1):139-145.
282. Zijlmans J, Marhe R, van der Ende J, Verhulst FC, Popma A, Tiemeier H, van den Heuvel OA. Children with Obsessive-Compulsive Symptomology in the general population: different subtypes? *Journal of Developmental and Behavioral Pediatrics* 2017;38(7):476-82.
5. Reefman K, Daelmans HEM, Klumpers UMH, Croiset G. Symposia in undergraduate medical education: tailoring training in competencies to students' needs. *Perspectives on Medical Education* 2017; 6(6): 429–432.
6. Wynchank D, Bijlenga D, Beekman AT, Kooij JJS, Penninx BW. Adult Attention-Deficit/Hyperactivity Disorder (ADHD) and insomnia: an update of the literature. *Current Psychiatry Reports* 2017;19(12):11.

Non peer-reviewed international publications

1. Brooker D, Dröes RM, Evans SB. Framing outcomes of post-diagnostic psychosocial interventions in dementia: the Adaptation-Coping Model and adjusting to change. *Working with Older People* 2017; 21(1):13-21.
2. Dröes RM, on behalf of the MEETINGDEM Consortium. MEETINGDEM; implementation and validation of the Meeting Centres Support Programme in Europe. *IPA-Bulletin* 2017, 34(2):17.
3. Meiland F, Innes A, Mountain G, Robinson L, van der Roest H, et al (including Dröes RM). Technologies to support community-dwelling persons with dementia: a position paper on issues regarding development, usability, effectiveness and cost-effectiveness, deployment, and ethics. *JMIR Rehabilitation and Assistive Technologies* 2017; 4(1):e1.
4. Nuij C, Van Ballegooijen W, Ruwaard J, de Beurs D, O'Connor RC, Smit JH, Riper H, Kerkhof A. Smartphone-based safety planning and self-monitoring for suicidal patients: a conceptual basis for the CASPAR (Continuous Assessment for Suicide Prevention and Research) study. *Preprints* 2017, 2017040103.

Publications in Dutch

1. Bet PM, Hugtenburg J G, Hoogendijk WJG, Penninx BW JH. Veel mensen met depressie en angst missen juiste behandeling. *Pharmaceutisch Weekblad* 2017; 152(20):18-19.
2. Comijs H. Longitudinale associaties tussen symptoomdimensies van depressie en cognitief functioneren bij ouderen. *Tijdschrift voor Psychiatrie* 2017; 59(9):570.
3. Comijs H, Mansens D, Deeg D. De invloed van muziek maken op cognitieve veroudering. *Geron. Tijdschrift over ouder worden & samenleving* 2017, 19:72-74.
4. de Haan K, Wieleng F, Pruijssers A, van Meijel B. Problemen in de begeleiding en behandeling van verslavingsproblematiek bij mensen met een lichte verstandelijke beperking. *Verpleegkunde. Nederlands Vlaams wetenschappelijk tijdschrift voor verpleegkundigen* 2017; 3:8-16.
5. de Jong K, Tiemens B, Verbraak MJPM et al. (including Beekman ATF, van Dyck R, van Oppen P). Red ROM als kwaliteitsinstrument (Opinie). *Tijdschrift voor Psychiatrie* 2017; 59:242-244.
6. de Veer A, van Meijel B, Stringer B, Verkaik R, Francke A. Samenwerken voor goede palliatieve zorg voor dak- en thuislozen. *Nurse Academy GGZ* 2017; 3:4-8.
7. de Veer A, Stringer B, van Meijel B, Verkaik A, Francke A. Nog veel winst te behalen. Palliatieve zorg voor dak- en thuislozen. *Pallium. Multidisciplinair tijdschrift over palliatieve zorg* 2017; 19 (2):19-21.
8. Dols A, Schouws S. Ouderen met een bipolaire stoornis, een aparte groep [Older patients with a bipolar disorder, a distinctive group]. *Tijdschrift voor Psychiatrie* 2017;59(11):693-701.
9. Dorrepaal E, Thomaes K, Veltman DJ, van Balkom AJLM, Draijer N. Zorg op maat bij complexe PTSS: wat werkt voor wie? [Matched care for complex PTSD: what works for whom?]. *Tijdschrift voor Psychiatrie* 2017;59(11):680-681.
10. Hermens MLM, Nugter MA, Mooij N, Hoogendoorn AW, van Son GE, Robbers S, van Bueren MM, Beekman ATF, Theunissen J. ROM bij ouderen: een prospectief cohortonderzoek naar de uitkomsten op de HoNOS 65+ bij verschillende diagnosegroepen [ROM for the elderly: a prospective cohort study of the outcomes on the HoNOS 65+ in various diagnostic groups]. *Tijdschrift voor Psychiatrie* 2017, 59 (8):456-65.
11. Hovens JGFM, Giltay EJ, van Hemert AM, Penninx BWJH. [Emotional scars: impact of childhood trauma on the development of depressive and anxiety disorders later in life]. *Tijdschrift voor Psychiatrie* 2017;59(5):286-296.
12. Kooij JJS. ADHD bij Volwassenen. *Nederlands Tijdschrift voor Geneeskunde* 2017;161:D1489.
13. Nauta KJ. Vroege herkenning van dermatitis artefacta: Hoeveel bedrog en machteloosheid kan de dermatoloog aan? *Nederlands Tijdschrift voor Dermatologie en Venereologie* 2017; 27(2):68-72.
14. Overdevest S, Ter Meulen W, Kupka R. Bipolaire stoornissen: een overzicht. *Nurse Academy* 2017;1: 22-27.
15. Remmerswaal K, Batelaan N, Smit J, van Oppen P, van Balkom AJLM. Een korte gedragstherapeutische familie-interventie voor patiënten met een obsessieve compulsieve stoornis. *Gedragstherapie* 2017; 50: 207-217.
16. Rookhuizen ED, Stringer B, Huising MS, de Ruijter E, van Meijel B. Voorschrijven van psychofarmaca door verpleegkundig specialist ggz: een exploratief onderzoek [Prescribing psychotropic medication by the nurse practitioner in mental health care: an explorative study]. *Tijdschrift voor Psychiatrie* 2017;59(4):229-233.
17. Schoevers RA, Beekman ATF. Van 'stop ROM' naar 'hier met die ROM!'. *Tijdschrift voor Psychiatrie* 2017;59(4):245-246.
18. Scholtens WF, Wennink JMB, Honig A, Prenatale SSRI-blootstelling en de langetermijneffecten op schoolgaande leeftijd (referaat). *Tijdschrift voor Psychiatrie* 2017;59(11):730-731.

19. Schrier AC, Hogerzeil SJ, de Wit MA, Beekman AT. Depressie en angst bij Turkse en Marokkaanse minderheidsgroepen in Nederland: prevalentie, symptomen, risico- en beschermende factoren in de algemene bevolking. Een systematische review. [Depression and anxiety in Turkish and Moroccan minorities in the Netherlands: prevalence, symptoms, risk factors and protective factors. A systematic review]. *Tijdschrift voor Psychiatrie* 2017;59(1):30-39
20. Seldenrijk A, Vis R, Henstra M, Ho Pian K, van Grootheest D, Salomons T, Overmeire F, de Boer M, Scheers T, Doornebal-Bakker R, Ruhé HG, Vinkers CH. Aandacht voor bijwerkingen van benzodiazepinen is belangrijk: een systematisch overzicht [Systematic review of the side effects of benzodiazepines]. *Nederlands Tijdschrift voor Geneeskunde* 2017; 161 (0):D1052.
21. Sienaert P, Stek ML, Comijs H, De Winter FL, Dols A, Eikelenboom P, Emsell L, Kho KH, Kok RM, Obbels J, Oudegan MJ, Rhebergen D, Vandenbulcke M, Van den Heuvel OA, van Exel E, Vansteelandt K, Verwijk E, Bouckaert F, Spaans HP. ResPECT –een decennium Vlaams Nederlands onderzoek naar electroconvulsietherapie. [ResPECT – a decade of Flemish-Dutch ECT research]. *Tijdschrift voor Psychiatrie* 2017, 59: 626-631.
22. van der Post LFM, Beekman ATF, Peen J, Zoeteman J, Twisk JWR, Dekker JJM. Intensieve nazorg voorkomt BOPZ-heropname niet; een prospectief cohortonderzoek met 5 jaar follow-up. [Intensive follow-on care does not prevent a repeat compulsory admission; a prospective cohort study with a 5-year follow-up]. *Nederlands Tijdschrift voor Geneeskunde* 2017;161(0):D1205.
23. van Loenen I, de Gier V, van Meijel B, Stringer B. Herstelondersteunende zorg in een gesloten opnamekliniek. Een kwalitatieve studie. *Participatie en Herstel* 2017; 1:31-42.
24. van Schie D, Castelein S, Stringer B, van Meijel B. Vaststellen van het zelfmanagementvermogen van patiënten met schizofrenie: instrumenten en psychometrische overweging. *GGzet Wetenschappelijk* 2017; 2:62-71.
25. van Schie D, Castelein S, Stringer B, van Meijel B. Zelfmanagementvermogen van patiënten met schizofrenie. *Nurse Academy GGZ* 2017; 2:25-31.
26. Vernooij-Dassen M, de Boer A, de Vugt ME, Meiland FJM, Dröes RM. Mantelzorg bij dementie en de kracht van sociale gezondheid. [Informal care in dementia and the power of social health]. *Nederlands Tijdschrift voor Geneeskunde* 2017;161(0):D1878.
27. Verhoeven JE, van Oppen P, Penninx BWJH. Psychische stress en cellulaire veroudering: de samenhang tussen depressie, angst en telomeerlengte. [Associations between depression, anxiety and telomere length in a large Dutch psychiatric cohort study]. *Tijdschrift voor Psychiatrie* 2017;59(6):350-359.


Books

1. Kupka RW, Batelaan N, Hageman, L. Behandelmethoden in de psychiatrie. iBook no 19. VUmc Mobile Learning Initiative Psychiatrie. VUmc Amsterdam, 2017.
2. van Balkom AJLM, Kupka R, Spijker J (red.) Casusboek Kwaliteitsstandaarden. Zorgstandaarden en generieke modules. De Tijdstroom, Utrecht, 2017.
3. van der Stel J. Inleiding in de psychische gezondheidszorg. Boom, Amsterdam, 2017.

Book chapters

4. Beekman ATF. DSM-5, de moeite waard? In: Ingehoven TJM (red.) De DSM-5 welbeschouwd: Nederlandse experts aan het woord (p. 205-209). De Tijdstroom, Utrecht, 2017.
5. Broekman BFP. Resilience and vulnerability. In: Hopkins B, Geangu E, Linkenauger S (red.) The Cambridge Encyclopedia of Child Development. Second Edition. Cambridge University press, Cambridge, 2017.
6. Draijer N. Ik hoor een stem die zegt dat ik een einde aan mijn leven moet maken. Zorgstandaard dissociatieve stoornissen. In: van Balkom AJLM, Kupka R, Spijker J (red.) Casusboek Kwaliteitsstandaarden. Zorgstandaarden en generieke modules (p.119-124). De Tijdstroom, Utrecht, 2017.
7. Draijer N, Thunissen M. Mijn leven is een puinhoop. Zorgstandaard persoonlijkheidsstoornissen. Generieke module psychotherapie. In: van Balkom AJLM, Kupka R, Spijker J (red.) Casusboek Kwaliteitsstandaarden. Zorgstandaarden en generieke modules (p.167-174). De Tijdstroom, Utrecht, 2017.
8. Dols A, Sonnenberg C. Physical comorbidities and mood disorders in older adults. In: Chiu H, Shulman K (red.) Mental health and illness of the elderly. Springer, Singapore, 2017.
9. Dols A, Chan MYS, Shulman KI. Clinical management of older age bipolar disorder. In: Lehmann SW, Forester BP (red.) Bipolar disorder in older age patients. Springer, 2017.
10. Dols A, Chen P, Al Jurdi RK, Sajatovic M. Clinical assessment of older adults with bipolar disorder. In: Lehmann SW, Forester BP (red.) Bipolar disorder in older age patients. Springer, 2017.
11. Heller H. Ik heb ontzettende hoofdpijn. Zorgstandaard SOLK. Generieke module: Zelfmanagement voor de geestelijke gezondheidszorg. In: van Balkom AJLM, Kupka R, Spijker J (red.) Casusboek Kwaliteitsstandaarden. Zorgstandaarden en generieke modules (p.119-124). De Tijdstroom, Utrecht, 2017.
12. Honig A. Dokter ik heb een hartinfarct. Zorgstandaard angstklachten en angststoornissen. Generieke module ziekenhuispsychiatrie. In: van Balkom AJLM, Kupka R, Spijker J (red.) Casusboek Kwaliteitsstandaarden. Zorgstandaarden en generieke modules (p.85-90). De Tijdstroom, Utrecht, 2017.
13. Kooij JJS. ADHD bij volwassenen. Diagnostiek en behandeling, 4e herziene druk. Pearson, Amsterdam, 2017.
14. Kupka RW. Bipolair syndroom. In: Bak M, Domen P, van Os J (red.) Innovatief leerboek persoonlijke psychiatrie. Terug naar de essentie. Diagnosis uitgevers, Leusden, 2017.
15. Kupka RW. Hij heeft al zijn meubels uit het raam gegooid! Zorgstandaard bipolaire stoornissen. Generieke module acute psychiatrie. In: van Balkom AJLM, Kupka R, Spijker J (red.) Casusboek Kwaliteitsstandaarden. Zorgstandaarden en generieke modules (p.57-62). De Tijdstroom, Utrecht, 2017.
16. Pattyn T, van den Bergh M, van Slobbe-Maijer K, van Balkom AJLM, Figeo M, Tijdink J. Paniekaanval. In: Luykx JJ, Moret-Harman M, Tempelaar WM, Tijdink JK, Vinkers CH, de Witte LD (red.) Acute Psychiatrie. (p. 63-69) van Zuiden, Alpen aan den Rijn, 2017.
17. Renes J, van Slobbe-Maijer K, Hillegers M, Schulte P, Kupka RW, de Witte L, Luykx JJ. Manische episode. In: Luykx JJ, Moret-Harman M, Tempelaar WM, Tijdink JK, Vinkers CH, de Witte LD (red.) Acute Psychiatrie. van Zuiden, Alpen aan den Rijn, 2017.
18. Schadé A. Ze zeggen dat ik te veel drink. Zorgstandaard problematisch alcoholgebruik en alcoholverslaving. Generieke module destigmatisering. In: van Balkom AJLM, Kupka R, Spijker J (red.) Casusboek Kwaliteitsstandaarden. Zorgstandaarden en generieke modules (p.155-160). De Tijdstroom, Utrecht, 2017.
19. Smalbrugge M, Beekman ATF. De angstige patiënt. In: Leerboek geriatrie: Probleemgeoriënteerd werken met ouderen. Marianne van Iersel, Martin Smalbrugge, Marjolein van de Pol, Mirko Petrovic, Sophia de Rooij, Marcel Olde Rikkert (redactie). De Tijdstroom., Utrecht. 2017 pp 307-318.

20. van Balkom AJLM, Cath DC, van Megen HJGM. Obsessieve Compulsieve Stoornis. In: Handboek Spoedeisende Psychiatrie. Achilles RA, Beerthuis RJ, van Ewijk WM, Zoeteman JB (red.) Utrecht: De Tijdstroom, 3e geheel herziene druk 2017: 481-490.
21. van Balkom AJLM. Ik durf niks meer aan te raken. Zorgstandaard angstklachten en angststoornissen. Generieke modules: Landelijke GGz samenwerkingsafspraken, Samenwerking en ondersteuning naasten van mensen met psychische problematiek. In: van Balkom AJLM, Kupka R, Spijker J (red.) Casusboek Kwaliteitsstandaarden. Zorgstandaarden en generieke modules (p.101-106). De Tijdstroom, Utrecht, 2017.
22. van Oudheusden LJB, Meynen G, van Balkom AJLM. Tussen angst en vrees. In: Ingenhoven TJM (red.) De DSM-5 welbeschouwd. Nederlandse experts aan het woord (p.65-84). De Tijdstroom, Utrecht, 2017.
23. Zinkstok J, van Amelsvoort Th, Birkenhager T, Oude Voshaar R, Popma A, van Balkom AJLM. Gedwongen opname bij een patiënt met een psychose. In: Houtlosser M, Roos RAC, Touwen DP (red.) Met recht en reden in de praktijk. Liber amicorum voor Dick Engberts. (p. 178-182). Universiteit Leiden, 2017.



Reports

1. Berends T, van Meijel B, van Elburg A. (2017). **Guideline relapse prevention anorexia nervosa.** Altrecht GGZ, Hogeschool Inholland.
2. Heesbeen A, Dröes RM, Hendriks I, Koelewijn J, Meiland F. **Unforgettable. How to make art and culture accessible for people with dementia and their loved ones.** Stedelijk Museum Amsterdam, the Van Abbemuseum and VU medical center(VUmc), 2017.
3. Krijnen E, Muntingh A, Batelaan N, van Straten A, van Meijel B. E-health-programma Terugvalpreventie bij recidiverende angst- en depressieklachten. Amsterdam: Hogeschool Inholland, VU medisch centrum, VU, 2017.
4. van Hamersveld S, van der Kellen D, Bijwaard H, van Meijel B. E-health + mobiele applicatie Somatische screening en leefstijl bij patiënten met een ernstige psychiatrische aandoening. Amsterdam, Hogeschool Inholland, 2017.
5. de Veer A, Stringer B, van Meijel B, Verkaik R, Francke A. **Palliatieve zorg voor mensen die dak- of thuisloos zijn. Een praktische handreiking.** NIVEL, Utrecht, 2017.

